

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037664.D
 Acq On : 30 Sep 2024 18:29
 Operator : SY/MD
 Sample : P4162-18ME
 Misc : 5.26g/5mL/100ul/5mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4EJ3ME

Quant Time: Oct 01 02:10:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 01 02:04:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	931945	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.779	117	897365	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	444966	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	287939	35.196	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.400%
7) Chloroethane-d5	1.506	69	156118	24.585	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	49.160%#
11) 1,1-Dichloroethene-d2	2.043	65	141164	41.301	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.600%
21) 2-Butanone-d5	3.799	46	245614	84.290	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.290%
24) Chloroform-d	4.239	84	711368	48.875	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.740%
26) 1,2-Dichloroethane-d4	4.934	65	452504	53.115	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.220%
32) Benzene-d6	4.947	84	1397508	49.768	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.540%
36) 1,2-Dichloropropane-d6	5.982	67	460109	51.457	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.920%
41) Toluene-d8	7.236	98	1271467	49.935	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.880%
43) trans-1,3-Dichloroprop...	7.548	79	212565	51.174	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	102.340%
47) 2-Hexanone-d5	8.027	63	243452	128.940	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	128.940%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	559681	53.870	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.740%
66) 1,2-Dichlorobenzene-d4	11.554	152	539985	57.590	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	115.180%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037664.D
Acq On : 30 Sep 2024 18:29
Operator : SY/MD
Sample : P4162-18ME
Misc : 5.26g/5mL/100ul/5ml/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4EJ3ME

Quant Time: Oct 01 02:10:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 01 02:04:27 2024
Response via : Initial Calibration

