

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037645.D
 Acq On : 30 Sep 2024 11:40
 Operator : SY/MD
 Sample : PB163749TB 10X
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VLEB749

Quant Time: Oct 01 02:05:37 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 01 02:04:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	755137	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	739592	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	340165	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	283489	42.766	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.540%
7) Chloroethane-d5	1.532	69	223499	43.436	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.880%
11) 1,1-Dichloroethene-d2	2.060	65	123356	44.541	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.080%
21) 2-Butanone-d5	3.793	46	166088	70.344	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	70.340%
24) Chloroform-d	4.240	84	495661	42.028	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.060%
26) 1,2-Dichloroethane-d4	4.934	65	299123	43.332	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.660%
32) Benzene-d6	4.950	84	997884	43.118	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.240%
36) 1,2-Dichloropropane-d6	5.982	67	311272	42.238	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	84.480%
41) Toluene-d8	7.236	98	903148	43.036	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.080%
43) trans-1,3-Dichloroprop...	7.548	79	137269	40.097	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.200%
47) 2-Hexanone-d5	8.021	63	104568	67.197	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	67.200%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	320700	37.453	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	74.900%
66) 1,2-Dichlorobenzene-d4	11.554	152	341832	47.689	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.380%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037645.D
Acq On : 30 Sep 2024 11:40
Operator : SY/MD
Sample : PB163749TB 10X
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VLEB749

Quant Time: Oct 01 02:05:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 01 02:04:27 2024
Response via : Initial Calibration

