

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037644.D
 Acq On : 30 Sep 2024 11:03
 Operator : SY/MD
 Sample : VV0930WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK221

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037644.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	36	43	52	rBV	8780	16481	0.60%	0.083%
2	1.282	67	75	91	rVB	405286	438126	16.02%	2.216%
3	1.532	145	153	167	rVB	338472	391342	14.31%	1.979%
4	2.060	307	317	334	rBV	697897	1003337	36.70%	5.074%
5	3.445	744	748	753	rBV6	764	851	0.03%	0.004%
6	3.796	848	857	887	rBV	106049	313322	11.46%	1.584%
7	4.089	945	948	953	rVB5	1131	646	0.02%	0.003%
8	4.243	978	996	1024	rBV	444432	1120722	40.99%	5.667%
9	4.571	1096	1098	1100	rBV2	712	420	0.02%	0.002%
10	4.603	1106	1108	1111	rVB2	1064	525	0.02%	0.003%
11	4.626	1111	1115	1118	rBV2	751	668	0.02%	0.003%
12	4.690	1133	1135	1141	rVB5	1083	625	0.02%	0.003%
13	4.741	1148	1151	1156	rBV3	966	882	0.03%	0.004%
14	4.767	1156	1159	1163	rVB4	993	646	0.02%	0.003%
15	4.863	1183	1189	1191	rBV3	610	543	0.02%	0.003%
16	4.950	1197	1216	1247	rBV2	1075333	2734030	100.00%	13.826%
17	5.240	1303	1306	1308	rBV4	1006	555	0.02%	0.003%
18	5.330	1331	1334	1338	rBV4	1248	889	0.03%	0.004%
19	5.465	1372	1376	1377	rBV3	735	493	0.02%	0.002%
20	5.529	1384	1396	1423	rBV	775391	1588757	58.11%	8.034%
21	5.831	1479	1490	1501	rBV7	10356	22566	0.83%	0.114%
22	5.982	1524	1537	1574	rBV	590226	1237795	45.27%	6.259%
23	6.288	1629	1632	1634	rBV3	998	645	0.02%	0.003%
24	6.378	1658	1660	1663	rBV2	818	617	0.02%	0.003%
25	6.436	1673	1678	1679	rBV3	1015	896	0.03%	0.005%
26	6.516	1701	1703	1706	rBV4	883	659	0.02%	0.003%
27	6.548	1711	1713	1718	rVV4	914	849	0.03%	0.004%
28	6.574	1718	1721	1725	rVB4	1228	919	0.03%	0.005%
29	6.596	1725	1728	1730	rBV3	1099	686	0.03%	0.003%
30	6.609	1730	1732	1735	rVV2	1114	666	0.02%	0.003%
31	6.651	1744	1745	1748	rVV2	839	479	0.02%	0.002%
32	6.754	1773	1777	1782	rBV2	544	523	0.02%	0.003%
33	6.854	1806	1808	1812	rBV4	914	674	0.02%	0.003%
34	6.908	1815	1825	1864	rBV	311026	610123	22.32%	3.085%
35	7.172	1904	1907	1910	rBV3	1008	517	0.02%	0.003%
36	7.188	1910	1912	1915	rBV2	768	570	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037644.D
 Acq On : 30 Sep 2024 11:03
 Operator : SY/MD
 Sample : VV0930WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK221

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.236	1916	1927	1957	rBV	1260461	2220146	81.20%	11.227%
38	7.516	2012	2014	2016	rBV2	667	398	0.01%	0.002%
39	7.548	2016	2024	2052	rVV	207506	387639	14.18%	1.960%
40	7.908	2132	2136	2138	rBV5	1196	863	0.03%	0.004%
41	7.940	2144	2146	2151	rVB3	1033	732	0.03%	0.004%
42	8.024	2163	2172	2218	rBV2	303985	710960	26.00%	3.595%
43	8.397	2284	2288	2289	rBV3	864	599	0.02%	0.003%
44	8.413	2289	2293	2295	rVB3	870	693	0.03%	0.004%
45	8.445	2301	2303	2306	rBV2	907	592	0.02%	0.003%
46	8.651	2364	2367	2369	rBV3	758	417	0.02%	0.002%
47	8.686	2374	2378	2379	rBV2	911	586	0.02%	0.003%
48	8.696	2379	2381	2384	rVB4	763	398	0.01%	0.002%
49	8.725	2387	2390	2392	rBV2	712	440	0.02%	0.002%
50	8.780	2396	2407	2438	rBV	1189215	1984819	72.60%	10.037%
51	9.133	2513	2517	2518	rBV3	981	691	0.03%	0.003%
52	9.162	2523	2526	2531	rBV4	1126	846	0.03%	0.004%
53	9.313	2571	2573	2577	rVB3	935	573	0.02%	0.003%
54	9.413	2602	2604	2607	rBV4	879	555	0.02%	0.003%
55	9.458	2616	2618	2621	rVB3	884	475	0.02%	0.002%
56	9.477	2621	2624	2626	rBV2	831	477	0.02%	0.002%
57	9.493	2626	2629	2634	rVB3	1098	707	0.03%	0.004%
58	9.645	2674	2676	2679	rVB4	854	457	0.02%	0.002%
59	9.821	2727	2731	2733	rBV3	752	518	0.02%	0.003%
60	10.146	2821	2832	2869	rVV	653822	1055754	38.62%	5.339%
61	10.497	2939	2941	2947	rVB3	658	588	0.02%	0.003%
62	10.574	2961	2965	2968	rBV3	785	742	0.03%	0.004%
63	10.728	3011	3013	3017	rVB3	755	530	0.02%	0.003%
64	10.754	3017	3021	3023	rBV2	961	741	0.03%	0.004%
65	10.792	3029	3033	3035	rVV4	832	597	0.02%	0.003%
66	10.863	3049	3055	3058	rBV7	1190	1378	0.05%	0.007%
67	11.133	3134	3139	3142	rBV4	1985	1971	0.07%	0.010%
68	11.178	3142	3153	3185	rVV	1166004	1869702	68.39%	9.455%
69	11.468	3240	3243	3246	rVB3	1400	849	0.03%	0.004%
70	11.554	3255	3270	3302	rBV	1223567	1983228	72.54%	10.029%
71	11.992	3404	3406	3409	rVB3	873	449	0.02%	0.002%
72	12.198	3467	3470	3473	rVV2	1319	739	0.03%	0.004%
73	12.246	3480	3485	3487	rBV3	614	553	0.02%	0.003%
74	12.320	3502	3508	3510	rBV4	1214	988	0.04%	0.005%
75	12.429	3537	3542	3544	rVB4	657	517	0.02%	0.003%
76	12.464	3550	3553	3556	rVB4	1100	840	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037644.D
 Acq On : 30 Sep 2024 11:03
 Operator : SY/MD
 Sample : VV0930WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK221

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.551	3576	3580	3583	rBV2	1231	1022	0.04%	0.005%
78	12.590	3589	3592	3598	rBV4	1832	2135	0.08%	0.011%
79	12.715	3628	3631	3635	rVV2	660	466	0.02%	0.002%
80	12.744	3635	3640	3643	rVV3	781	703	0.03%	0.004%
81	12.763	3643	3646	3649	rVB3	866	659	0.02%	0.003%
82	12.834	3665	3668	3671	rVB3	797	496	0.02%	0.003%
83	12.934	3697	3699	3702	rVB4	870	500	0.02%	0.003%
84	12.950	3702	3704	3708	rVB3	981	520	0.02%	0.003%
85	13.014	3721	3724	3729	rBV3	818	621	0.02%	0.003%
86	13.130	3758	3760	3766	rBV4	523	405	0.01%	0.002%
87	13.207	3779	3784	3796	rVB9	4146	6734	0.25%	0.034%
88	13.275	3803	3805	3808	rVB2	991	445	0.02%	0.002%
89	13.371	3832	3835	3837	rVV4	920	610	0.02%	0.003%
90	13.423	3847	3851	3852	rBV3	1102	670	0.02%	0.003%
91	13.448	3852	3859	3873	rVV3	8149	16411	0.60%	0.083%
92	13.641	3916	3919	3921	rBV3	743	490	0.02%	0.002%
93	13.683	3924	3932	3943	rBV10	4821	9331	0.34%	0.047%
94	13.934	4006	4010	4012	rBV4	631	559	0.02%	0.003%
95	14.017	4031	4036	4037	rBV4	961	712	0.03%	0.004%
96	14.181	4085	4087	4092	rVB4	961	672	0.02%	0.003%
97	14.413	4156	4159	4160	rBV2	1026	620	0.02%	0.003%
98	14.644	4227	4231	4233	rBV4	1558	1064	0.04%	0.005%
99	14.869	4297	4301	4302	rBV3	1433	950	0.03%	0.005%
100	14.924	4316	4318	4321	rBV4	717	561	0.02%	0.003%

Sum of corrected areas: 19775147




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037644.D
Acq On : 30 Sep 2024 11:03
Operator : SY/MD
Sample : VV0930WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK221

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037644.D
Acq On : 30 Sep 2024 11:03
Operator : SY/MD
Sample : VV0930WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK221

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037644.D
Acq On : 30 Sep 2024 11:03
Operator : SY/MD
Sample : VV0930WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK221

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc
