

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037688.D
 Acq On : 01 Oct 2024 09:28
 Operator : SY/MD
 Sample : VV1001MBL01
 Misc : 5.00g/5mL/100uL/5mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK224

Quant Time: Oct 02 04:37:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 01 04:32:07 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	682249	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	649319	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	307885	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	265740	44.371	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.740%
7) Chloroethane-d5	1.532	69	214789	46.203	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.400%
11) 1,1-Dichloroethene-d2	2.059	65	113625	45.411	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.820%
21) 2-Butanone-d5	3.789	46	171420	80.359	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	80.360%
24) Chloroform-d	4.239	84	462884	43.442	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.880%
26) 1,2-Dichloroethane-d4	4.934	65	282671	45.323	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.640%
32) Benzene-d6	4.950	84	947146	46.615	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.240%
36) 1,2-Dichloropropane-d6	5.979	67	299994	46.367	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.740%
41) Toluene-d8	7.236	98	847556	46.002	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.000%
43) trans-1,3-Dichloroprop...	7.548	79	127231	42.332	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.660%
47) 2-Hexanone-d5	8.021	63	107608	78.764	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	78.760%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	305819	40.680	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	81.360%
66) 1,2-Dichlorobenzene-d4	11.551	152	312873	48.225	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.460%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037688.D
Acq On : 01 Oct 2024 09:28
Operator : SY/MD
Sample : VV1001MBL01
Misc : 5.00g/5mL/100uL/5mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK224

Quant Time: Oct 02 04:37:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 01 04:32:07 2024
Response via : Initial Calibration

