

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037701.D
 Acq On : 01 Oct 2024 14:35
 Operator : SY/MD
 Sample : P4237-13
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FC5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037701.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.178	38	43	52	rBV	9287	15065	0.58%	0.081%
2	1.281	68	75	91	rVB	268699	290930	11.29%	1.563%
3	1.532	146	153	168	rVB	264685	308603	11.97%	1.658%
4	2.059	308	317	328	rBV	532933	759274	29.45%	4.079%
5	3.310	704	706	707	rBV	572	261	0.01%	0.001%
6	3.497	761	764	767	rBV2	1011	680	0.03%	0.004%
7	3.539	774	777	779	rBV2	588	436	0.02%	0.002%
8	3.606	796	798	799	rBV	235	83	0.00%	0.000%
9	3.629	803	805	808	rBV2	486	307	0.01%	0.002%
10	3.667	813	817	818	rBV3	492	279	0.01%	0.001%
11	3.696	824	826	827	rBV	278	145	0.01%	0.001%
12	3.706	827	829	832	rVV	530	270	0.01%	0.001%
13	3.735	836	838	842	rVV2	390	193	0.01%	0.001%
14	3.793	847	856	888	rBV	127321	351226	13.62%	1.887%
15	4.243	980	996	1026	rBV	428444	1087797	42.20%	5.844%
16	4.616	1108	1112	1116	rBV5	924	869	0.03%	0.005%
17	4.667	1123	1128	1130	rBV2	853	678	0.03%	0.004%
18	4.731	1144	1148	1149	rBV3	441	281	0.01%	0.002%
19	4.796	1166	1168	1171	rVB3	693	362	0.01%	0.002%
20	4.815	1171	1174	1175	rBV2	693	482	0.02%	0.003%
21	4.844	1181	1183	1186	rBV3	681	280	0.01%	0.002%
22	4.950	1200	1216	1246	rBV2	1017194	2577842	100.00%	13.849%
23	5.400	1354	1356	1357	rBV2	795	339	0.01%	0.002%
24	5.410	1357	1359	1364	rVB4	1093	838	0.03%	0.005%
25	5.529	1385	1396	1428	rBV	704030	1450631	56.27%	7.793%
26	5.985	1524	1538	1572	rBV	588044	1229119	47.68%	6.603%
27	6.349	1648	1651	1654	rVB4	1341	935	0.04%	0.005%
28	6.365	1654	1656	1659	rBV2	798	608	0.02%	0.003%
29	6.407	1667	1669	1670	rBV2	805	435	0.02%	0.002%
30	6.439	1677	1679	1682	rBV2	1419	802	0.03%	0.004%
31	6.522	1701	1705	1708	rBV4	599	477	0.02%	0.003%
32	6.551	1712	1714	1716	rVB3	985	430	0.02%	0.002%
33	6.571	1716	1720	1723	rBV5	742	700	0.03%	0.004%
34	6.622	1733	1736	1739	rVB3	512	358	0.01%	0.002%
35	6.638	1739	1741	1743	rVB	292	135	0.01%	0.001%
36	6.654	1743	1746	1747	rBV2	510	279	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037701.D
 Acq On : 01 Oct 2024 14:35
 Operator : SY/MD
 Sample : P4237-13
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FC5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.706	1757	1762	1763	rBV4	675	540	0.02%	0.003%
38	6.744	1770	1774	1775	rBV	815	520	0.02%	0.003%
39	6.754	1775	1777	1780	rVB3	1292	708	0.03%	0.004%
40	6.773	1780	1783	1786	rBV4	472	333	0.01%	0.002%
41	6.808	1791	1794	1796	rBV2	692	315	0.01%	0.002%
42	6.857	1802	1809	1810	rBV3	473	418	0.02%	0.002%
43	6.866	1810	1812	1815	rBV3	780	405	0.02%	0.002%
44	6.908	1815	1825	1858	rBV	301469	585310	22.71%	3.144%
45	7.236	1916	1927	1971	rBV	1129623	2027186	78.64%	10.891%
46	7.548	2016	2024	2050	rBV	208695	383323	14.87%	2.059%
47	7.982	2153	2159	2164	rBV5	6029	7830	0.30%	0.042%
48	8.024	2164	2172	2222	rVV2	355580	765790	29.71%	4.114%
49	8.779	2393	2407	2432	rBV	1094134	1831124	71.03%	9.837%
50	9.146	2518	2521	2524	rBV4	671	516	0.02%	0.003%
51	9.191	2532	2535	2537	rBV4	898	592	0.02%	0.003%
52	9.226	2539	2546	2555	rVV7	4390	8813	0.34%	0.047%
53	9.365	2585	2589	2592	rBV4	805	778	0.03%	0.004%
54	9.390	2595	2597	2600	rVV4	631	327	0.01%	0.002%
55	9.406	2600	2602	2607	rVV5	584	419	0.02%	0.002%
56	9.490	2625	2628	2631	rBV5	1162	752	0.03%	0.004%
57	9.535	2638	2642	2644	rBV4	1057	683	0.03%	0.004%
58	9.545	2644	2645	2647	rBV2	772	343	0.01%	0.002%
59	9.606	2660	2664	2667	rBV3	944	779	0.03%	0.004%
60	9.619	2667	2668	2671	rVB3	497	288	0.01%	0.002%
61	9.673	2683	2685	2688	rBV3	471	289	0.01%	0.002%
62	9.718	2688	2699	2708	rBV9	4805	9367	0.36%	0.050%
63	9.796	2721	2723	2727	rVB3	858	476	0.02%	0.003%
64	9.853	2740	2741	2742	rBV	596	209	0.01%	0.001%
65	9.889	2744	2752	2764	rVV8	9965	17509	0.68%	0.094%
66	9.953	2770	2772	2773	rBV8	628	259	0.01%	0.001%
67	10.050	2801	2802	2804	rBV2	490	221	0.01%	0.001%
68	10.146	2814	2832	2854	rBV	720318	1141866	44.30%	6.135%
69	10.413	2913	2915	2916	rBV2	534	274	0.01%	0.001%
70	10.464	2925	2931	2932	rBV3	923	829	0.03%	0.004%
71	10.477	2932	2935	2940	rVV5	1026	861	0.03%	0.005%
72	10.567	2954	2963	2970	rBV5	3269	5676	0.22%	0.030%
73	10.667	2992	2994	2995	rBV2	512	184	0.01%	0.001%
74	10.693	3000	3002	3006	rVB4	1076	792	0.03%	0.004%
75	10.722	3008	3011	3013	rVB2	680	304	0.01%	0.002%
76	10.734	3013	3015	3016	rBV	486	178	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037701.D
 Acq On : 01 Oct 2024 14:35
 Operator : SY/MD
 Sample : P4237-13
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FC5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	10.786	3027	3031	3032	rBV4	1253	817	0.03%	0.004%
78	10.821	3039	3042	3043	rBV2	1024	617	0.02%	0.003%
79	10.908	3066	3069	3071	rBV3	357	201	0.01%	0.001%
80	10.931	3074	3076	3077	rBV	504	189	0.01%	0.001%
81	10.947	3077	3081	3082	rBV3	478	299	0.01%	0.002%
82	10.995	3090	3096	3101	rVB6	2229	2920	0.11%	0.016%
83	11.024	3103	3105	3108	rBV4	507	329	0.01%	0.002%
84	11.120	3126	3135	3143	rBV10	10454	17647	0.68%	0.095%
85	11.178	3143	3153	3183	rVV	1072410	1710900	66.37%	9.192%
86	11.551	3259	3269	3312	rVB	1256237	1999037	77.55%	10.740%
87	12.377	3524	3526	3528	rVB2	708	254	0.01%	0.001%
88	13.155	3766	3768	3769	rBV2	656	197	0.01%	0.001%
89	14.255	4107	4110	4111	rBV2	948	571	0.02%	0.003%

Sum of corrected areas: 18613793




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037701.D
Acq On : 01 Oct 2024 14:35
Operator : SY/MD
Sample : P4237-13
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037701.D
Acq On : 01 Oct 2024 14:35
Operator : SY/MD
Sample : P4237-13
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037701.D
Acq On : 01 Oct 2024 14:35
Operator : SY/MD
Sample : P4237-13
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------