

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037702.D
 Acq On : 01 Oct 2024 14:56
 Operator : SY/MD
 Sample : P4238-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037702.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	37	42	51	rBV2	8825	14773	0.59%	0.081%
2	1.281	68	75	92	rVB	266659	283845	11.30%	1.561%
3	1.532	146	153	168	rVB	249161	291887	11.62%	1.605%
4	2.059	308	317	328	rBV	504363	724128	28.82%	3.982%
5	3.358	719	721	723	rBV2	549	228	0.01%	0.001%
6	3.429	741	743	746	rBV4	689	484	0.02%	0.003%
7	3.519	767	771	774	rBV3	970	706	0.03%	0.004%
8	3.571	785	787	790	rVB	690	306	0.01%	0.002%
9	3.590	790	793	794	rBV2	636	316	0.01%	0.002%
10	3.638	805	808	810	rBV3	678	431	0.02%	0.002%
11	3.696	825	826	829	rVB3	520	171	0.01%	0.001%
12	3.712	829	831	834	rVB2	320	171	0.01%	0.001%
13	3.728	834	836	837	rBV2	166	47	0.00%	0.000%
14	3.735	837	838	841	rBV2	541	325	0.01%	0.002%
15	3.757	842	845	848	rVB2	628	390	0.02%	0.002%
16	3.793	848	856	884	rBV	124284	340822	13.57%	1.874%
17	4.243	981	996	1033	rBV	417039	1057246	42.08%	5.814%
18	4.606	1108	1109	1113	rVB2	615	293	0.01%	0.002%
19	4.635	1116	1118	1124	rVB3	1002	916	0.04%	0.005%
20	4.664	1124	1127	1129	rBV3	951	640	0.03%	0.004%
21	4.748	1151	1153	1157	rVB4	793	413	0.02%	0.002%
22	4.773	1157	1161	1166	rBV4	531	501	0.02%	0.003%
23	4.834	1178	1180	1186	rVB3	744	627	0.02%	0.003%
24	4.863	1186	1189	1190	rVB2	347	181	0.01%	0.001%
25	4.950	1200	1216	1255	rBV2	983243	2512486	100.00%	13.818%
26	5.243	1305	1307	1311	rVB3	835	444	0.02%	0.002%
27	5.442	1366	1369	1371	rVB3	822	429	0.02%	0.002%
28	5.461	1371	1375	1377	rBV3	567	359	0.01%	0.002%
29	5.529	1385	1396	1430	rBV	689926	1447763	57.62%	7.962%
30	5.931	1519	1521	1523	rVB2	1002	438	0.02%	0.002%
31	5.985	1525	1538	1567	rBV	572365	1190636	47.39%	6.548%
32	6.223	1609	1612	1615	rVB4	1244	778	0.03%	0.004%
33	6.352	1648	1652	1653	rBV	620	331	0.01%	0.002%
34	6.391	1662	1664	1665	rBV	732	335	0.01%	0.002%
35	6.455	1680	1684	1687	rVB4	1022	740	0.03%	0.004%
36	6.474	1687	1690	1694	rBV4	960	817	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037702.D
 Acq On : 01 Oct 2024 14:56
 Operator : SY/MD
 Sample : P4238-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.628	1736	1738	1740	rBV2	694	344	0.01%	0.002%
38	6.654	1745	1746	1749	rBV3	292	155	0.01%	0.001%
39	6.686	1755	1756	1758	rBV2	515	198	0.01%	0.001%
40	6.718	1762	1766	1768	rBV4	975	731	0.03%	0.004%

41	6.850	1803	1807	1808	rBV2	782	453	0.02%	0.002%
42	6.908	1815	1825	1858	rBV	293109	574528	22.87%	3.160%
43	7.239	1917	1928	1958	rBV	1104541	1950070	77.62%	10.725%
44	7.551	2016	2025	2061	rBV	202266	387160	15.41%	2.129%
45	7.931	2141	2143	2149	rBV4	674	529	0.02%	0.003%

46	7.982	2154	2159	2164	rVV6	4707	6392	0.25%	0.035%
47	8.024	2164	2172	2217	rVV2	354791	760993	30.29%	4.185%
48	8.638	2360	2363	2364	rBV2	840	478	0.02%	0.003%
49	8.779	2396	2407	2435	rBV	1095094	1825396	72.65%	10.039%
50	9.159	2523	2525	2526	rBV2	641	245	0.01%	0.001%

51	9.361	2584	2588	2590	rBV2	836	603	0.02%	0.003%
52	9.394	2596	2598	2599	rVB	638	202	0.01%	0.001%
53	9.542	2641	2644	2646	rBV3	1002	598	0.02%	0.003%
54	9.583	2652	2657	2661	rBV6	1077	1026	0.04%	0.006%
55	9.667	2680	2683	2689	rBV4	1069	979	0.04%	0.005%

56	9.715	2691	2698	2707	rVV8	5637	9125	0.36%	0.050%
57	9.808	2724	2727	2729	rBV2	972	598	0.02%	0.003%
58	9.886	2744	2751	2763	rVB5	10821	17850	0.71%	0.098%
59	9.995	2783	2785	2788	rBV3	949	766	0.03%	0.004%
60	10.056	2802	2804	2805	rBV2	494	203	0.01%	0.001%

61	10.146	2820	2832	2859	rBV	711297	1115922	44.42%	6.137%
62	10.374	2900	2903	2906	rBV4	690	490	0.02%	0.003%
63	10.464	2927	2931	2932	rBV3	1016	674	0.03%	0.004%
64	10.535	2951	2953	2955	rBV2	423	202	0.01%	0.001%
65	10.558	2955	2960	2961	rBV2	2675	2147	0.09%	0.012%

66	10.635	2976	2984	2995	rVB9	3365	5931	0.24%	0.033%
67	10.683	2997	2999	3000	rBV2	339	110	0.00%	0.001%
68	10.754	3018	3021	3025	rBV3	564	483	0.02%	0.003%
69	10.779	3025	3029	3031	rBV5	1762	1310	0.05%	0.007%
70	10.898	3064	3066	3070	rVB3	447	288	0.01%	0.002%

71	10.918	3070	3072	3073	rBV	486	267	0.01%	0.001%
72	10.995	3089	3096	3101	rBV6	2496	3000	0.12%	0.016%
73	11.040	3107	3110	3114	rBV3	954	698	0.03%	0.004%
74	11.123	3127	3136	3142	rBV7	12279	18262	0.73%	0.100%
75	11.178	3143	3153	3181	rVV	1084560	1699724	67.65%	9.348%

76	11.554	3259	3270	3295	rBV	1209562	1912308	76.11%	10.517%
----	--------	------	------	------	-----	---------	---------	--------	---------

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037702.D
 Acq On : 01 Oct 2024 14:56
 Operator : SY/MD
 Sample : P4238-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.075	3430	3432	3435	rBV3	1006	646	0.03%	0.004%
78	12.548	3577	3579	3583	rBV4	1061	714	0.03%	0.004%
79	12.590	3588	3592	3598	rVV6	1810	1761	0.07%	0.010%
80	12.779	3648	3651	3652	rBV2	719	348	0.01%	0.002%
81	13.078	3743	3744	3745	rBV	660	196	0.01%	0.001%
82	13.194	3777	3780	3781	rBV3	1078	619	0.02%	0.003%
83	13.204	3781	3783	3788	rVB7	1823	1377	0.05%	0.008%
84	14.487	4180	4182	4185	rBV3	1132	791	0.03%	0.004%

Sum of corrected areas: 18183293




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037702.D
Acq On : 01 Oct 2024 14:56
Operator : SY/MD
Sample : P4238-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037702.D
Acq On : 01 Oct 2024 14:56
Operator : SY/MD
Sample : P4238-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037702.D
Acq On : 01 Oct 2024 14:56
Operator : SY/MD
Sample : P4238-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------