

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037703.D
 Acq On : 01 Oct 2024 15:17
 Operator : SY/MD
 Sample : P4239-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037703.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	36	43	52	rBV2	9075	16437	0.65%	0.089%
2	1.281	68	75	91	rVB	262978	279990	11.08%	1.524%
3	1.532	146	153	172	rVB	252104	299886	11.87%	1.632%
4	2.060	307	317	328	rBV	505375	728405	28.83%	3.965%
5	3.217	675	677	681	rVB3	1002	667	0.03%	0.004%
6	3.240	681	684	686	rBV3	1132	710	0.03%	0.004%
7	3.397	730	733	736	rVB4	805	541	0.02%	0.003%
8	3.574	785	788	791	rVB3	732	542	0.02%	0.003%
9	3.796	846	857	892	rBV	124104	357692	14.16%	1.947%
10	4.243	980	996	1024	rBV	418451	1065947	42.20%	5.802%
11	4.645	1115	1121	1124	rVB4	1011	999	0.04%	0.005%
12	4.735	1143	1149	1151	rVB4	766	704	0.03%	0.004%
13	4.751	1151	1154	1158	rBV5	982	994	0.04%	0.005%
14	4.950	1200	1216	1250	rBV2	990653	2526183	100.00%	13.751%
15	5.458	1371	1374	1377	rBV3	721	561	0.02%	0.003%
16	5.529	1380	1396	1433	rBV	694945	1447789	57.31%	7.881%
17	5.783	1473	1475	1480	rBV5	839	546	0.02%	0.003%
18	5.834	1480	1491	1504	rBV6	12326	26431	1.05%	0.144%
19	5.911	1513	1515	1520	rVB5	1154	837	0.03%	0.005%
20	5.985	1524	1538	1564	rBV	570714	1184187	46.88%	6.446%
21	6.252	1616	1621	1626	rVB8	1318	1606	0.06%	0.009%
22	6.323	1640	1643	1646	rVB3	901	594	0.02%	0.003%
23	6.346	1647	1650	1653	rVV4	1123	672	0.03%	0.004%
24	6.471	1683	1689	1692	rVB4	1125	952	0.04%	0.005%
25	6.516	1699	1703	1708	rVB4	1212	1003	0.04%	0.005%
26	6.545	1708	1712	1713	rBV3	862	600	0.02%	0.003%
27	6.715	1763	1765	1767	rBV2	1005	575	0.02%	0.003%
28	6.908	1813	1825	1857	rBV	296207	578329	22.89%	3.148%
29	7.120	1889	1891	1895	rVB3	1398	719	0.03%	0.004%
30	7.146	1895	1899	1902	rBV3	694	599	0.02%	0.003%
31	7.239	1915	1928	1954	rBV	1096237	1956917	77.47%	10.652%
32	7.551	2016	2025	2056	rBV	199123	375049	14.85%	2.042%
33	7.982	2149	2159	2164	rBV8	4165	6697	0.27%	0.036%
34	8.024	2164	2172	2212	rBV2	364296	777276	30.77%	4.231%
35	8.657	2361	2369	2373	rVV8	1747	2397	0.09%	0.013%
36	8.709	2382	2385	2389	rBV3	563	532	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037703.D
 Acq On : 01 Oct 2024 15:17
 Operator : SY/MD
 Sample : P4239-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.780	2396	2407	2440	rBV	1096210	1812722	71.76%	9.867%
38	9.226	2541	2546	2547	rBV4	2976	2193	0.09%	0.012%
39	9.516	2632	2636	2639	rVB3	813	585	0.02%	0.003%
40	9.606	2660	2664	2667	rBV5	771	592	0.02%	0.003%
41	9.648	2674	2677	2681	rVB2	956	671	0.03%	0.004%
42	9.680	2681	2687	2689	rBV4	926	969	0.04%	0.005%
43	9.718	2690	2699	2708	rBV4	5248	9118	0.36%	0.050%
44	9.783	2716	2719	2722	rBV5	769	590	0.02%	0.003%
45	9.844	2734	2738	2739	rBV4	809	511	0.02%	0.003%
46	9.886	2743	2751	2764	rBV9	11948	20473	0.81%	0.111%
47	9.966	2773	2776	2779	rVB4	1004	645	0.03%	0.004%
48	9.992	2779	2784	2790	rBV5	1175	1434	0.06%	0.008%
49	10.056	2802	2804	2808	rVB2	799	532	0.02%	0.003%
50	10.085	2808	2813	2817	rBV4	963	901	0.04%	0.005%
51	10.146	2817	2832	2855	rBV	714607	1141778	45.20%	6.215%
52	10.271	2868	2871	2877	rVB6	1064	986	0.04%	0.005%
53	10.329	2884	2889	2891	rBV4	822	734	0.03%	0.004%
54	10.345	2892	2894	2897	rVB2	1113	533	0.02%	0.003%
55	10.487	2932	2938	2941	rBV6	1376	1225	0.05%	0.007%
56	10.564	2955	2962	2967	rBV6	2940	4543	0.18%	0.025%
57	10.590	2967	2970	2977	rVB6	1500	1657	0.07%	0.009%
58	10.635	2977	2984	2991	rBV8	3157	4722	0.19%	0.026%
59	10.689	2998	3001	3003	rBV2	963	571	0.02%	0.003%
60	10.796	3028	3034	3036	rBV5	1506	1736	0.07%	0.009%
61	10.992	3090	3095	3102	rBV7	1767	2590	0.10%	0.014%
62	11.123	3128	3136	3143	rBV6	10213	16321	0.65%	0.089%
63	11.178	3143	3153	3182	rVV	1054470	1681453	66.56%	9.153%
64	11.503	3242	3254	3258	rBV9	5878	10980	0.43%	0.060%
65	11.554	3259	3270	3296	rVV	1222444	1943427	76.93%	10.579%
66	11.840	3352	3359	3366	rVB8	3539	4380	0.17%	0.024%
67	11.889	3372	3374	3381	rVB6	1710	1334	0.05%	0.007%
68	11.947	3382	3392	3401	rBV7	5804	11545	0.46%	0.063%
69	12.011	3407	3412	3413	rBV4	1244	1086	0.04%	0.006%
70	12.085	3433	3435	3439	rVB4	1021	649	0.03%	0.004%
71	12.188	3463	3467	3469	rBV4	951	734	0.03%	0.004%
72	12.249	3482	3486	3488	rBV4	1738	1444	0.06%	0.008%
73	12.361	3517	3521	3524	rBV6	924	786	0.03%	0.004%
74	12.474	3553	3556	3560	rBV6	865	699	0.03%	0.004%
75	12.590	3587	3592	3594	rBV4	1673	1598	0.06%	0.009%
76	12.744	3635	3640	3642	rVV4	809	628	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
 Data File : VV037703.D
 Acq On : 01 Oct 2024 15:17
 Operator : SY/MD
 Sample : P4239-02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.760	3642	3645	3649	rVV5	908	667	0.03%	0.004%
78	12.834	3664	3668	3674	rVB5	1087	1021	0.04%	0.006%
79	12.940	3694	3701	3703	rBV5	1018	1161	0.05%	0.006%
80	13.017	3721	3725	3728	rBV4	994	815	0.03%	0.004%
81	13.033	3728	3730	3734	rVB3	791	560	0.02%	0.003%
82	13.088	3741	3747	3751	rVB8	725	975	0.04%	0.005%
83	13.201	3778	3782	3783	rBV4	771	610	0.02%	0.003%
84	13.307	3809	3815	3817	rBV6	1261	1029	0.04%	0.006%
85	13.320	3817	3819	3825	rVV5	763	645	0.03%	0.004%
86	13.426	3849	3852	3855	rBV4	774	609	0.02%	0.003%
87	13.625	3911	3914	3917	rBV4	649	592	0.02%	0.003%
88	13.647	3919	3921	3926	rVB5	1021	763	0.03%	0.004%
89	13.680	3926	3931	3934	rBV5	1675	1408	0.06%	0.008%
90	13.853	3982	3985	3989	rVB4	705	555	0.02%	0.003%
91	13.966	4018	4020	4022	rBV2	856	547	0.02%	0.003%
92	14.165	4079	4082	4084	rBV2	1203	716	0.03%	0.004%
93	14.345	4130	4138	4146	rVB2	4934	8328	0.33%	0.045%
94	14.461	4172	4174	4177	rVB3	982	569	0.02%	0.003%
95	14.532	4191	4196	4197	rBV5	1338	1059	0.04%	0.006%
96	14.676	4237	4241	4244	rBV2	837	547	0.02%	0.003%
97	14.773	4269	4271	4275	rBV3	696	531	0.02%	0.003%
98	15.059	4347	4360	4371	rBV3	5151	10161	0.40%	0.055%
99	15.303	4432	4436	4437	rBV3	1440	1158	0.05%	0.006%
100	15.348	4446	4450	4453	rBV4	1118	1031	0.04%	0.006%

Sum of corrected areas: 18370697




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037703.D
Acq On : 01 Oct 2024 15:17
Operator : SY/MD
Sample : P4239-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037703.D
Acq On : 01 Oct 2024 15:17
Operator : SY/MD
Sample : P4239-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100124\
Data File : VV037703.D
Acq On : 01 Oct 2024 15:17
Operator : SY/MD
Sample : P4239-02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------