

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
 Data File : VV037715.D
 Acq On : 02 Oct 2024 11:28
 Operator : SY/MD
 Sample : VV1002WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK227

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037715.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	37	42	50	rBV	11109	16532	0.70%	0.096%
2	1.281	68	75	89	rVB	330804	356038	15.03%	2.073%
3	1.532	146	153	166	rVB	283402	328394	13.86%	1.912%
4	2.060	307	317	331	rBV	569272	829284	35.01%	4.828%
5	3.397	730	733	735	rBV3	799	499	0.02%	0.003%
6	3.432	740	744	747	rBV	654	542	0.02%	0.003%
7	3.545	777	779	781	rBV	688	250	0.01%	0.001%
8	3.619	799	802	803	rBV2	677	335	0.01%	0.002%
9	3.667	815	817	819	rBV2	432	225	0.01%	0.001%
10	3.725	833	835	836	rBV2	469	205	0.01%	0.001%
11	3.789	847	855	889	rBV	94505	280324	11.83%	1.632%
12	4.236	979	994	1029	rBV	382368	986423	41.64%	5.743%
13	4.532	1083	1086	1087	rBV3	381	268	0.01%	0.002%
14	4.593	1103	1105	1107	rBV2	519	363	0.02%	0.002%
15	4.715	1141	1143	1144	rBV2	490	197	0.01%	0.001%
16	4.744	1150	1152	1156	rVB3	441	262	0.01%	0.002%
17	4.850	1183	1185	1186	rBV	720	304	0.01%	0.002%
18	4.873	1190	1192	1195	rBV	520	317	0.01%	0.002%
19	4.944	1199	1214	1247	rBV2	920242	2368907	100.00%	13.792%
20	5.526	1383	1395	1430	rBV	692876	1455408	61.44%	8.474%
21	5.979	1523	1536	1571	rBV	532143	1102195	46.53%	6.417%
22	6.503	1697	1699	1703	rVB4	875	588	0.02%	0.003%
23	6.526	1704	1706	1709	rVV3	797	342	0.01%	0.002%
24	6.542	1709	1711	1714	rVV2	628	290	0.01%	0.002%
25	6.577	1718	1722	1723	rBV2	682	432	0.02%	0.003%
26	6.590	1723	1726	1727	rVB	300	129	0.01%	0.001%
27	6.606	1727	1731	1734	rBV2	356	173	0.01%	0.001%
28	6.625	1734	1737	1739	rBV3	513	405	0.02%	0.002%
29	6.657	1745	1747	1750	rVB3	413	167	0.01%	0.001%
30	6.673	1750	1752	1754	rBV	194	50	0.00%	0.000%
31	6.709	1760	1763	1765	rBV2	514	298	0.01%	0.002%
32	6.818	1795	1797	1801	rBV3	589	451	0.02%	0.003%
33	6.837	1801	1803	1807	rVV3	411	274	0.01%	0.002%
34	6.905	1814	1824	1853	rBV	265385	517574	21.85%	3.013%
35	7.124	1890	1892	1893	rBV2	727	345	0.01%	0.002%
36	7.233	1915	1926	1958	rBV	1040181	1863193	78.65%	10.848%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
 Data File : VV037715.D
 Acq On : 02 Oct 2024 11:28
 Operator : SY/MD
 Sample : VV1002WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK227

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.548	2015	2024	2059	rBV	172234	331780	14.01%	1.932%
38	7.931	2141	2143	2145	rVB4	634	211	0.01%	0.001%
39	8.024	2163	2172	2200	rBV2	256310	579626	24.47%	3.375%
40	8.516	2323	2325	2327	rBV3	773	439	0.02%	0.003%
41	8.616	2353	2356	2358	rBV3	635	413	0.02%	0.002%
42	8.654	2366	2368	2371	rBV2	422	241	0.01%	0.001%
43	8.689	2376	2379	2383	rBV4	801	506	0.02%	0.003%
44	8.715	2384	2387	2389	rBV3	558	363	0.02%	0.002%
45	8.776	2394	2406	2441	rBV	1088783	1832424	77.35%	10.669%
46	9.140	2517	2519	2523	rVB2	1072	610	0.03%	0.004%
47	9.175	2524	2530	2533	rBV5	973	1119	0.05%	0.007%
48	9.316	2572	2574	2578	rVB3	711	433	0.02%	0.003%
49	9.342	2578	2582	2586	rBV4	890	931	0.04%	0.005%
50	9.381	2592	2594	2595	rBV2	473	174	0.01%	0.001%
51	9.435	2608	2611	2615	rBV3	941	895	0.04%	0.005%
52	9.484	2623	2626	2628	rBV2	681	481	0.02%	0.003%
53	9.509	2632	2634	2637	rVV2	684	324	0.01%	0.002%
54	9.587	2656	2658	2660	rBV2	313	142	0.01%	0.001%
55	9.619	2666	2668	2670	rBV2	459	200	0.01%	0.001%
56	9.651	2676	2678	2680	rVB	656	280	0.01%	0.002%
57	9.670	2680	2684	2686	rBV2	754	526	0.02%	0.003%
58	9.712	2695	2697	2699	rVB2	440	162	0.01%	0.001%
59	9.725	2699	2701	2703	rBV	598	291	0.01%	0.002%
60	9.776	2714	2717	2720	rBV3	652	410	0.02%	0.002%
61	9.799	2722	2724	2727	rVV4	822	354	0.01%	0.002%
62	9.841	2734	2737	2740	rVB3	854	484	0.02%	0.003%
63	9.860	2740	2743	2745	rBV2	958	669	0.03%	0.004%
64	9.921	2759	2762	2766	rVB2	385	249	0.01%	0.001%
65	9.943	2766	2769	2776	rBV5	499	648	0.03%	0.004%
66	9.972	2776	2778	2781	rVB2	372	159	0.01%	0.001%
67	9.988	2781	2783	2786	rBV3	495	364	0.02%	0.002%
68	10.014	2789	2791	2796	rBV3	746	668	0.03%	0.004%
69	10.072	2807	2809	2814	rVB2	737	538	0.02%	0.003%
70	10.101	2815	2818	2820	rBV3	779	526	0.02%	0.003%
71	10.146	2820	2832	2852	rBV	566079	913900	38.58%	5.321%
72	10.400	2909	2911	2916	rBV4	531	365	0.02%	0.002%
73	10.423	2916	2918	2922	rVB3	741	370	0.02%	0.002%
74	10.445	2922	2925	2927	rBV3	392	260	0.01%	0.002%
75	10.583	2966	2968	2970	rVB2	411	124	0.01%	0.001%
76	10.657	2989	2991	2995	rVB2	570	369	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037715.D
Acq On : 02 Oct 2024 11:28
Operator : SY/MD
Sample : VV1002WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK227

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Title : VOC Analysis

77	10.734	3012	3015	3017	rBV2	548	350	0.01%	0.002%
78	10.824	3042	3043	3047	rBV3	521	330	0.01%	0.002%
79	10.857	3051	3053	3055	rBV2	530	218	0.01%	0.001%
80	10.950	3081	3082	3084	rBV	302	145	0.01%	0.001%
81	10.963	3084	3086	3088	rBV3	398	205	0.01%	0.001%
82	11.069	3114	3119	3121	rBV2	628	644	0.03%	0.004%
83	11.117	3131	3134	3135	rBV2	874	380	0.02%	0.002%
84	11.178	3142	3153	3183	rBV	1064058	1683848	71.08%	9.804%
85	11.551	3258	3269	3295	rBV	1053807	1696642	71.62%	9.878%
86	11.873	3365	3369	3370	rBV3	1057	783	0.03%	0.005%
87	12.493	3559	3562	3566	rBV6	747	563	0.02%	0.003%
88	12.583	3586	3590	3591	rBV2	808	544	0.02%	0.003%
89	13.027	3724	3728	3730	rBV3	574	473	0.02%	0.003%
90	13.053	3733	3736	3739	rBV4	960	612	0.03%	0.004%
91	13.692	3926	3935	3939	rBV10	2512	3853	0.16%	0.022%
92	14.201	4091	4093	4096	rBV4	702	424	0.02%	0.002%
93	14.467	4174	4176	4178	rBV3	987	425	0.02%	0.002%




Sum of corrected areas: 17175450

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037715.D
Acq On : 02 Oct 2024 11:28
Operator : SY/MD
Sample : VV1002WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK227

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037715.D
Acq On : 02 Oct 2024 11:28
Operator : SY/MD
Sample : VV1002WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK227

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037715.D
Acq On : 02 Oct 2024 11:28
Operator : SY/MD
Sample : VV1002WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK227

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------