

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
 Data File : VV037717.D
 Acq On : 02 Oct 2024 14:02
 Operator : SY/MD
 Sample : P4239-12
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037717.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	68	75	90	rVB	270116	288388	11.41%	1.582%
2	1.532	146	153	168	rVB	264913	309567	12.25%	1.698%
3	2.060	307	317	327	rBV	525252	766032	30.31%	4.201%
4	3.294	699	701	703	rBV3	705	443	0.02%	0.002%
5	3.413	735	738	743	rBV4	632	507	0.02%	0.003%
6	3.478	756	758	760	rVB	506	144	0.01%	0.001%
7	3.532	773	775	777	rVB	543	230	0.01%	0.001%
8	3.580	786	790	792	rBV2	584	460	0.02%	0.003%
9	3.638	804	808	812	rBV4	853	920	0.04%	0.005%
10	3.703	826	828	832	rBV3	587	427	0.02%	0.002%
11	3.725	833	835	837	rBV2	567	340	0.01%	0.002%
12	3.757	842	845	846	rBV	430	234	0.01%	0.001%
13	3.789	846	855	884	rBV	109480	307123	12.15%	1.684%
14	4.240	980	995	1029	rVB	419984	1069947	42.33%	5.868%
15	4.612	1109	1111	1113	rVB	812	333	0.01%	0.002%
16	4.625	1113	1115	1119	rVB3	489	197	0.01%	0.001%
17	4.648	1119	1122	1125	rBV3	477	339	0.01%	0.002%
18	4.664	1125	1127	1131	rVB3	748	422	0.02%	0.002%
19	4.690	1133	1135	1139	rVV4	547	236	0.01%	0.001%
20	4.728	1142	1147	1149	rBV3	713	479	0.02%	0.003%
21	4.786	1162	1165	1168	rBV2	537	372	0.01%	0.002%
22	4.809	1169	1172	1174	rVV	619	398	0.02%	0.002%
23	4.838	1178	1181	1184	rBV3	633	501	0.02%	0.003%
24	4.892	1194	1198	1199	rBV2	646	435	0.02%	0.002%
25	4.944	1199	1214	1250	rBV2	974520	2527479	100.00%	13.862%
26	5.381	1347	1350	1353	rBV3	992	687	0.03%	0.004%
27	5.526	1384	1395	1428	rBV	728319	1504339	59.52%	8.250%
28	5.979	1522	1536	1565	rBV	579068	1198953	47.44%	6.576%
29	6.384	1658	1662	1664	rBV2	1162	794	0.03%	0.004%
30	6.439	1677	1679	1685	rVB4	928	669	0.03%	0.004%
31	6.477	1690	1691	1693	rVB2	655	238	0.01%	0.001%
32	6.529	1705	1707	1710	rVB2	864	374	0.01%	0.002%
33	6.548	1710	1713	1717	rBV	700	517	0.02%	0.003%
34	6.567	1717	1719	1720	rBV2	549	231	0.01%	0.001%
35	6.590	1724	1726	1727	rVV2	598	176	0.01%	0.001%
36	6.612	1732	1733	1735	rVV2	472	196	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
 Data File : VV037717.D
 Acq On : 02 Oct 2024 14:02
 Operator : SY/MD
 Sample : P4239-12
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.625	1735	1737	1741	rVB3	737	398	0.02%	0.002%
38	6.651	1742	1745	1747	rBV2	500	284	0.01%	0.002%
39	6.664	1747	1749	1752	rVB3	616	418	0.02%	0.002%
40	6.719	1762	1766	1768	rBV2	563	488	0.02%	0.003%

41	6.731	1768	1770	1773	rBV4	678	314	0.01%	0.002%
42	6.783	1784	1786	1789	rBV2	513	304	0.01%	0.002%
43	6.850	1805	1807	1809	rBV3	318	155	0.01%	0.001%
44	6.863	1809	1811	1814	rBV3	556	448	0.02%	0.002%
45	6.905	1814	1824	1855	rBV	293527	571626	22.62%	3.135%

46	7.236	1916	1927	1965	rBV	1096251	1954443	77.33%	10.719%
47	7.548	2014	2024	2059	rBV	198949	384118	15.20%	2.107%
48	8.021	2163	2171	2210	rBV2	298056	669511	26.49%	3.672%
49	8.654	2359	2368	2372	rBV6	1759	2868	0.11%	0.016%
50	8.776	2394	2406	2435	rBV	1139849	1890635	74.80%	10.369%

51	9.181	2528	2532	2535	rVB4	616	444	0.02%	0.002%
52	9.201	2535	2538	2540	rBV2	794	600	0.02%	0.003%
53	9.291	2563	2566	2568	rBV3	890	682	0.03%	0.004%
54	9.313	2571	2573	2578	rVB3	750	592	0.02%	0.003%
55	9.352	2582	2585	2591	rVB4	557	565	0.02%	0.003%

56	9.461	2616	2619	2624	rBV3	582	488	0.02%	0.003%
57	9.487	2624	2627	2628	rBV3	746	450	0.02%	0.002%
58	9.558	2647	2649	2653	rBV3	580	322	0.01%	0.002%
59	9.612	2664	2666	2669	rVB4	932	394	0.02%	0.002%
60	9.632	2671	2672	2675	rVB3	527	238	0.01%	0.001%

61	9.799	2721	2724	2726	rBV2	590	372	0.01%	0.002%
62	9.831	2731	2734	2735	rBV2	341	162	0.01%	0.001%
63	9.853	2739	2741	2743	rBV3	545	228	0.01%	0.001%
64	9.886	2743	2751	2760	rBV8	5531	8973	0.36%	0.049%
65	10.056	2801	2804	2809	rBV2	760	643	0.03%	0.004%

66	10.085	2811	2813	2814	rBV2	421	204	0.01%	0.001%
67	10.146	2820	2832	2856	rBV	663015	1047837	41.46%	5.747%
68	10.294	2877	2878	2880	rBV2	610	326	0.01%	0.002%
69	10.365	2898	2900	2904	rBV3	597	339	0.01%	0.002%
70	10.390	2904	2908	2909	rBV3	659	455	0.02%	0.002%

71	10.484	2935	2937	2941	rVB3	619	342	0.01%	0.002%
72	10.545	2953	2956	2957	rBV2	786	457	0.02%	0.003%
73	10.667	2991	2994	2995	rBV2	757	287	0.01%	0.002%
74	10.786	3026	3031	3033	rBV4	1332	1257	0.05%	0.007%
75	10.841	3046	3048	3051	rVB3	1405	608	0.02%	0.003%

76	10.863	3051	3055	3058	rBV4	1032	889	0.04%	0.005%
----	--------	------	------	------	------	------	-----	-------	--------

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037717.D
Acq On : 02 Oct 2024 14:02
Operator : SY/MD
Sample : P4239-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Title : VOC Analysis

77	10.937	3073	3078	3079	rBV	384	315	0.01%	0.002%
78	10.947	3079	3081	3083	rBV2	576	400	0.02%	0.002%
79	10.988	3091	3094	3095	rBV3	1615	796	0.03%	0.004%
80	11.123	3128	3136	3142	rBV6	9771	14347	0.57%	0.079%
81	11.178	3143	3153	3183	rVV	1123636	1770916	70.07%	9.712%
82	11.551	3259	3269	3298	rBV	1202320	1911524	75.63%	10.484%
83	11.831	3351	3356	3357	rBV4	2922	2293	0.09%	0.013%
84	12.210	3472	3474	3480	rBV4	989	930	0.04%	0.005%
85	12.249	3480	3486	3488	rBV4	3508	3505	0.14%	0.019%
86	13.011	3720	3723	3726	rBV2	812	625	0.02%	0.003%
87	13.361	3830	3832	3836	rBV4	958	557	0.02%	0.003%




Sum of corrected areas: 18233499

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037717.D
Acq On : 02 Oct 2024 14:02
Operator : SY/MD
Sample : P4239-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037717.D
Acq On : 02 Oct 2024 14:02
Operator : SY/MD
Sample : P4239-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100224\
Data File : VV037717.D
Acq On : 02 Oct 2024 14:02
Operator : SY/MD
Sample : P4239-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------