

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100424\
 Data File : VV037734.D
 Acq On : 04 Oct 2024 10:18
 Operator : SY/MD
 Sample : P4284-05
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD4

Quant Time: Oct 07 04:11:27 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 07 04:10:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	614700	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	604113	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	281351	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	192419	35.659	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	71.320%	
7) Chloroethane-d5	1.532	69	169746	40.527	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	81.060%	
11) 1,1-Dichloroethene-d2	2.060	65	87310	38.728	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	77.460%	
21) 2-Butanone-d5	3.793	46	167748	87.279	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	87.280%	
24) Chloroform-d	4.240	84	407582	42.455	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.920%	
26) 1,2-Dichloroethane-d4	4.934	65	248144	44.159	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	88.320%	
32) Benzene-d6	4.950	84	782691	41.404	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	82.800%	
36) 1,2-Dichloropropane-d6	5.982	67	258339	42.917	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	85.840%	
41) Toluene-d8	7.236	98	675868	39.429	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	78.860%#	
43) trans-1,3-Dichloroprop...	7.548	79	106510	38.089	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	76.180%	
47) 2-Hexanone-d5	8.024	63	99152	78.006	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	78.010%	
56) 1,1,2,2-Tetrachloroeth...	10.146	84	286989	41.032	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	82.060%	
66) 1,2-Dichlorobenzene-d4	11.551	152	273397	46.115	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	92.220%	
Target Compounds						
13) Acetone	2.114	43	60616	32.172	ug/L	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100424\
Data File : VV037734.D
Acq On : 04 Oct 2024 10:18
Operator : SY/MD
Sample : P4284-05
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD4

Quant Time: Oct 07 04:11:27 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 07 04:10:13 2024
Response via : Initial Calibration

