

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028405.D
 Acq On : 07 Oct 2022 14:23
 Operator : SY/MD
 Sample : N4890-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY0E1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Title : VOC Analysis

Signal : TIC: VV028405.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	99	rVB	228404	232117	12.65%	1.686%
2	1.565	157	163	174	rVB	189420	209562	11.42%	1.522%
3	2.105	323	331	347	rVB	368926	529812	28.87%	3.847%
4	3.040	621	622	624	rBV2	594	295	0.02%	0.002%
5	3.211	671	675	677	rBV4	914	770	0.04%	0.006%
6	3.404	732	735	738	rBV4	1023	853	0.05%	0.006%
7	3.429	741	743	744	rBV	853	283	0.02%	0.002%
8	3.629	802	805	807	rBV3	976	554	0.03%	0.004%
9	3.783	849	853	855	rBV3	1360	973	0.05%	0.007%
10	3.905	880	891	944	rBV	93475	491915	26.81%	3.572%
11	4.343	1013	1027	1055	rBV	272837	682120	37.17%	4.953%
12	4.896	1197	1199	1200	rBV2	842	249	0.01%	0.002%
13	5.040	1228	1244	1281	rBV2	709024	1835157	100.00%	13.326%
14	5.484	1379	1382	1383	rBV3	1263	789	0.04%	0.006%
15	5.613	1410	1422	1450	rBV	501053	1017856	55.46%	7.391%
16	6.063	1549	1562	1592	rBV	409480	854398	46.56%	6.204%
17	6.333	1642	1646	1652	rBV6	1378	1550	0.08%	0.011%
18	6.394	1662	1665	1666	rBV3	1315	725	0.04%	0.005%
19	6.474	1687	1690	1693	rBV4	1189	952	0.05%	0.007%
20	6.506	1698	1700	1703	rVB5	1145	585	0.03%	0.004%
21	6.523	1703	1705	1708	rBV4	629	408	0.02%	0.003%
22	6.590	1724	1726	1728	rBV2	528	236	0.01%	0.002%
23	6.796	1788	1790	1792	rBV2	736	290	0.02%	0.002%
24	6.809	1792	1794	1796	rVV3	667	273	0.01%	0.002%
25	6.879	1813	1816	1817	rBV3	1280	501	0.03%	0.004%
26	6.982	1837	1848	1870	rBV	252943	471271	25.68%	3.422%
27	7.310	1938	1950	1970	rBV	846684	1462166	79.68%	10.618%
28	7.616	2036	2045	2074	rBV	169232	307643	16.76%	2.234%
29	8.085	2181	2191	2223	rBV	567014	1117738	60.91%	8.117%
30	8.722	2387	2389	2391	rBV3	869	338	0.02%	0.002%
31	8.847	2417	2428	2455	rBV	712102	1173274	63.93%	8.520%
32	9.066	2494	2496	2498	rBV3	1437	843	0.05%	0.006%
33	9.246	2549	2552	2554	rBV3	1098	663	0.04%	0.005%
34	9.375	2590	2592	2596	rVB4	1249	857	0.05%	0.006%
35	9.407	2599	2602	2604	rBV3	914	610	0.03%	0.004%
36	9.477	2621	2624	2625	rBV3	874	469	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028405.D
 Acq On : 07 Oct 2022 14:23
 Operator : SY/MD
 Sample : N4890-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY0E1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Title : VOC Analysis

37	9.664	2680	2682	2686	rVB4	985	351	0.02%	0.003%
38	9.683	2686	2688	2692	rBV4	1090	851	0.05%	0.006%
39	9.722	2697	2700	2701	rBV2	574	314	0.02%	0.002%
40	9.886	2748	2751	2752	rBV3	744	450	0.02%	0.003%
41	9.921	2760	2762	2766	rBV4	1275	1008	0.05%	0.007%
42	9.969	2773	2777	2780	rBV3	854	849	0.05%	0.006%
43	10.053	2796	2803	2807	rBV8	1366	1892	0.10%	0.014%
44	10.137	2827	2829	2831	rBV3	836	303	0.02%	0.002%
45	10.207	2839	2851	2876	rBV	557840	898815	48.98%	6.527%
46	10.374	2895	2903	2914	rVB3	14013	22806	1.24%	0.166%
47	10.439	2921	2923	2925	rBV2	1202	543	0.03%	0.004%
48	10.596	2970	2972	2974	rBV3	813	305	0.02%	0.002%
49	10.632	2979	2983	2986	rBV5	1209	886	0.05%	0.006%
50	10.677	2995	2997	3000	rVB4	1129	404	0.02%	0.003%
51	10.918	3063	3072	3080	rBV5	5740	10669	0.58%	0.077%
52	10.950	3080	3082	3085	rVB4	1071	512	0.03%	0.004%
53	11.037	3107	3109	3111	rVB3	557	185	0.01%	0.001%
54	11.114	3130	3133	3139	rVB6	822	776	0.04%	0.006%
55	11.137	3139	3140	3142	rBV2	494	248	0.01%	0.002%
56	11.239	3161	3172	3198	rBV	713676	1150510	62.69%	8.355%
57	11.448	3235	3237	3238	rBV2	718	273	0.01%	0.002%
58	11.616	3278	3289	3312	rBV	783103	1250030	68.12%	9.077%
59	11.992	3404	3406	3409	rBV4	1251	675	0.04%	0.005%
60	12.040	3419	3421	3424	rBV3	731	405	0.02%	0.003%
61	12.066	3428	3429	3430	rVB2	491	95	0.01%	0.001%
62	12.079	3431	3433	3435	rBV2	1019	416	0.02%	0.003%
63	12.140	3449	3452	3453	rBV3	694	387	0.02%	0.003%
64	12.239	3480	3483	3486	rBV4	1495	1217	0.07%	0.009%
65	12.288	3496	3498	3503	rBV4	703	687	0.04%	0.005%
66	12.497	3560	3563	3566	rBV5	756	604	0.03%	0.004%
67	12.516	3567	3569	3572	rVB3	942	496	0.03%	0.004%
68	12.567	3582	3585	3590	rVB5	1112	733	0.04%	0.005%
69	12.773	3647	3649	3653	rBV3	1108	813	0.04%	0.006%
70	12.882	3676	3683	3689	rVB8	2654	3541	0.19%	0.026%
71	12.911	3689	3692	3693	rBV3	935	452	0.02%	0.003%
72	12.934	3697	3699	3702	rVB3	1508	772	0.04%	0.006%
73	12.992	3714	3717	3718	rBV2	1024	615	0.03%	0.004%
74	13.320	3817	3819	3823	rBV5	1053	643	0.04%	0.005%
75	13.500	3867	3875	3885	rBV3	7538	14144	0.77%	0.103%
76	13.564	3893	3895	3898	rBV2	1276	791	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028405.D
Acq On : 07 Oct 2022 14:23
Operator : SY/MD
Sample : N4890-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY0E1

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Title : VOC Analysis

77	14.278	4115	4117	4121	rBV4	1482	1378	0.08%	0.010%
----	--------	------	------	------	------	------	------	-------	--------




Sum of corrected areas: 13770939

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028405.D
Acq On : 07 Oct 2022 14:23
Operator : SY/MD
Sample : N4890-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY0E1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028405.D
Acq On : 07 Oct 2022 14:23
Operator : SY/MD
Sample : N4890-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY0E1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028405.D
Acq On : 07 Oct 2022 14:23
Operator : SY/MD
Sample : N4890-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY0E1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------