

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028420.D
 Acq On : 07 Oct 2022 20:24
 Operator : SY/MD
 Sample : N4893-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5J62

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M

Title : VOC Analysis

Signal : TIC: VV028420.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.207	48	52	60	rBV	35194	31907	2.02%	0.267%
2	1.304	76	82	96	rVB	175768	179255	11.35%	1.500%
3	1.564	157	163	177	rVB	152116	175226	11.10%	1.467%
4	2.105	322	331	345	rVB	295577	421743	26.71%	3.530%
5	3.381	725	728	732	rBV3	554	420	0.03%	0.004%
6	3.404	732	735	739	rBV5	896	742	0.05%	0.006%
7	3.445	745	748	749	rBV2	896	509	0.03%	0.004%
8	3.555	779	782	783	rBV3	717	361	0.02%	0.003%
9	3.593	791	794	796	rBV4	457	296	0.02%	0.002%
10	3.728	833	836	839	rVB4	1031	661	0.04%	0.006%
11	3.744	839	841	846	rBV4	515	491	0.03%	0.004%
12	3.905	879	891	939	rBV2	80880	424781	26.90%	3.555%
13	4.342	1014	1027	1051	rBV	241087	604375	38.27%	5.059%
14	4.757	1155	1156	1159	rVB2	831	277	0.02%	0.002%
15	4.773	1159	1161	1162	rBV	553	160	0.01%	0.001%
16	4.783	1162	1164	1167	rVV3	716	399	0.03%	0.003%
17	4.908	1201	1203	1205	rBV2	330	148	0.01%	0.001%
18	4.982	1221	1226	1228	rBV4	581	614	0.04%	0.005%
19	5.040	1228	1244	1276	rBV2	613020	1579114	100.00%	13.217%
20	5.612	1410	1422	1451	rBV	447357	918788	58.18%	7.690%
21	5.834	1488	1491	1495	rBV4	1044	728	0.05%	0.006%
22	6.011	1544	1546	1549	rBV3	823	570	0.04%	0.005%
23	6.066	1549	1563	1592	rVV	350960	728774	46.15%	6.100%
24	6.429	1674	1676	1680	rVB4	1045	676	0.04%	0.006%
25	6.481	1690	1692	1693	rBV2	683	318	0.02%	0.003%
26	6.490	1693	1695	1701	rVV5	1021	823	0.05%	0.007%
27	6.516	1701	1703	1707	rVV3	997	613	0.04%	0.005%
28	6.722	1764	1767	1771	rBV5	1204	1039	0.07%	0.009%
29	6.882	1815	1817	1820	rVB4	789	314	0.02%	0.003%
30	6.899	1820	1822	1826	rVB3	680	342	0.02%	0.003%
31	6.918	1826	1828	1829	rBV2	473	163	0.01%	0.001%
32	6.982	1837	1848	1872	rBV	212621	398231	25.22%	3.333%
33	7.310	1939	1950	1971	rBV	710292	1253778	79.40%	10.494%
34	7.616	2035	2045	2071	rBV	151345	281004	17.80%	2.352%
35	8.043	2176	2178	2181	rBV4	701	426	0.03%	0.004%
36	8.085	2181	2191	2227	rBV	473219	934737	59.19%	7.824%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028420.D
 Acq On : 07 Oct 2022 20:24
 Operator : SY/MD
 Sample : N4893-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F5J62

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Title : VOC Analysis

37	8.567	2337	2341	2344	rBV4	1333	996	0.06%	0.008%
38	8.590	2346	2348	2350	rBV3	436	168	0.01%	0.001%
39	8.696	2378	2381	2383	rBV3	932	639	0.04%	0.005%
40	8.738	2392	2394	2396	rBV3	515	258	0.02%	0.002%
41	8.773	2403	2405	2408	rBV4	661	454	0.03%	0.004%
42	8.847	2416	2428	2457	rBV	646166	1065977	67.50%	8.922%
43	9.091	2502	2504	2506	rVB3	942	353	0.02%	0.003%
44	9.117	2509	2512	2517	rBV5	834	1009	0.06%	0.008%
45	9.197	2535	2537	2540	rVB4	973	381	0.02%	0.003%
46	9.249	2549	2553	2555	rBV4	798	478	0.03%	0.004%
47	9.284	2560	2564	2567	rBV3	776	673	0.04%	0.006%
48	9.400	2598	2600	2604	rBV5	671	575	0.04%	0.005%
49	9.432	2607	2610	2612	rBV5	548	404	0.03%	0.003%
50	9.448	2612	2615	2619	rVV4	1025	612	0.04%	0.005%
51	9.564	2649	2651	2654	rBV2	700	328	0.02%	0.003%
52	9.593	2658	2660	2664	rVB4	1053	556	0.04%	0.005%
53	9.612	2664	2666	2667	rBV2	738	407	0.03%	0.003%
54	9.686	2684	2689	2692	rBV2	738	698	0.04%	0.006%
55	9.718	2695	2699	2705	rBV6	2059	2746	0.17%	0.023%
56	9.866	2743	2745	2747	rBV2	631	383	0.02%	0.003%
57	9.911	2758	2759	2764	rBV3	600	446	0.03%	0.004%
58	9.937	2764	2767	2768	rBV2	657	401	0.03%	0.003%
59	10.117	2819	2823	2825	rBV3	885	622	0.04%	0.005%
60	10.207	2839	2851	2872	rBV	467275	752512	47.65%	6.298%
61	10.326	2886	2888	2889	rBV2	648	247	0.02%	0.002%
62	10.448	2924	2926	2929	rBV4	619	259	0.02%	0.002%
63	10.599	2972	2973	2977	rVB4	904	535	0.03%	0.004%
64	10.664	2990	2993	2994	rBV3	219	140	0.01%	0.001%
65	10.677	2994	2997	3000	rBV4	957	729	0.05%	0.006%
66	10.718	3008	3010	3012	rBV3	471	255	0.02%	0.002%
67	10.763	3020	3024	3025	rBV3	731	440	0.03%	0.004%
68	10.847	3048	3050	3057	rVB6	1774	1538	0.10%	0.013%
69	10.879	3058	3060	3061	rBV	535	163	0.01%	0.001%
70	10.985	3090	3093	3096	rVB4	1017	603	0.04%	0.005%
71	11.239	3161	3172	3196	rBV	646494	1033574	65.45%	8.651%
72	11.529	3254	3262	3277	rBV4	23694	44013	2.79%	0.368%
73	11.615	3278	3289	3313	rVB	690240	1083397	68.61%	9.068%
74	11.982	3398	3403	3405	rBV3	1820	1504	0.10%	0.013%
75	12.059	3425	3427	3432	rBV4	1003	604	0.04%	0.005%
76	12.422	3536	3540	3542	rBV5	836	586	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028420.D
Acq On : 07 Oct 2022 20:24
Operator : SY/MD
Sample : N4893-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5J62

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M

Title : VOC Analysis

77	12.500	3561	3564	3567	rVB3	871	507	0.03%	0.004%
78	13.127	3756	3759	3760	rBV3	1019	571	0.04%	0.005%
79	13.342	3824	3826	3828	rBV3	1007	526	0.03%	0.004%
80	13.651	3920	3922	3924	rBV3	608	296	0.02%	0.002%
81	13.799	3966	3968	3974	rBV7	1042	612	0.04%	0.005%
82	14.043	4037	4044	4046	rBV7	1326	1728	0.11%	0.014%




Sum of corrected areas: 11947706

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028420.D
Acq On : 07 Oct 2022 20:24
Operator : SY/MD
Sample : N4893-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5J62

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028420.D
Acq On : 07 Oct 2022 20:24
Operator : SY/MD
Sample : N4893-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5J62

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028420.D
Acq On : 07 Oct 2022 20:24
Operator : SY/MD
Sample : N4893-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F5J62

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc