

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028432.D
 Acq On : 08 Oct 2022 01:37
 Operator : SY/MD
 Sample : N4942-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGSJ0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Title : VOC Analysis

Signal : TIC: VV028432.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.108	17	21	35	rVB	28559	28987	1.97%	0.260%
2	1.304	76	82	98	rVB	160662	172471	11.72%	1.549%
3	1.565	156	163	175	rVB	135422	157545	10.71%	1.415%
4	2.105	322	331	348	rVB	265156	381563	25.93%	3.426%
5	3.147	653	655	657	rBV	671	381	0.03%	0.003%
6	3.320	707	709	711	rVB3	1128	427	0.03%	0.004%
7	3.333	711	713	716	rBV3	819	601	0.04%	0.005%
8	3.751	840	843	845	rBV4	694	453	0.03%	0.004%
9	3.909	880	892	938	rBV	68474	354985	24.13%	3.187%
10	4.343	1013	1027	1059	rVB	223780	569590	38.71%	5.114%
11	4.841	1180	1182	1183	rBV	865	337	0.02%	0.003%
12	5.040	1228	1244	1277	rBV2	570018	1471369	100.00%	13.211%
13	5.558	1403	1405	1407	rBV2	1088	614	0.04%	0.006%
14	5.613	1410	1422	1453	rVV	443985	899714	61.15%	8.078%
15	6.066	1549	1563	1583	rBV	327816	677191	46.02%	6.080%
16	6.378	1656	1660	1661	rBV3	713	565	0.04%	0.005%
17	6.507	1698	1700	1702	rBV3	792	393	0.03%	0.004%
18	6.635	1737	1740	1743	rBV4	759	553	0.04%	0.005%
19	6.783	1782	1786	1787	rBV2	823	585	0.04%	0.005%
20	6.899	1819	1822	1824	rVV3	663	452	0.03%	0.004%
21	6.915	1824	1827	1830	rVB4	690	374	0.03%	0.003%
22	6.982	1837	1848	1877	rBV	191232	363595	24.71%	3.265%
23	7.310	1939	1950	1972	rBV	668471	1165993	79.25%	10.469%
24	7.616	2036	2045	2068	rBV	131917	240418	16.34%	2.159%
25	8.085	2180	2191	2224	rBV	404976	827985	56.27%	7.434%
26	8.603	2350	2352	2358	rBV5	645	515	0.04%	0.005%
27	8.680	2372	2376	2377	rBV3	759	472	0.03%	0.004%
28	8.738	2392	2394	2399	rVB6	1233	474	0.03%	0.004%
29	8.847	2415	2428	2456	rBV	634725	1053321	71.59%	9.458%
30	9.262	2552	2557	2559	rBV4	832	800	0.05%	0.007%
31	9.407	2599	2602	2606	rBV5	653	576	0.04%	0.005%
32	9.439	2611	2612	2614	rVB2	331	85	0.01%	0.001%
33	9.548	2644	2646	2649	rBV3	818	502	0.03%	0.005%
34	9.587	2655	2658	2661	rBV3	382	293	0.02%	0.003%
35	9.603	2661	2663	2664	rBV3	549	216	0.01%	0.002%
36	9.658	2678	2680	2683	rBV	840	636	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
 Data File : VV028432.D
 Acq On : 08 Oct 2022 01:37
 Operator : SY/MD
 Sample : N4942-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGSJ0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Title : VOC Analysis

37	9.674	2683	2685	2690	rVB5	809	471	0.03%	0.004%
38	9.693	2690	2691	2692	rBV	295	65	0.00%	0.001%
39	9.709	2692	2696	2697	rBV3	866	642	0.04%	0.006%
40	9.834	2732	2735	2738	rBV4	964	721	0.05%	0.006%
41	9.905	2754	2757	2759	rBV3	443	294	0.02%	0.003%
42	9.934	2763	2766	2769	rVV4	722	492	0.03%	0.004%
43	10.092	2810	2815	2817	rBV4	680	573	0.04%	0.005%
44	10.149	2831	2833	2835	rBV2	557	308	0.02%	0.003%
45	10.207	2840	2851	2876	rVV	450025	713876	48.52%	6.410%
46	10.381	2896	2905	2913	rBV5	3560	5254	0.36%	0.047%
47	10.445	2923	2925	2930	rBV3	768	578	0.04%	0.005%
48	10.529	2949	2951	2953	rBV	634	253	0.02%	0.002%
49	10.590	2968	2970	2971	rBV	965	380	0.03%	0.003%
50	10.783	3028	3030	3034	rVB3	852	383	0.03%	0.003%
51	10.802	3034	3036	3037	rBV2	489	254	0.02%	0.002%
52	10.886	3060	3062	3068	rBV4	741	598	0.04%	0.005%
53	11.047	3111	3112	3115	rVB2	679	240	0.02%	0.002%
54	11.063	3115	3117	3119	rBV3	814	453	0.03%	0.004%
55	11.239	3161	3172	3201	rBV	650172	1013570	68.89%	9.101%
56	11.538	3257	3265	3268	rBV5	3311	4472	0.30%	0.040%
57	11.616	3278	3289	3309	rVB	643437	1014541	68.95%	9.109%
58	11.815	3348	3351	3354	rBV6	770	519	0.04%	0.005%
59	11.892	3373	3375	3380	rVB6	855	614	0.04%	0.006%
60	11.931	3384	3387	3388	rBV2	684	375	0.03%	0.003%
61	12.770	3646	3648	3651	rBV2	803	419	0.03%	0.004%
62	12.834	3665	3668	3671	rBV3	860	649	0.04%	0.006%
63	12.998	3716	3719	3722	rBV2	848	714	0.05%	0.006%
64	13.210	3783	3785	3788	rVB4	422	163	0.01%	0.001%
65	13.230	3789	3791	3793	rBV3	525	205	0.01%	0.002%
66	13.394	3840	3842	3844	rBV3	580	256	0.02%	0.002%




Sum of corrected areas: 11137363

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028432.D
Acq On : 08 Oct 2022 01:37
Operator : SY/MD
Sample : N4942-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGSJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028432.D
Acq On : 08 Oct 2022 01:37
Operator : SY/MD
Sample : N4942-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGSJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100722\
Data File : VV028432.D
Acq On : 08 Oct 2022 01:37
Operator : SY/MD
Sample : N4942-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGSJ0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc