

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037762.D
 Acq On : 08 Oct 2024 12:54
 Operator : SY/MD
 Sample : P4346-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAW3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037762.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	35	42	51	rBV	11083	20071	0.78%	0.112%
2	1.278	67	74	85	rBV	363797	387572	15.15%	2.166%
3	1.532	145	153	168	rVB	302297	359976	14.07%	2.012%
4	2.056	306	316	333	rBV	629296	908573	35.52%	5.078%
5	3.073	630	632	638	rBV6	2107	1364	0.05%	0.008%
6	3.793	847	856	892	rBV2	96204	291138	11.38%	1.627%
7	4.236	977	994	1027	rBV	416307	1059932	41.44%	5.924%
8	4.513	1077	1080	1084	rVB3	913	510	0.02%	0.003%
9	4.568	1094	1097	1101	rVB4	712	495	0.02%	0.003%
10	4.609	1108	1110	1112	rVB3	1013	435	0.02%	0.002%
11	4.629	1112	1116	1120	rBV3	584	553	0.02%	0.003%
12	4.696	1131	1137	1140	rBV2	620	513	0.02%	0.003%
13	4.838	1179	1181	1184	rBV3	601	397	0.02%	0.002%
14	4.944	1198	1214	1242	rBV2	1018085	2557712	100.00%	14.296%
15	5.220	1297	1300	1305	rBV5	832	698	0.03%	0.004%
16	5.262	1310	1313	1316	rVB3	770	515	0.02%	0.003%
17	5.445	1366	1370	1372	rVB3	748	502	0.02%	0.003%
18	5.526	1383	1395	1431	rBV	654532	1377709	53.86%	7.701%
19	5.822	1477	1487	1503	rVB3	16869	39674	1.55%	0.222%
20	5.979	1523	1536	1571	rBV	557406	1171056	45.79%	6.546%
21	6.246	1616	1619	1622	rBV3	608	509	0.02%	0.003%
22	6.352	1648	1652	1655	rBV3	691	590	0.02%	0.003%
23	6.368	1655	1657	1662	rVV3	763	609	0.02%	0.003%
24	6.571	1715	1720	1723	rBV4	807	630	0.02%	0.004%
25	6.638	1738	1741	1745	rBV3	668	588	0.02%	0.003%
26	6.670	1749	1751	1756	rVB2	865	645	0.03%	0.004%
27	6.706	1757	1762	1764	rBV3	597	496	0.02%	0.003%
28	6.732	1768	1770	1773	rVB2	1082	638	0.02%	0.004%
29	6.757	1773	1778	1781	rBV4	1017	854	0.03%	0.005%
30	6.905	1814	1824	1860	rBV	281603	552515	21.60%	3.088%
31	7.233	1915	1926	1960	rBV	1163936	2040374	79.77%	11.404%
32	7.545	2014	2023	2048	rBV	187639	353781	13.83%	1.977%
33	7.760	2088	2090	2094	rVB5	916	530	0.02%	0.003%
34	7.812	2104	2106	2110	rBV4	959	533	0.02%	0.003%
35	7.860	2117	2121	2123	rBV3	1001	907	0.04%	0.005%
36	7.912	2134	2137	2147	rVB9	1390	1782	0.07%	0.010%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037762.D
 Acq On : 08 Oct 2024 12:54
 Operator : SY/MD
 Sample : P4346-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAW3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.024	2163	2172	2203	rBV2	263125	603158	23.58%	3.371%
38	8.455	2304	2306	2308	rBV	820	528	0.02%	0.003%
39	8.555	2330	2337	2340	rVV4	1737	2393	0.09%	0.013%
40	8.715	2384	2387	2390	rVB3	1216	922	0.04%	0.005%
41	8.776	2390	2406	2436	rBV	1036657	1739542	68.01%	9.723%
42	9.040	2484	2488	2489	rBV2	2002	1327	0.05%	0.007%
43	9.346	2579	2583	2587	rVB4	705	572	0.02%	0.003%
44	9.429	2604	2609	2612	rBV4	830	757	0.03%	0.004%
45	9.452	2612	2616	2617	rBV3	667	502	0.02%	0.003%
46	9.532	2638	2641	2644	rBV3	754	603	0.02%	0.003%
47	9.596	2659	2661	2665	rBV4	537	475	0.02%	0.003%
48	9.728	2698	2702	2705	rVB2	766	591	0.02%	0.003%
49	9.921	2755	2762	2765	rBV3	784	642	0.03%	0.004%
50	10.043	2797	2800	2803	rBV3	690	487	0.02%	0.003%
51	10.143	2818	2831	2855	rBV	591601	946135	36.99%	5.288%
52	10.313	2880	2884	2885	rBV4	1955	1180	0.05%	0.007%
53	10.371	2900	2902	2909	rVB2	729	624	0.02%	0.003%
54	10.506	2940	2944	2946	rVB2	904	482	0.02%	0.003%
55	10.542	2951	2955	2959	rVV4	876	687	0.03%	0.004%
56	10.690	2998	3001	3005	rVB3	685	448	0.02%	0.003%
57	10.715	3005	3009	3014	rVB4	612	620	0.02%	0.003%
58	10.770	3022	3026	3028	rBV2	660	443	0.02%	0.002%
59	10.789	3028	3032	3035	rVV5	957	870	0.03%	0.005%
60	10.870	3051	3057	3060	rBV5	895	999	0.04%	0.006%
61	10.889	3060	3063	3065	rBV2	720	432	0.02%	0.002%
62	10.989	3090	3094	3098	rBV3	570	476	0.02%	0.003%
63	11.069	3115	3119	3123	rBV4	594	450	0.02%	0.003%
64	11.127	3132	3137	3141	rBV4	1692	1562	0.06%	0.009%
65	11.178	3141	3153	3190	rVV	1003334	1632449	63.82%	9.124%
66	11.461	3239	3241	3244	rBV3	574	412	0.02%	0.002%
67	11.497	3244	3252	3253	rBV2	6976	6634	0.26%	0.037%
68	11.551	3258	3269	3297	rVB	1113673	1783494	69.73%	9.969%
69	11.796	3342	3345	3349	rBV6	1076	1093	0.04%	0.006%
70	11.828	3353	3355	3357	rBV2	1100	675	0.03%	0.004%
71	11.921	3380	3384	3387	rVB6	1100	901	0.04%	0.005%
72	11.956	3392	3395	3397	rVV3	866	526	0.02%	0.003%
73	11.972	3397	3400	3404	rVB3	1263	714	0.03%	0.004%
74	12.024	3412	3416	3417	rBV2	832	602	0.02%	0.003%
75	12.226	3476	3479	3481	rBV3	710	419	0.02%	0.002%
76	12.300	3498	3502	3509	rVB6	1244	1653	0.06%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037762.D
 Acq On : 08 Oct 2024 12:54
 Operator : SY/MD
 Sample : P4346-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAW3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.416	3534	3538	3541	rVB4	720	620	0.02%	0.003%
78	12.435	3541	3544	3546	rBV2	767	460	0.02%	0.003%
79	12.481	3556	3558	3561	rVB3	1022	428	0.02%	0.002%
80	12.506	3562	3566	3568	rBV2	533	448	0.02%	0.003%
81	12.545	3576	3578	3581	rVB3	931	473	0.02%	0.003%
82	12.561	3581	3583	3586	rVB2	1146	590	0.02%	0.003%
83	12.587	3586	3591	3595	rBV6	1499	1313	0.05%	0.007%
84	12.664	3612	3615	3619	rVB3	849	578	0.02%	0.003%
85	12.718	3629	3632	3639	rVB3	832	954	0.04%	0.005%
86	12.857	3672	3675	3680	rVB4	982	631	0.02%	0.004%
87	12.889	3680	3685	3687	rBV4	766	744	0.03%	0.004%
88	12.995	3715	3718	3722	rBV3	911	896	0.04%	0.005%
89	13.207	3782	3784	3793	rVB8	1258	1379	0.05%	0.008%
90	13.300	3809	3813	3818	rBV3	688	514	0.02%	0.003%
91	13.323	3818	3820	3829	rVB4	1080	980	0.04%	0.005%
92	13.365	3829	3833	3836	rBV5	1298	923	0.04%	0.005%
93	13.413	3846	3848	3851	rBV3	566	391	0.02%	0.002%
94	13.635	3914	3917	3920	rBV2	943	569	0.02%	0.003%
95	13.818	3972	3974	3977	rBV3	641	482	0.02%	0.003%
96	14.021	4033	4037	4042	rBV5	1411	1389	0.05%	0.008%
97	14.615	4218	4222	4224	rBV3	1465	1385	0.05%	0.008%
98	14.677	4238	4241	4242	rBV3	914	500	0.02%	0.003%
99	15.066	4359	4362	4365	rBV4	1174	1009	0.04%	0.006%
100	15.677	4550	4552	4553	rBV2	1559	461	0.02%	0.003%

Sum of corrected areas: 17890972

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037762.D
Acq On : 08 Oct 2024 12:54
Operator : SY/MD
Sample : P4346-01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAW3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037762.D
Acq On : 08 Oct 2024 12:54
Operator : SY/MD
Sample : P4346-01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAW3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
