

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037765.D
 Acq On : 08 Oct 2024 14:04
 Operator : SY/MD
 Sample : P4349-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037765.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.185	37	45	52	rBV2	15434	31583	1.29%	0.195%
2	1.278	68	74	90	rVB	339192	360021	14.70%	2.222%
3	1.532	146	153	168	rVB	281768	332170	13.56%	2.050%
4	2.060	308	317	332	rBV	582996	824922	33.69%	5.091%
5	3.236	680	683	684	rBV	875	559	0.02%	0.003%
6	3.490	760	762	763	rBV	631	286	0.01%	0.002%
7	3.542	776	778	782	rBV4	850	542	0.02%	0.003%
8	3.648	806	811	813	rBV	906	666	0.03%	0.004%
9	3.687	818	823	824	rBV2	618	460	0.02%	0.003%
10	3.696	824	826	830	rVB3	572	342	0.01%	0.002%
11	3.799	850	858	895	rBV	97559	288285	11.77%	1.779%
12	4.243	981	996	1028	rBV	395582	996709	40.70%	6.152%
13	4.510	1077	1079	1082	rVB3	598	318	0.01%	0.002%
14	4.590	1101	1104	1107	rBV4	659	400	0.02%	0.002%
15	4.629	1115	1116	1118	rVB	442	144	0.01%	0.001%
16	4.642	1118	1120	1121	rBV	580	235	0.01%	0.001%
17	4.674	1127	1130	1133	rBV2	635	448	0.02%	0.003%
18	4.690	1133	1135	1142	rVB4	526	503	0.02%	0.003%
19	4.719	1142	1144	1147	rBV2	271	136	0.01%	0.001%
20	4.744	1147	1152	1155	rBV3	563	537	0.02%	0.003%
21	4.802	1166	1170	1171	rBV3	654	475	0.02%	0.003%
22	4.950	1198	1216	1247	rBV2	983011	2448838	100.00%	15.114%
23	5.397	1352	1355	1357	rBV2	667	484	0.02%	0.003%
24	5.529	1386	1396	1428	rBV	486055	1024876	41.85%	6.326%
25	5.982	1525	1537	1567	rBV	535159	1111838	45.40%	6.862%
26	6.394	1663	1665	1667	rBV2	493	320	0.01%	0.002%
27	6.484	1691	1693	1695	rVB3	753	355	0.01%	0.002%
28	6.500	1695	1698	1703	rBV3	724	616	0.03%	0.004%
29	6.526	1703	1706	1708	rBV2	487	230	0.01%	0.001%
30	6.545	1710	1712	1713	rBV2	511	229	0.01%	0.001%
31	6.593	1726	1727	1729	rVB2	678	166	0.01%	0.001%
32	6.645	1741	1743	1746	rBV	389	165	0.01%	0.001%
33	6.735	1769	1771	1774	rVB3	776	364	0.01%	0.002%
34	6.748	1774	1775	1778	rBV	342	172	0.01%	0.001%
35	6.760	1778	1779	1784	rVV5	624	405	0.02%	0.002%
36	6.822	1795	1798	1799	rBV3	280	149	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037765.D
 Acq On : 08 Oct 2024 14:04
 Operator : SY/MD
 Sample : P4349-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.831	1799	1801	1803	rVV2	299	137	0.01%	0.001%
38	6.908	1815	1825	1861	rBV	265827	522622	21.34%	3.226%
39	7.236	1916	1927	1972	rBV	1102190	1960256	80.05%	12.099%
40	7.551	2016	2025	2050	rBV	175190	336649	13.75%	2.078%
41	7.783	2095	2097	2099	rBV2	819	477	0.02%	0.003%
42	8.027	2164	2173	2221	rBV2	287053	676307	27.62%	4.174%
43	8.503	2317	2321	2324	rBV4	637	684	0.03%	0.004%
44	8.696	2379	2381	2385	rBV3	502	392	0.02%	0.002%
45	8.719	2385	2388	2391	rBV5	936	544	0.02%	0.003%
46	8.780	2396	2407	2435	rBV	793319	1335461	54.53%	8.243%
47	9.214	2540	2542	2544	rBV2	372	181	0.01%	0.001%
48	9.227	2544	2546	2550	rVV3	939	629	0.03%	0.004%
49	9.246	2550	2552	2558	rVB4	1185	860	0.04%	0.005%
50	9.304	2568	2570	2571	rBV2	681	331	0.01%	0.002%
51	9.442	2610	2613	2618	rVB6	708	665	0.03%	0.004%
52	9.471	2620	2622	2623	rBV2	409	152	0.01%	0.001%
53	9.519	2635	2637	2638	rBV2	257	83	0.00%	0.001%
54	9.542	2642	2644	2650	rVB3	471	321	0.01%	0.002%
55	9.629	2667	2671	2675	rBV3	911	919	0.04%	0.006%
56	9.651	2675	2678	2681	rBV4	621	418	0.02%	0.003%
57	9.683	2686	2688	2689	rBV	412	131	0.01%	0.001%
58	9.719	2696	2699	2702	rBV	583	318	0.01%	0.002%
59	9.776	2711	2717	2720	rBV4	721	708	0.03%	0.004%
60	9.799	2720	2724	2727	rBV3	723	763	0.03%	0.005%
61	9.847	2736	2739	2741	rBV3	546	273	0.01%	0.002%
62	9.940	2764	2768	2770	rBV3	491	350	0.01%	0.002%
63	10.011	2787	2790	2793	rBV3	778	655	0.03%	0.004%
64	10.088	2812	2814	2815	rBV	302	98	0.00%	0.001%
65	10.101	2815	2818	2820	rBV2	467	357	0.01%	0.002%
66	10.146	2821	2832	2855	rVV	600964	970005	39.61%	5.987%
67	10.484	2935	2937	2941	rBV4	494	419	0.02%	0.003%
68	10.555	2956	2959	2960	rBV2	474	213	0.01%	0.001%
69	10.677	2995	2997	2999	rBV2	457	204	0.01%	0.001%
70	10.712	3007	3008	3009	rBV	268	81	0.00%	0.000%
71	10.789	3027	3032	3037	rBV5	1063	983	0.04%	0.006%
72	10.841	3046	3048	3052	rBV3	793	641	0.03%	0.004%
73	10.947	3080	3081	3084	rBV	424	258	0.01%	0.002%
74	11.001	3095	3098	3100	rBV2	771	599	0.02%	0.004%
75	11.037	3106	3109	3110	rBV	539	248	0.01%	0.002%
76	11.108	3126	3131	3133	rBV4	805	812	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037765.D
 Acq On : 08 Oct 2024 14:04
 Operator : SY/MD
 Sample : P4349-01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	11.178	3143	3153	3183	rBV	758455	1240137	50.64%	7.654%
78	11.503	3247	3254	3257	rBV7	4889	6449	0.26%	0.040%
79	11.551	3259	3269	3297	rVV	1044402	1708044	69.75%	10.542%
80	12.310	3503	3505	3508	rBV3	699	496	0.02%	0.003%
81	12.509	3563	3567	3571	rBV4	728	610	0.02%	0.004%
82	12.886	3680	3684	3686	rBV4	987	646	0.03%	0.004%
83	13.050	3733	3735	3738	rVB2	605	246	0.01%	0.002%
84	13.066	3738	3740	3742	rBV3	718	268	0.01%	0.002%




Sum of corrected areas: 16202048

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037765.D
Acq On : 08 Oct 2024 14:04
Operator : SY/MD
Sample : P4349-01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037765.D
Acq On : 08 Oct 2024 14:04
Operator : SY/MD
Sample : P4349-01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037765.D
Acq On : 08 Oct 2024 14:04
Operator : SY/MD
Sample : P4349-01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------