

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037769.D
 Acq On : 08 Oct 2024 15:31
 Operator : SY/MD
 Sample : P4329-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037769.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	37	42	51	rBV	5767	9934	0.40%	0.057%
2	1.282	68	75	88	rVB	341691	350821	14.30%	2.028%
3	1.532	145	153	167	rVB	279377	331645	13.52%	1.917%
4	2.060	307	317	328	rBV	590867	845854	34.47%	4.889%
5	2.114	328	334	347	rVB	61121	95382	3.89%	0.551%
6	3.677	814	820	823	rBV2	697	771	0.03%	0.004%
7	3.799	850	858	885	rBV	102553	291984	11.90%	1.688%
8	4.243	979	996	1023	rVV	399814	1006076	41.00%	5.815%
9	4.452	1060	1061	1065	rVB4	1153	649	0.03%	0.004%
10	4.683	1128	1133	1135	rBV4	929	720	0.03%	0.004%
11	4.696	1135	1137	1143	rVB4	1009	941	0.04%	0.005%
12	4.950	1200	1216	1251	rBV2	979050	2453713	100.00%	14.182%
13	5.188	1287	1290	1296	rBV6	800	936	0.04%	0.005%
14	5.433	1359	1366	1369	rBV5	925	942	0.04%	0.005%
15	5.529	1385	1396	1434	rBV	608836	1270870	51.79%	7.346%
16	5.828	1478	1489	1512	rBV4	18728	43495	1.77%	0.251%
17	5.986	1525	1538	1566	rBV	540182	1122743	45.76%	6.489%
18	6.211	1606	1608	1615	rVB7	1395	1295	0.05%	0.007%
19	6.291	1631	1633	1637	rBV3	880	675	0.03%	0.004%
20	6.310	1637	1639	1643	rVB5	1201	806	0.03%	0.005%
21	6.394	1659	1665	1670	rBV3	1300	1049	0.04%	0.006%
22	6.442	1675	1680	1684	rVB4	1082	921	0.04%	0.005%
23	6.474	1684	1690	1693	rBV5	837	787	0.03%	0.005%
24	6.519	1701	1704	1709	rVB4	709	653	0.03%	0.004%
25	6.548	1709	1713	1715	rBV3	706	541	0.02%	0.003%
26	6.558	1715	1716	1723	rVB4	833	553	0.02%	0.003%
27	6.645	1738	1743	1745	rBV3	633	539	0.02%	0.003%
28	6.680	1749	1754	1757	rBV3	544	597	0.02%	0.003%
29	6.722	1762	1767	1769	rBV4	945	709	0.03%	0.004%
30	6.770	1779	1782	1784	rBV2	924	512	0.02%	0.003%
31	6.818	1792	1797	1804	rVB4	777	927	0.04%	0.005%
32	6.908	1814	1825	1851	rBV	266760	519240	21.16%	3.001%
33	7.159	1901	1903	1908	rVB4	821	708	0.03%	0.004%
34	7.236	1916	1927	1951	rBV	1089397	1928052	78.58%	11.144%
35	7.551	2016	2025	2053	rBV	181786	341751	13.93%	1.975%
36	7.735	2079	2082	2084	rBV4	1154	784	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037769.D
 Acq On : 08 Oct 2024 15:31
 Operator : SY/MD
 Sample : P4329-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.867	2118	2123	2127	rVB4	904	986	0.04%	0.006%
38	7.937	2142	2145	2150	rBV4	658	627	0.03%	0.004%
39	8.027	2164	2173	2203	rBV2	297794	669200	27.27%	3.868%
40	8.368	2275	2279	2286	rBV6	1353	1606	0.07%	0.009%
41	8.555	2331	2337	2346	rVV9	1859	3516	0.14%	0.020%
42	8.645	2360	2365	2366	rBV5	983	796	0.03%	0.005%
43	8.780	2396	2407	2430	rBV	970595	1621614	66.09%	9.373%
44	8.960	2461	2463	2466	rBV3	920	521	0.02%	0.003%
45	9.047	2487	2490	2492	rBV3	1350	799	0.03%	0.005%
46	9.178	2528	2531	2536	rBV5	871	968	0.04%	0.006%
47	9.323	2573	2576	2582	rBV4	707	900	0.04%	0.005%
48	9.378	2590	2593	2596	rBV5	670	503	0.02%	0.003%
49	9.465	2615	2620	2621	rBV3	778	534	0.02%	0.003%
50	9.503	2629	2632	2636	rBV3	1103	700	0.03%	0.004%
51	9.564	2645	2651	2654	rBV4	663	691	0.03%	0.004%
52	9.674	2681	2685	2687	rBV4	655	538	0.02%	0.003%
53	9.715	2692	2698	2707	rVB7	2940	4812	0.20%	0.028%
54	9.783	2715	2719	2721	rBV4	998	755	0.03%	0.004%
55	9.886	2743	2751	2762	rVV9	6492	11724	0.48%	0.068%
56	10.002	2784	2787	2790	rBV3	814	553	0.02%	0.003%
57	10.037	2794	2798	2805	rBV7	680	924	0.04%	0.005%
58	10.146	2814	2832	2857	rBV	616715	979430	39.92%	5.661%
59	10.294	2875	2878	2881	rVB3	1051	608	0.02%	0.004%
60	10.313	2881	2884	2887	rBV3	1291	1175	0.05%	0.007%
61	10.358	2893	2898	2901	rBV3	884	914	0.04%	0.005%
62	10.561	2957	2961	2963	rBV4	2096	1576	0.06%	0.009%
63	10.603	2972	2974	2978	rVB5	785	541	0.02%	0.003%
64	10.628	2978	2982	2991	rBV6	1442	2101	0.09%	0.012%
65	10.664	2991	2993	2998	rVB5	930	655	0.03%	0.004%
66	10.715	3008	3009	3016	rVB4	766	523	0.02%	0.003%
67	10.751	3016	3020	3022	rBV2	843	715	0.03%	0.004%
68	10.789	3027	3032	3034	rBV6	1344	953	0.04%	0.006%
69	10.995	3094	3096	3102	rVB5	1389	1023	0.04%	0.006%
70	11.124	3124	3136	3143	rBV8	9463	15225	0.62%	0.088%
71	11.178	3143	3153	3181	rBV	948568	1529443	62.33%	8.840%
72	11.554	3251	3270	3300	rBV	1080062	1766113	71.98%	10.208%
73	11.831	3353	3356	3368	rVB	3732	5734	0.23%	0.033%
74	11.899	3374	3377	3381	rVB4	1272	881	0.04%	0.005%
75	11.953	3384	3394	3399	rBV9	4318	7162	0.29%	0.041%
76	12.120	3442	3446	3450	rBV4	526	584	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
 Data File : VV037769.D
 Acq On : 08 Oct 2024 15:31
 Operator : SY/MD
 Sample : P4329-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.175	3460	3463	3466	rBV3	724	498	0.02%	0.003%
78	12.259	3480	3489	3493	rBV8	3536	4935	0.20%	0.029%
79	12.358	3517	3520	3524	rVB2	1203	807	0.03%	0.005%
80	12.481	3553	3558	3560	rBV3	774	680	0.03%	0.004%
81	12.654	3609	3612	3614	rBV3	864	558	0.02%	0.003%
82	12.706	3625	3628	3633	rVB3	984	930	0.04%	0.005%
83	12.812	3655	3661	3662	rBV3	939	910	0.04%	0.005%
84	12.921	3692	3695	3697	rBV3	1059	573	0.02%	0.003%
85	13.008	3720	3722	3726	rVB4	899	579	0.02%	0.003%
86	13.030	3726	3729	3732	rBV5	1225	815	0.03%	0.005%
87	13.095	3746	3749	3758	rVB8	1427	2039	0.08%	0.012%
88	13.268	3801	3803	3807	rVB3	1082	712	0.03%	0.004%
89	13.368	3830	3834	3837	rBV5	885	825	0.03%	0.005%
90	13.661	3922	3925	3927	rBV	958	639	0.03%	0.004%
91	14.133	4070	4072	4076	rBV4	976	733	0.03%	0.004%
92	14.156	4077	4079	4084	rVB4	1239	699	0.03%	0.004%
93	14.339	4133	4136	4144	rVB7	2758	3399	0.14%	0.020%
94	14.432	4163	4165	4168	rBV2	841	599	0.02%	0.003%
95	14.709	4249	4251	4255	rBV4	1256	897	0.04%	0.005%
96	14.796	4275	4278	4281	rBV3	1090	1033	0.04%	0.006%
97	15.053	4353	4358	4368	rVB7	5063	7785	0.32%	0.045%
98	15.123	4378	4380	4383	rBV2	1148	512	0.02%	0.003%
99	15.368	4453	4456	4460	rBV5	1010	872	0.04%	0.005%
100	15.577	4518	4521	4527	rBV8	1700	1900	0.08%	0.011%

Sum of corrected areas: 17301127




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037769.D
Acq On : 08 Oct 2024 15:31
Operator : SY/MD
Sample : P4329-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037769.D
Acq On : 08 Oct 2024 15:31
Operator : SY/MD
Sample : P4329-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100824\
Data File : VV037769.D
Acq On : 08 Oct 2024 15:31
Operator : SY/MD
Sample : P4329-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc
