

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037783.D
 Acq On : 09 Oct 2024 16:11
 Operator : SY/MD
 Sample : P4349-11
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG4

Quant Time: Oct 10 03:13:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 10 03:11:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	611200	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	606348	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	272206	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	211954	39.504	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.000%
7) Chloroethane-d5	1.532	69	177335	42.581	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.160%
11) 1,1-Dichloroethene-d2	2.060	65	95815	42.744	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.480%
21) 2-Butanone-d5	3.799	46	165069	86.377	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.380%
24) Chloroform-d	4.243	84	429247	44.968	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.940%
26) 1,2-Dichloroethane-d4	4.937	65	266483	47.694	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.380%
32) Benzene-d6	4.953	84	858051	45.223	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.440%
36) 1,2-Dichloropropane-d6	5.985	67	272065	45.030	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.060%
41) Toluene-d8	7.236	98	752859	43.758	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.520%
43) trans-1,3-Dichloroprop...	7.548	79	115763	41.246	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.500%
47) 2-Hexanone-d5	8.024	63	107212	84.036	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.040%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	312662	44.538	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.080%
66) 1,2-Dichlorobenzene-d4	11.554	152	286112	49.881	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.760%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037783.D
Acq On : 09 Oct 2024 16:11
Operator : SY/MD
Sample : P4349-11
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG4

Quant Time: Oct 10 03:13:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 10 03:11:31 2024
Response via : Initial Calibration

