

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037786.D
 Acq On : 09 Oct 2024 17:15
 Operator : SY/MD
 Sample : P4349-14
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAH0

Quant Time: Oct 10 03:14:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 10 03:11:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	601367	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.779	117	599607	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	263181	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	206000	39.022	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.040%
7) Chloroethane-d5	1.532	69	175080	42.727	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.460%
11) 1,1-Dichloroethene-d2	2.059	65	95435	43.271	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.540%
21) 2-Butanone-d5	3.799	46	164758	87.624	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.620%
24) Chloroform-d	4.243	84	420826	44.807	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.620%
26) 1,2-Dichloroethane-d4	4.937	65	256862	46.724	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.440%
32) Benzene-d6	4.953	84	839801	44.759	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.520%
36) 1,2-Dichloropropane-d6	5.985	67	268691	44.972	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.940%
41) Toluene-d8	7.236	98	730946	42.962	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.920%
43) trans-1,3-Dichloroprop...	7.548	79	113740	40.981	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.960%
47) 2-Hexanone-d5	8.024	63	103244	81.836	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.840%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	306277	44.119	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.240%
66) 1,2-Dichlorobenzene-d4	11.554	152	278648	50.245	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.500%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037786.D
Acq On : 09 Oct 2024 17:15
Operator : SY/MD
Sample : P4349-14
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAH0

Quant Time: Oct 10 03:14:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 10 03:11:31 2024
Response via : Initial Calibration

