

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037781.D
 Acq On : 09 Oct 2024 15:27
 Operator : SY/MD
 Sample : P4349-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

Signal : TIC: VV037781.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	37	43	51	rBV2	6831	10798	0.32%	0.047%
2	1.278	67	74	92	rVB	434006	464944	13.67%	2.018%
3	1.532	145	153	166	rVB	375347	441713	12.99%	1.917%
4	2.060	306	317	333	rBV	793237	1150718	33.84%	4.995%
5	3.484	758	760	765	rVB3	710	530	0.02%	0.002%
6	3.529	771	774	778	rBV3	1088	954	0.03%	0.004%
7	3.674	816	819	821	rBV3	823	450	0.01%	0.002%
8	3.796	849	857	896	rBV	146232	418474	12.31%	1.817%
9	4.134	956	962	965	rBV7	792	866	0.03%	0.004%
10	4.243	978	996	1029	rBV	552314	1391208	40.92%	6.039%
11	4.523	1080	1083	1086	rVB3	1083	736	0.02%	0.003%
12	4.590	1102	1104	1111	rVB4	914	807	0.02%	0.004%
13	4.658	1121	1125	1129	rVB5	992	810	0.02%	0.004%
14	4.699	1135	1138	1139	rBV2	732	470	0.01%	0.002%
15	4.767	1157	1159	1165	rVB3	589	479	0.01%	0.002%
16	4.806	1167	1171	1173	rBV4	659	532	0.02%	0.002%
17	4.947	1200	1215	1246	rBV2	1356960	3400102	100.00%	14.759%
18	5.336	1330	1336	1339	rBV6	1363	1664	0.05%	0.007%
19	5.449	1367	1371	1375	rBV5	541	530	0.02%	0.002%
20	5.529	1384	1396	1427	rBV	742878	1552332	45.66%	6.738%
21	5.828	1480	1489	1508	rVB3	17823	40277	1.18%	0.175%
22	5.982	1521	1537	1576	rBV	756479	1560367	45.89%	6.773%
23	6.352	1647	1652	1655	rVB5	1133	1042	0.03%	0.005%
24	6.371	1655	1658	1660	rBV3	949	630	0.02%	0.003%
25	6.404	1666	1668	1672	rVB4	840	467	0.01%	0.002%
26	6.548	1708	1713	1714	rBV4	809	678	0.02%	0.003%
27	6.568	1716	1719	1722	rVV3	651	476	0.01%	0.002%
28	6.741	1769	1773	1775	rBV3	673	438	0.01%	0.002%
29	6.908	1815	1825	1856	rBV	384699	736968	21.67%	3.199%
30	7.156	1899	1902	1904	rVB3	1117	624	0.02%	0.003%
31	7.178	1904	1909	1911	rBV5	729	579	0.02%	0.003%
32	7.236	1916	1927	1950	rBV	1572576	2733031	80.38%	11.863%
33	7.506	2008	2011	2014	rBV3	917	704	0.02%	0.003%
34	7.548	2014	2024	2060	rBV	265456	496249	14.60%	2.154%
35	7.805	2099	2104	2108	rVV6	732	800	0.02%	0.003%
36	7.976	2155	2157	2162	rVB3	811	626	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037781.D
 Acq On : 09 Oct 2024 15:27
 Operator : SY/MD
 Sample : P4349-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.024	2162	2172	2220	rBV2	450259	984390	28.95%	4.273%
38	8.336	2267	2269	2271	rVB2	1258	519	0.02%	0.002%
39	8.551	2328	2336	2338	rBV8	2558	3245	0.10%	0.014%
40	8.616	2353	2356	2358	rBV4	671	443	0.01%	0.002%
41	8.680	2371	2376	2379	rVB4	1247	998	0.03%	0.004%
42	8.776	2393	2406	2444	rBV	1177929	1984538	58.37%	8.614%
43	9.124	2510	2514	2518	rVB5	1409	1479	0.04%	0.006%
44	9.149	2518	2522	2525	rBV4	1064	710	0.02%	0.003%
45	9.307	2569	2571	2577	rVB4	1036	781	0.02%	0.003%
46	9.410	2600	2603	2610	rVB6	685	457	0.01%	0.002%
47	9.455	2615	2617	2626	rVB4	829	904	0.03%	0.004%
48	9.500	2626	2631	2635	rBV3	602	537	0.02%	0.002%
49	9.535	2635	2642	2643	rBV4	612	547	0.02%	0.002%
50	9.571	2651	2653	2657	rBV4	781	529	0.02%	0.002%
51	9.612	2664	2666	2670	rVB2	927	524	0.02%	0.002%
52	9.770	2711	2715	2719	rVB4	531	472	0.01%	0.002%
53	9.870	2742	2746	2752	rVB6	862	1056	0.03%	0.005%
54	9.985	2780	2782	2785	rBV3	817	507	0.01%	0.002%
55	10.040	2796	2799	2802	rVB2	838	506	0.01%	0.002%
56	10.063	2802	2806	2811	rVB4	874	927	0.03%	0.004%
57	10.146	2819	2832	2859	rBV	848535	1356523	39.90%	5.888%
58	10.506	2938	2944	2945	rBV4	861	813	0.02%	0.004%
59	10.709	3004	3007	3011	rVV2	445	441	0.01%	0.002%
60	10.728	3011	3013	3020	rVB5	842	688	0.02%	0.003%
61	10.783	3023	3030	3037	rBV9	2072	2967	0.09%	0.013%
62	11.178	3141	3153	3184	rBV	1106282	1780272	52.36%	7.728%
63	11.551	3249	3269	3295	rBV	1572694	2472566	72.72%	10.733%
64	11.828	3353	3355	3365	rVB7	1297	1243	0.04%	0.005%
65	11.873	3365	3369	3371	rBV4	937	720	0.02%	0.003%
66	12.062	3426	3428	3434	rBV3	1239	863	0.03%	0.004%
67	12.095	3435	3438	3440	rBV3	701	549	0.02%	0.002%
68	12.181	3462	3465	3468	rBV3	697	534	0.02%	0.002%
69	12.201	3469	3471	3475	rVV4	977	582	0.02%	0.003%
70	12.394	3528	3531	3536	rBV4	681	674	0.02%	0.003%
71	12.429	3540	3542	3546	rBV3	673	560	0.02%	0.002%
72	12.484	3555	3559	3563	rBV3	1148	1204	0.04%	0.005%
73	12.503	3563	3565	3568	rVV	741	551	0.02%	0.002%
74	12.567	3579	3585	3589	rVV5	691	861	0.03%	0.004%
75	12.632	3603	3605	3609	rVB4	877	600	0.02%	0.003%
76	12.760	3642	3645	3648	rBV4	839	531	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037781.D
 Acq On : 09 Oct 2024 15:27
 Operator : SY/MD
 Sample : P4349-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.831	3661	3667	3669	rBV4	665	681	0.02%	0.003%
78	12.863	3675	3677	3683	rVB3	703	452	0.01%	0.002%
79	12.898	3683	3688	3690	rBV2	614	485	0.01%	0.002%
80	12.963	3706	3708	3715	rVB6	856	792	0.02%	0.003%
81	12.995	3715	3718	3723	rBV2	1017	972	0.03%	0.004%
82	13.088	3745	3747	3749	rBV2	800	449	0.01%	0.002%
83	13.214	3783	3786	3788	rBV4	971	536	0.02%	0.002%
84	13.275	3802	3805	3808	rBV3	911	586	0.02%	0.003%
85	13.525	3879	3883	3886	rBV4	740	575	0.02%	0.002%
86	13.641	3916	3919	3921	rBV4	831	498	0.01%	0.002%
87	13.696	3932	3936	3938	rVB4	815	541	0.02%	0.002%
88	13.853	3982	3985	3988	rVB4	1038	594	0.02%	0.003%
89	13.911	4001	4003	4009	rVB3	1486	1368	0.04%	0.006%
90	13.947	4009	4014	4016	rBV4	1139	771	0.02%	0.003%
91	14.017	4034	4036	4042	rVB3	1205	767	0.02%	0.003%
92	14.313	4125	4128	4131	rBV4	855	625	0.02%	0.003%
93	14.332	4132	4134	4137	rVB3	783	430	0.01%	0.002%
94	14.390	4149	4152	4156	rBV3	644	646	0.02%	0.003%
95	14.619	4218	4223	4226	rBV3	1216	1275	0.04%	0.006%
96	14.763	4266	4268	4271	rVB2	1025	522	0.02%	0.002%
97	14.850	4292	4295	4297	rVB2	1068	535	0.02%	0.002%
98	14.863	4297	4299	4302	rBV2	894	641	0.02%	0.003%
99	15.078	4363	4366	4368	rBV2	1363	737	0.02%	0.003%
100	15.156	4386	4390	4393	rBV4	1213	1015	0.03%	0.004%




Sum of corrected areas: 23037377

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037781.D
Acq On : 09 Oct 2024 15:27
Operator : SY/MD
Sample : P4349-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037781.D
Acq On : 09 Oct 2024 15:27
Operator : SY/MD
Sample : P4349-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037781.D
Acq On : 09 Oct 2024 15:27
Operator : SY/MD
Sample : P4349-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------