

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037784.D
 Acq On : 09 Oct 2024 16:32
 Operator : SY/MD
 Sample : P4349-12
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037784.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	37	42	51	rBV	6346	9650	0.40%	0.056%
2	1.281	68	75	90	rVB	313935	330647	13.70%	1.911%
3	1.532	146	153	167	rVB	272770	318338	13.19%	1.840%
4	2.059	307	317	331	rBV	569802	808595	33.49%	4.674%
5	3.259	688	690	695	rBV3	646	490	0.02%	0.003%
6	3.294	699	701	706	rVB5	712	493	0.02%	0.003%
7	3.381	724	728	730	rVB5	852	491	0.02%	0.003%
8	3.481	756	759	765	rVB3	1099	1091	0.05%	0.006%
9	3.522	769	772	775	rBV2	654	492	0.02%	0.003%
10	3.545	775	779	783	rBV4	819	806	0.03%	0.005%
11	3.670	814	818	821	rVB5	736	552	0.02%	0.003%
12	3.696	821	826	830	rBV3	553	612	0.03%	0.004%
13	3.735	834	838	844	rVB4	812	858	0.04%	0.005%
14	3.802	844	859	895	rBV2	103208	301774	12.50%	1.744%
15	4.149	962	967	973	rVB3	887	1208	0.05%	0.007%
16	4.243	980	996	1027	rBV	388596	988080	40.93%	5.711%
17	4.657	1123	1125	1128	rVB2	884	475	0.02%	0.003%
18	4.735	1147	1149	1152	rBV2	773	541	0.02%	0.003%
19	4.950	1200	1216	1267	rBV2	966023	2414280	100.00%	13.955%
20	5.156	1277	1280	1282	rBV2	923	531	0.02%	0.003%
21	5.169	1282	1284	1288	rVB5	1013	618	0.03%	0.004%
22	5.188	1288	1290	1292	rBV3	949	511	0.02%	0.003%
23	5.323	1327	1332	1339	rBV7	766	1143	0.05%	0.007%
24	5.378	1347	1349	1357	rVB6	757	765	0.03%	0.004%
25	5.442	1366	1369	1372	rBV3	1036	749	0.03%	0.004%
26	5.529	1385	1396	1435	rBV	675055	1425678	59.05%	8.241%
27	5.825	1479	1488	1489	rBV7	12799	12380	0.51%	0.072%
28	5.985	1522	1538	1569	rBV	530495	1108315	45.91%	6.406%
29	6.230	1612	1614	1621	rVB5	1429	1375	0.06%	0.008%
30	6.268	1621	1626	1628	rBV3	892	737	0.03%	0.004%
31	6.336	1643	1647	1649	rBV3	885	537	0.02%	0.003%
32	6.407	1665	1669	1673	rVB4	1112	1127	0.05%	0.007%
33	6.429	1673	1676	1680	rBV3	625	573	0.02%	0.003%
34	6.497	1693	1697	1701	rVB6	926	803	0.03%	0.005%
35	6.535	1706	1709	1712	rVV3	673	451	0.02%	0.003%
36	6.551	1712	1714	1718	rVV4	681	487	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037784.D
 Acq On : 09 Oct 2024 16:32
 Operator : SY/MD
 Sample : P4349-12
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.696	1754	1759	1762	rBV5	747	622	0.03%	0.004%
38	6.908	1815	1825	1854	rBV	259926	504939	20.91%	2.919%
39	7.236	1916	1927	1952	rBV	1068279	1889877	78.28%	10.924%
40	7.551	2015	2025	2051	rBV	177928	336539	13.94%	1.945%
41	7.940	2143	2146	2152	rVB5	781	932	0.04%	0.005%
42	8.027	2164	2173	2216	rBV2	299200	684130	28.34%	3.954%
43	8.329	2265	2267	2270	rBV2	957	476	0.02%	0.003%
44	8.558	2331	2338	2346	rVB10	2558	4063	0.17%	0.023%
45	8.590	2346	2348	2351	rBV4	822	472	0.02%	0.003%
46	8.625	2356	2359	2361	rBV4	818	609	0.03%	0.004%
47	8.718	2386	2388	2393	rVB6	1047	789	0.03%	0.005%
48	8.779	2393	2407	2439	rBV	1087561	1810018	74.97%	10.462%
49	9.120	2510	2513	2516	rVB3	1057	798	0.03%	0.005%
50	9.149	2520	2522	2526	rVB3	1121	728	0.03%	0.004%
51	9.175	2526	2530	2532	rBV4	861	724	0.03%	0.004%
52	9.246	2549	2552	2554	rVB3	814	480	0.02%	0.003%
53	9.278	2559	2562	2566	rVB3	1052	558	0.02%	0.003%
54	9.342	2578	2582	2584	rBV3	678	568	0.02%	0.003%
55	9.545	2641	2645	2651	rVB2	631	692	0.03%	0.004%
56	9.757	2708	2711	2716	rVB4	824	684	0.03%	0.004%
57	9.789	2716	2721	2728	rBV3	669	1032	0.04%	0.006%
58	9.911	2757	2759	2763	rBV2	642	463	0.02%	0.003%
59	10.095	2813	2816	2819	rVB2	1069	636	0.03%	0.004%
60	10.146	2819	2832	2857	rBV	616095	976472	40.45%	5.644%
61	10.371	2899	2902	2906	rBV3	655	505	0.02%	0.003%
62	10.390	2906	2908	2912	rVB3	1040	593	0.02%	0.003%
63	10.570	2962	2964	2967	rBV2	722	494	0.02%	0.003%
64	10.631	2980	2983	2986	rBV3	798	681	0.03%	0.004%
65	10.783	3026	3030	3034	rBV5	1043	1161	0.05%	0.007%
66	10.873	3053	3058	3061	rVV3	766	650	0.03%	0.004%
67	10.918	3066	3072	3075	rBV2	589	473	0.02%	0.003%
68	10.953	3077	3083	3087	rBV3	1054	1010	0.04%	0.006%
69	11.043	3107	3111	3114	rBV3	736	686	0.03%	0.004%
70	11.178	3142	3153	3188	rBV	1002160	1621810	67.18%	9.374%
71	11.439	3231	3234	3235	rBV4	1270	686	0.03%	0.004%
72	11.490	3245	3250	3251	rBV4	834	817	0.03%	0.005%
73	11.554	3258	3270	3297	rBV	1066958	1700940	70.45%	9.832%
74	11.902	3376	3378	3382	rBV5	610	487	0.02%	0.003%
75	11.921	3382	3384	3388	rVV5	776	476	0.02%	0.003%
76	12.046	3421	3423	3428	rVB3	691	461	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037784.D
 Acq On : 09 Oct 2024 16:32
 Operator : SY/MD
 Sample : P4349-12
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

77	12.197	3467	3470	3476	rBV4	755	831	0.03%	0.005%
78	12.252	3481	3487	3490	rBV5	899	868	0.04%	0.005%
79	12.503	3560	3565	3567	rBV3	668	584	0.02%	0.003%
80	12.525	3569	3572	3577	rVB4	666	460	0.02%	0.003%
81	12.660	3609	3614	3616	rBV4	840	637	0.03%	0.004%
82	12.850	3670	3673	3676	rBV4	625	476	0.02%	0.003%
83	12.895	3685	3687	3690	rVB3	862	460	0.02%	0.003%
84	13.014	3720	3724	3728	rVB3	805	671	0.03%	0.004%
85	13.040	3728	3732	3735	rBV3	627	520	0.02%	0.003%
86	13.207	3780	3784	3786	rBV4	1153	729	0.03%	0.004%
87	13.242	3791	3795	3799	rVB4	897	743	0.03%	0.004%
88	13.265	3799	3802	3804	rBV2	695	471	0.02%	0.003%
89	13.336	3821	3824	3826	rBV3	710	487	0.02%	0.003%
90	13.458	3860	3862	3865	rBV4	823	554	0.02%	0.003%
91	13.686	3930	3933	3935	rBV2	656	530	0.02%	0.003%
92	13.737	3946	3949	3953	rBV3	871	836	0.03%	0.005%
93	13.789	3962	3965	3968	rVB3	680	462	0.02%	0.003%
94	13.911	4001	4003	4007	rVB2	823	563	0.02%	0.003%
95	13.966	4018	4020	4024	rVV3	647	502	0.02%	0.003%
96	14.213	4093	4097	4100	rBV4	785	796	0.03%	0.005%
97	14.628	4222	4226	4227	rBV3	679	532	0.02%	0.003%
98	14.882	4302	4305	4308	rBV3	1203	781	0.03%	0.005%
99	14.975	4331	4334	4337	rBV3	1194	879	0.04%	0.005%
100	15.155	4388	4390	4393	rBV4	930	477	0.02%	0.003%




Sum of corrected areas: 17300333

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037784.D
Acq On : 09 Oct 2024 16:32
Operator : SY/MD
Sample : P4349-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037784.D
Acq On : 09 Oct 2024 16:32
Operator : SY/MD
Sample : P4349-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037784.D
Acq On : 09 Oct 2024 16:32
Operator : SY/MD
Sample : P4349-12
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------