

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037787.D
 Acq On : 09 Oct 2024 17:37
 Operator : SY/MD
 Sample : P4349-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037787.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	36	42	51	rBV	5552	10619	0.44%	0.061%
2	1.278	67	74	92	rBV	315550	338503	14.02%	1.954%
3	1.532	145	153	170	rVB	269101	317656	13.15%	1.834%
4	2.056	306	316	331	rBV	558121	809103	33.50%	4.671%
5	3.339	713	715	720	rVB4	943	764	0.03%	0.004%
6	3.526	766	773	778	rBV4	765	874	0.04%	0.005%
7	3.622	800	803	806	rBV4	591	476	0.02%	0.003%
8	3.735	836	838	843	rVB2	873	556	0.02%	0.003%
9	3.764	843	847	850	rBV4	850	601	0.02%	0.003%
10	3.799	850	858	887	rBV	102677	298768	12.37%	1.725%
11	4.169	970	973	976	rBV3	856	577	0.02%	0.003%
12	4.188	976	979	980	rBV	893	498	0.02%	0.003%
13	4.243	980	996	1024	rVV	391504	995791	41.23%	5.749%
14	4.420	1047	1051	1056	rVB4	1103	717	0.03%	0.004%
15	4.564	1092	1096	1100	rVV4	851	487	0.02%	0.003%
16	4.680	1130	1132	1137	rVB2	765	518	0.02%	0.003%
17	4.725	1143	1146	1152	rVB3	949	790	0.03%	0.005%
18	4.799	1162	1169	1171	rBV3	610	615	0.03%	0.004%
19	4.947	1200	1215	1253	rBV2	958459	2415246	100.00%	13.945%
20	5.130	1269	1272	1274	rVB3	1279	721	0.03%	0.004%
21	5.333	1331	1335	1339	rBV4	1065	1061	0.04%	0.006%
22	5.375	1346	1348	1355	rVB6	953	943	0.04%	0.005%
23	5.423	1359	1363	1367	rBV4	665	648	0.03%	0.004%
24	5.529	1385	1396	1434	rBV	675460	1401290	58.02%	8.090%
25	5.828	1478	1489	1505	rBV4	16326	39927	1.65%	0.231%
26	5.982	1521	1537	1567	rBV	537265	1111867	46.04%	6.419%
27	6.275	1624	1628	1630	rBV3	1110	888	0.04%	0.005%
28	6.452	1677	1683	1684	rBV4	983	859	0.04%	0.005%
29	6.539	1707	1710	1713	rVB2	715	490	0.02%	0.003%
30	6.558	1713	1716	1720	rBV4	893	584	0.02%	0.003%
31	6.799	1786	1791	1795	rBV4	626	729	0.03%	0.004%
32	6.908	1811	1825	1856	rBV	265102	518301	21.46%	2.992%
33	7.236	1913	1927	1949	rBV	1077562	1907038	78.96%	11.010%
34	7.551	2016	2025	2055	rBV	174618	338396	14.01%	1.954%
35	7.786	2096	2098	2103	rBV4	1141	1181	0.05%	0.007%
36	7.915	2134	2138	2143	rVB7	1152	1110	0.05%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037787.D
 Acq On : 09 Oct 2024 17:37
 Operator : SY/MD
 Sample : P4349-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.027	2164	2173	2210	rBV2	299617	685156	28.37%	3.956%
38	8.426	2295	2297	2303	rVB4	970	626	0.03%	0.004%
39	8.535	2328	2331	2332	rBV	805	487	0.02%	0.003%
40	8.548	2332	2335	2337	rBV3	1551	1042	0.04%	0.006%
41	8.645	2362	2365	2368	rBV2	795	539	0.02%	0.003%
42	8.738	2391	2394	2396	rBV4	794	468	0.02%	0.003%
43	8.780	2396	2407	2432	rBV	1056765	1763455	73.01%	10.181%
44	8.944	2456	2458	2462	rBV4	1730	1158	0.05%	0.007%
45	9.082	2493	2501	2516	rVB5	8084	16434	0.68%	0.095%
46	9.146	2518	2521	2523	rBV3	1088	628	0.03%	0.004%
47	9.365	2587	2589	2592	rBV3	777	485	0.02%	0.003%
48	9.490	2620	2628	2637	rBV7	4207	7447	0.31%	0.043%
49	9.667	2679	2683	2687	rVB5	869	782	0.03%	0.005%
50	9.693	2687	2691	2693	rBV3	672	466	0.02%	0.003%
51	9.789	2716	2721	2724	rBV4	784	529	0.02%	0.003%
52	9.937	2765	2767	2770	rBV2	849	485	0.02%	0.003%
53	10.146	2819	2832	2858	rBV	607087	970325	40.17%	5.602%
54	10.349	2892	2895	2900	rVB6	718	485	0.02%	0.003%
55	10.680	2995	2998	3000	rBV2	848	532	0.02%	0.003%
56	10.718	3007	3010	3013	rBV2	690	593	0.02%	0.003%
57	10.731	3013	3014	3019	rVB3	820	505	0.02%	0.003%
58	10.760	3019	3023	3026	rVB4	797	554	0.02%	0.003%
59	10.786	3026	3031	3034	rBV5	1076	1019	0.04%	0.006%
60	10.870	3055	3057	3063	rVB6	1713	1327	0.05%	0.008%
61	11.037	3106	3109	3112	rBV	745	487	0.02%	0.003%
62	11.088	3119	3125	3129	rBV4	865	661	0.03%	0.004%
63	11.127	3133	3137	3140	rBV3	643	614	0.03%	0.004%
64	11.178	3142	3153	3181	rBV	995418	1587578	65.73%	9.166%
65	11.349	3204	3206	3208	rBV3	953	604	0.03%	0.003%
66	11.432	3227	3232	3235	rBV7	899	860	0.04%	0.005%
67	11.509	3248	3256	3257	rBV7	3709	4878	0.20%	0.028%
68	11.551	3259	3269	3302	rVB	1090735	1727131	71.51%	9.972%
69	11.709	3315	3318	3323	rVB6	1434	850	0.04%	0.005%
70	11.805	3346	3348	3355	rVB7	1788	1274	0.05%	0.007%
71	11.860	3363	3365	3370	rVB6	1187	636	0.03%	0.004%
72	11.940	3385	3390	3391	rBV3	921	807	0.03%	0.005%
73	11.998	3406	3408	3412	rVB2	1065	655	0.03%	0.004%
74	12.030	3412	3418	3421	rBV6	899	978	0.04%	0.006%
75	12.152	3453	3456	3457	rBV2	851	535	0.02%	0.003%
76	12.265	3487	3491	3496	rVB4	871	1034	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
 Data File : VV037787.D
 Acq On : 09 Oct 2024 17:37
 Operator : SY/MD
 Sample : P4349-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.316	3503	3507	3509	rBV3	704	505	0.02%	0.003%
78	12.471	3552	3555	3561	rVB3	420	505	0.02%	0.003%
79	12.619	3596	3601	3603	rBV2	588	504	0.02%	0.003%
80	13.127	3755	3759	3763	rBV4	848	988	0.04%	0.006%
81	13.181	3773	3776	3779	rVB3	844	498	0.02%	0.003%
82	13.207	3779	3784	3786	rBV3	741	665	0.03%	0.004%
83	13.397	3837	3843	3846	rBV3	1046	1114	0.05%	0.006%
84	13.445	3855	3858	3861	rBV3	1038	731	0.03%	0.004%
85	13.496	3871	3874	3877	rBV3	565	544	0.02%	0.003%
86	13.522	3881	3882	3887	rVB3	1088	762	0.03%	0.004%
87	13.561	3887	3894	3895	rBV3	997	1065	0.04%	0.006%
88	13.603	3904	3907	3909	rBV3	1160	654	0.03%	0.004%
89	13.767	3956	3958	3960	rVB2	1171	480	0.02%	0.003%
90	13.979	4022	4024	4030	rVB5	922	713	0.03%	0.004%
91	14.127	4067	4070	4074	rBV3	707	560	0.02%	0.003%
92	14.339	4132	4136	4138	rBV3	1000	769	0.03%	0.004%
93	14.468	4174	4176	4180	rBV4	934	629	0.03%	0.004%
94	14.561	4202	4205	4206	rBV	832	465	0.02%	0.003%
95	14.638	4225	4229	4232	rBV4	628	518	0.02%	0.003%
96	14.705	4247	4250	4252	rBV3	978	646	0.03%	0.004%
97	14.802	4277	4280	4285	rVB4	905	763	0.03%	0.004%
98	14.853	4293	4296	4297	rBV2	856	481	0.02%	0.003%
99	14.924	4316	4318	4322	rVB4	1159	668	0.03%	0.004%
100	15.316	4438	4440	4442	rBV2	1210	742	0.03%	0.004%




Sum of corrected areas: 17320270

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037787.D
Acq On : 09 Oct 2024 17:37
Operator : SY/MD
Sample : P4349-15
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037787.D
Acq On : 09 Oct 2024 17:37
Operator : SY/MD
Sample : P4349-15
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV100924\
Data File : VV037787.D
Acq On : 09 Oct 2024 17:37
Operator : SY/MD
Sample : P4349-15
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------