

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037799.D
 Acq On : 10 Oct 2024 12:55
 Operator : SY/MD
 Sample : P4379-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY1G4

Quant Time: Oct 11 05:13:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 11 05:10:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	663930	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.779	117	662447	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	292532	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	195319	33.512	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	67.020%		
7) Chloroethane-d5	1.532	69	170424	37.672	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	75.340%		
11) 1,1-Dichloroethene-d2	2.059	65	91518	37.585	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	75.160%		
21) 2-Butanone-d5	3.799	46	172340	83.019	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	83.020%		
24) Chloroform-d	4.243	84	413171	39.846	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	79.700%		
26) 1,2-Dichloroethane-d4	4.937	65	256474	42.257	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	84.520%		
32) Benzene-d6	4.953	84	810984	39.123	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	78.240%		
36) 1,2-Dichloropropane-d6	5.985	67	261655	39.640	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	79.280%		
41) Toluene-d8	7.236	98	712050	37.882	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	75.760%#		
43) trans-1,3-Dichloroprop...	7.551	79	113744	37.094	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	74.180%		
47) 2-Hexanone-d5	8.024	63	105333	75.571	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	75.570%		
56) 1,1,2,2-Tetrachloroeth...	10.146	84	302196	39.401	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	78.800%		
66) 1,2-Dichlorobenzene-d4	11.554	152	275908	44.759	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.520%		
Target Compounds					Qvalue	
13) Acetone	2.114	43	34443	16.925	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037799.D
Acq On : 10 Oct 2024 12:55
Operator : SY/MD
Sample : P4379-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY1G4

Quant Time: Oct 11 05:13:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 05:10:27 2024
Response via : Initial Calibration

