

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037802.D
 Acq On : 10 Oct 2024 13:59
 Operator : SY/MD
 Sample : P4379-03
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOL93

Quant Time: Oct 11 05:13:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 11 05:10:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	542364	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	544553	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	237000	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	173380	36.416	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.840%
7) Chloroethane-d5	1.532	69	149448	40.439	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	80.880%
11) 1,1-Dichloroethene-d2	2.060	65	79413	39.923	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.840%
21) 2-Butanone-d5	3.799	46	141143	83.230	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.230%
24) Chloroform-d	4.243	84	366146	43.226	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.460%
26) 1,2-Dichloroethane-d4	4.937	65	222520	44.881	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.760%
32) Benzene-d6	4.953	84	713402	41.866	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.740%
36) 1,2-Dichloropropane-d6	5.982	67	228293	42.073	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	84.140%
41) Toluene-d8	7.236	98	615659	39.845	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.680%#
43) trans-1,3-Dichloroprop...	7.551	79	98816	39.203	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.400%
47) 2-Hexanone-d5	8.024	63	88980	77.660	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	77.660%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	261725	41.513	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.020%
66) 1,2-Dichlorobenzene-d4	11.554	152	237699	47.596	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.200%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037802.D
Acq On : 10 Oct 2024 13:59
Operator : SY/MD
Sample : P4379-03
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOL93

Quant Time: Oct 11 05:13:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 05:10:27 2024
Response via : Initial Calibration

