

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037793.D
 Acq On : 10 Oct 2024 10:46
 Operator : SY/MD
 Sample : P4352-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FE0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037793.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.185	36	45	47	rBV2	4606	6472	0.26%	0.036%
2	1.281	67	75	89	rVB	315499	337134	13.69%	1.890%
3	1.532	145	153	167	rVB	274662	322430	13.09%	1.807%
4	2.059	307	317	327	rBV	579324	830873	33.74%	4.657%
5	2.114	328	334	348	rVB	60695	94079	3.82%	0.527%
6	3.387	727	730	733	rBV2	769	535	0.02%	0.003%
7	3.513	762	769	771	rBV5	1081	1139	0.05%	0.006%
8	3.551	779	781	784	rVB2	929	488	0.02%	0.003%
9	3.796	848	857	888	rBV	97630	288022	11.70%	1.614%
10	4.088	945	948	951	rBV3	674	530	0.02%	0.003%
11	4.239	978	995	1022	rVV	405876	1023578	41.57%	5.737%
12	4.484	1067	1071	1076	rBV4	673	744	0.03%	0.004%
13	4.667	1126	1128	1132	rBV2	807	487	0.02%	0.003%
14	4.776	1158	1162	1168	rVB5	571	600	0.02%	0.003%
15	4.947	1199	1215	1244	rBV2	979533	2462580	100.00%	13.804%
16	5.188	1288	1290	1295	rVB3	1408	921	0.04%	0.005%
17	5.268	1309	1315	1316	rBV5	857	762	0.03%	0.004%
18	5.317	1328	1330	1333	rBV2	843	590	0.02%	0.003%
19	5.484	1379	1382	1383	rBV2	945	553	0.02%	0.003%
20	5.526	1384	1395	1429	rBV	692225	1434405	58.25%	8.040%
21	5.825	1477	1488	1502	rBV4	18176	42383	1.72%	0.238%
22	5.982	1523	1537	1563	rBV	548988	1132706	46.00%	6.349%
23	6.268	1622	1626	1630	rBV6	865	848	0.03%	0.005%
24	6.329	1642	1645	1653	rVB7	733	800	0.03%	0.004%
25	6.378	1656	1660	1665	rBV5	1335	1368	0.06%	0.008%
26	6.493	1693	1696	1702	rVB4	775	741	0.03%	0.004%
27	6.638	1737	1741	1744	rBV3	708	503	0.02%	0.003%
28	6.715	1762	1765	1767	rBV3	1191	755	0.03%	0.004%
29	6.908	1815	1825	1855	rBV	268993	530259	21.53%	2.972%
30	7.236	1916	1927	1953	rBV	1108301	1958449	79.53%	10.978%
31	7.548	2015	2024	2056	rBV	184169	351359	14.27%	1.969%
32	7.722	2075	2078	2080	rBV4	816	624	0.03%	0.003%
33	7.908	2133	2136	2139	rVB5	614	521	0.02%	0.003%
34	8.024	2162	2172	2212	rBV2	287050	671757	27.28%	3.765%
35	8.378	2280	2282	2290	rVV7	1363	1472	0.06%	0.008%
36	8.426	2294	2297	2301	rBV5	988	803	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037793.D
 Acq On : 10 Oct 2024 10:46
 Operator : SY/MD
 Sample : P4352-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FE0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.551	2332	2336	2338	rBV3	1424	1201	0.05%	0.007%
38	8.776	2392	2406	2435	rBV	1097340	1817137	73.79%	10.186%
39	9.040	2485	2488	2491	rBV5	1166	1002	0.04%	0.006%
40	9.188	2530	2534	2536	rVB3	1120	744	0.03%	0.004%
41	9.532	2639	2641	2643	rBV	742	503	0.02%	0.003%
42	9.548	2643	2646	2649	rVV3	1334	951	0.04%	0.005%
43	9.567	2649	2652	2654	rVV2	819	655	0.03%	0.004%
44	9.583	2654	2657	2659	rVV3	1071	717	0.03%	0.004%
45	9.664	2678	2682	2688	rBV6	1026	1015	0.04%	0.006%
46	9.718	2692	2699	2706	rBV6	3081	4984	0.20%	0.028%
47	9.818	2725	2730	2735	rBV5	799	953	0.04%	0.005%
48	9.889	2744	2752	2766	rVB8	6675	12177	0.49%	0.068%
49	10.017	2787	2792	2797	rVB6	1256	1352	0.05%	0.008%
50	10.146	2819	2832	2855	rBV	602399	959216	38.95%	5.377%
51	10.246	2861	2863	2866	rBV3	969	526	0.02%	0.003%
52	10.284	2872	2875	2880	rBV5	1260	923	0.04%	0.005%
53	10.345	2889	2894	2896	rBV4	829	537	0.02%	0.003%
54	10.442	2919	2924	2928	rVB4	779	679	0.03%	0.004%
55	10.471	2928	2933	2935	rBV6	877	827	0.03%	0.005%
56	10.564	2954	2962	2963	rBV6	2330	2729	0.11%	0.015%
57	10.625	2977	2981	2983	rBV4	710	521	0.02%	0.003%
58	10.638	2983	2985	2990	rVB5	963	735	0.03%	0.004%
59	10.667	2990	2994	2999	rVB5	821	776	0.03%	0.004%
60	10.715	3005	3009	3013	rBV5	537	563	0.02%	0.003%
61	10.783	3027	3030	3033	rBV3	815	612	0.02%	0.003%
62	10.812	3037	3039	3043	rVV4	674	589	0.02%	0.003%
63	10.988	3089	3094	3102	rVB6	1625	2289	0.09%	0.013%
64	11.123	3121	3136	3142	rBV8	10691	17506	0.71%	0.098%
65	11.178	3142	3153	3183	rVV	1048090	1661549	67.47%	9.314%
66	11.471	3241	3244	3245	rBV2	1130	620	0.03%	0.003%
67	11.512	3249	3257	3258	rBV4	4643	5031	0.20%	0.028%
68	11.551	3258	3269	3303	rVB	1108310	1783335	72.42%	9.996%
69	11.837	3351	3358	3365	rVB10	3804	5172	0.21%	0.029%
70	11.930	3384	3387	3388	rBV	1258	846	0.03%	0.005%
71	11.953	3388	3394	3404	rVB10	3544	6370	0.26%	0.036%
72	12.094	3436	3438	3442	rVB4	1001	686	0.03%	0.004%
73	12.120	3442	3446	3448	rBV4	1254	949	0.04%	0.005%
74	12.181	3463	3465	3469	rVB3	1288	777	0.03%	0.004%
75	12.201	3469	3471	3476	rVB6	1080	941	0.04%	0.005%
76	12.249	3481	3486	3489	rBV6	3121	3392	0.14%	0.019%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037793.D
 Acq On : 10 Oct 2024 10:46
 Operator : SY/MD
 Sample : P4352-07
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FE0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.371	3521	3524	3528	rBV6	782	742	0.03%	0.004%
78	12.590	3586	3592	3594	rVV6	996	986	0.04%	0.006%
79	12.615	3598	3600	3604	rVV5	809	661	0.03%	0.004%
80	12.676	3616	3619	3621	rBV4	973	692	0.03%	0.004%
81	12.754	3641	3643	3646	rBV3	937	678	0.03%	0.004%
82	12.818	3660	3663	3666	rBV3	910	507	0.02%	0.003%
83	12.905	3687	3690	3692	rBV2	918	541	0.02%	0.003%
84	13.207	3776	3784	3785	rBV6	2216	2019	0.08%	0.011%
85	13.342	3823	3826	3828	rBV3	660	487	0.02%	0.003%
86	13.451	3850	3860	3866	rBV6	4832	8006	0.33%	0.045%
87	13.673	3922	3929	3930	rBV6	1784	1555	0.06%	0.009%
88	14.059	4047	4049	4054	rBV5	1030	762	0.03%	0.004%
89	14.207	4092	4095	4098	rVB5	943	658	0.03%	0.004%
90	14.348	4134	4139	4146	rVB7	1143	1560	0.06%	0.009%
91	14.403	4154	4156	4161	rBV4	706	614	0.02%	0.003%
92	14.657	4234	4235	4240	rBV4	647	607	0.02%	0.003%
93	14.718	4251	4254	4258	rBV3	1473	918	0.04%	0.005%
94	14.808	4278	4282	4283	rBV3	1162	695	0.03%	0.004%
95	14.840	4289	4292	4296	rBV3	816	645	0.03%	0.004%
96	15.011	4341	4345	4351	rVB5	1067	1131	0.05%	0.006%
97	15.053	4354	4358	4371	rVV10	5139	8310	0.34%	0.047%
98	15.104	4372	4374	4379	rVB4	1555	915	0.04%	0.005%
99	15.133	4379	4383	4386	rBV5	1062	998	0.04%	0.006%
100	15.245	4416	4418	4422	rVB4	1709	1161	0.05%	0.007%




Sum of corrected areas: 17840205

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037793.D
Acq On : 10 Oct 2024 10:46
Operator : SY/MD
Sample : P4352-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FE0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037793.D
Acq On : 10 Oct 2024 10:46
Operator : SY/MD
Sample : P4352-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FE0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037793.D
Acq On : 10 Oct 2024 10:46
Operator : SY/MD
Sample : P4352-07
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FE0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------