

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037799.D
 Acq On : 10 Oct 2024 12:55
 Operator : SY/MD
 Sample : P4379-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY1G4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037799.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	38	43	51	rBV3	4863	8245	0.35%	0.047%
2	1.281	68	75	91	rVB	309487	331116	14.07%	1.886%
3	1.532	146	153	168	rVB	259507	306701	13.03%	1.747%
4	2.059	307	317	328	rBV	545806	785917	33.40%	4.477%
5	3.690	822	824	826	rVB	820	320	0.01%	0.002%
6	3.703	826	828	832	rVB3	500	265	0.01%	0.002%
7	3.722	832	834	836	rBV2	349	211	0.01%	0.001%
8	3.767	846	848	850	rBV2	542	285	0.01%	0.002%
9	3.799	850	858	887	rBV	106303	298835	12.70%	1.702%
10	4.178	969	976	978	rBV6	1211	1141	0.05%	0.006%
11	4.243	980	996	1025	rVV	387066	974915	41.43%	5.554%
12	4.493	1071	1074	1077	rBV4	762	435	0.02%	0.002%
13	4.574	1096	1099	1101	rBV4	438	284	0.01%	0.002%
14	4.590	1102	1104	1106	rVB	509	144	0.01%	0.001%
15	4.699	1132	1138	1140	rBV3	903	844	0.04%	0.005%
16	4.731	1146	1148	1151	rBV2	361	164	0.01%	0.001%
17	4.783	1162	1164	1165	rVB2	293	99	0.00%	0.001%
18	4.796	1165	1168	1169	rBV	397	241	0.01%	0.001%
19	4.831	1177	1179	1182	rVB3	379	155	0.01%	0.001%
20	4.847	1182	1184	1186	rVB	417	178	0.01%	0.001%
21	4.870	1186	1191	1192	rBV2	538	436	0.02%	0.002%
22	4.947	1199	1215	1250	rBV2	937443	2352944	100.00%	13.404%
23	5.378	1346	1349	1353	rBV4	920	635	0.03%	0.004%
24	5.452	1369	1372	1374	rBV3	539	347	0.01%	0.002%
25	5.529	1385	1396	1437	rBV	750190	1555429	66.11%	8.860%
26	5.985	1526	1538	1569	rBV	518616	1070164	45.48%	6.096%
27	6.281	1628	1630	1632	rBV3	631	276	0.01%	0.002%
28	6.368	1653	1657	1658	rBV2	442	257	0.01%	0.001%
29	6.413	1666	1671	1673	rBV4	1205	1003	0.04%	0.006%
30	6.474	1688	1690	1695	rVB5	802	542	0.02%	0.003%
31	6.577	1719	1722	1726	rVB4	692	485	0.02%	0.003%
32	6.657	1740	1747	1748	rBV5	623	614	0.03%	0.003%
33	6.725	1766	1768	1772	rVB3	569	391	0.02%	0.002%
34	6.786	1783	1787	1792	rVB5	1072	890	0.04%	0.005%
35	6.809	1792	1794	1795	rBV	271	133	0.01%	0.001%
36	6.815	1795	1796	1799	rBV	571	358	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037799.D
 Acq On : 10 Oct 2024 12:55
 Operator : SY/MD
 Sample : P4379-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY1G4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.860	1807	1810	1814	rVB3	601	391	0.02%	0.002%
38	6.908	1814	1825	1851	rBV	259578	499410	21.22%	2.845%
39	7.236	1916	1927	1951	rBV	1043433	1852641	78.74%	10.554%
40	7.551	2015	2025	2049	rBV	173072	331840	14.10%	1.890%
41	7.908	2134	2136	2141	rBV4	789	597	0.03%	0.003%
42	7.972	2155	2156	2160	rBV3	548	254	0.01%	0.001%
43	8.027	2164	2173	2214	rBV3	322925	732016	31.11%	4.170%
44	8.628	2358	2360	2362	rBV2	723	485	0.02%	0.003%
45	8.779	2395	2407	2434	rBV	1188055	1976576	84.00%	11.260%
46	9.185	2529	2533	2536	rBV6	1083	622	0.03%	0.004%
47	9.271	2555	2560	2562	rBV5	947	775	0.03%	0.004%
48	9.313	2570	2573	2576	rBV3	689	404	0.02%	0.002%
49	9.342	2580	2582	2585	rVB3	744	357	0.02%	0.002%
50	9.413	2602	2604	2612	rVB4	1012	1084	0.05%	0.006%
51	9.455	2612	2617	2618	rBV	827	659	0.03%	0.004%
52	9.535	2637	2642	2643	rBV2	766	472	0.02%	0.003%
53	9.561	2649	2650	2651	rBV	307	93	0.00%	0.001%
54	9.628	2668	2671	2672	rBV2	616	313	0.01%	0.002%
55	9.651	2676	2678	2679	rVB	220	69	0.00%	0.000%
56	9.657	2679	2680	2682	rBV	303	157	0.01%	0.001%
57	9.670	2682	2684	2688	rVV2	385	315	0.01%	0.002%
58	9.706	2692	2695	2699	rBV4	1124	819	0.03%	0.005%
59	9.812	2721	2728	2729	rBV2	489	537	0.02%	0.003%
60	9.837	2733	2736	2738	rBV3	483	249	0.01%	0.001%
61	9.853	2739	2741	2743	rBV2	485	255	0.01%	0.001%
62	9.950	2767	2771	2774	rBV2	474	347	0.01%	0.002%
63	9.969	2774	2777	2778	rVB2	614	277	0.01%	0.002%
64	9.976	2778	2779	2781	rVB	383	140	0.01%	0.001%
65	9.995	2781	2785	2787	rBV	771	567	0.02%	0.003%
66	10.030	2793	2796	2802	rVB4	1007	892	0.04%	0.005%
67	10.059	2802	2805	2806	rBV2	592	295	0.01%	0.002%
68	10.072	2807	2809	2810	rVB	553	160	0.01%	0.001%
69	10.146	2820	2832	2851	rBV	608711	973366	41.37%	5.545%
70	10.406	2911	2913	2916	rBV3	541	242	0.01%	0.001%
71	10.461	2928	2930	2931	rBV	302	119	0.01%	0.001%
72	10.471	2931	2933	2935	rVV2	554	266	0.01%	0.002%
73	10.500	2939	2942	2944	rVB2	608	333	0.01%	0.002%
74	10.513	2944	2946	2948	rBV	438	171	0.01%	0.001%
75	10.554	2958	2959	2960	rBV	221	44	0.00%	0.000%
76	10.574	2962	2965	2967	rVV3	748	430	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037799.D
 Acq On : 10 Oct 2024 12:55
 Operator : SY/MD
 Sample : P4379-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY1G4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	10.622	2976	2980	2981	rBV	571	324	0.01%	0.002%
78	10.705	3003	3006	3008	rBV3	363	224	0.01%	0.001%
79	10.728	3011	3013	3015	rBV2	379	211	0.01%	0.001%
80	10.831	3042	3045	3049	rVB3	567	382	0.02%	0.002%
81	10.898	3064	3066	3070	rBV4	451	325	0.01%	0.002%
82	11.017	3100	3103	3105	rBV3	374	250	0.01%	0.001%
83	11.037	3105	3109	3110	rBV	473	242	0.01%	0.001%
84	11.107	3128	3131	3133	rBV2	351	211	0.01%	0.001%
85	11.178	3142	3153	3187	rBV	1112782	1785549	75.89%	10.171%
86	11.554	3258	3270	3301	rBV	1042061	1687298	71.71%	9.612%
87	11.969	3397	3399	3401	rBV2	775	297	0.01%	0.002%
88	12.027	3414	3417	3419	rBV3	773	554	0.02%	0.003%
89	12.175	3459	3463	3468	rBV5	1345	1564	0.07%	0.009%
90	12.320	3504	3508	3510	rBV3	659	460	0.02%	0.003%
91	12.625	3601	3603	3605	rBV	823	448	0.02%	0.003%
92	12.673	3615	3618	3621	rBV	1036	601	0.03%	0.003%
93	12.963	3706	3708	3711	rVB3	907	436	0.02%	0.002%
94	13.519	3876	3881	3884	rBV4	985	864	0.04%	0.005%




Sum of corrected areas: 17554678

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037799.D
Acq On : 10 Oct 2024 12:55
Operator : SY/MD
Sample : P4379-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY1G4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037799.D
Acq On : 10 Oct 2024 12:55
Operator : SY/MD
Sample : P4379-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY1G4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037799.D
Acq On : 10 Oct 2024 12:55
Operator : SY/MD
Sample : P4379-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY1G4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------