

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037805.D
 Acq On : 10 Oct 2024 15:04
 Operator : SY/MD
 Sample : P4379-06
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037805.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	37	43	52	rBV	13786	24756	1.04%	0.145%
2	1.278	68	74	87	rVB	299429	314884	13.18%	1.843%
3	1.532	146	153	169	rVB	257966	308651	12.92%	1.807%
4	2.060	307	317	333	rBV	545283	787843	32.99%	4.612%
5	3.400	730	734	740	rBV3	1096	1187	0.05%	0.007%
6	3.561	782	784	789	rBV2	528	283	0.01%	0.002%
7	3.590	791	793	795	rVB	464	162	0.01%	0.001%
8	3.613	797	800	803	rBV2	422	313	0.01%	0.002%
9	3.638	807	808	809	rBV	549	143	0.01%	0.001%
10	3.754	843	844	845	rBV	250	96	0.00%	0.001%
11	3.799	849	858	892	rBV	102380	303289	12.70%	1.776%
12	4.243	980	996	1025	rBV	389733	980144	41.04%	5.738%
13	4.529	1083	1085	1087	rBV2	738	362	0.02%	0.002%
14	4.564	1092	1096	1100	rBV3	673	600	0.03%	0.004%
15	4.645	1117	1121	1122	rBV2	901	609	0.03%	0.004%
16	4.722	1140	1145	1149	rVB3	747	680	0.03%	0.004%
17	4.748	1149	1153	1154	rBV2	650	488	0.02%	0.003%
18	4.793	1162	1167	1168	rBV2	310	242	0.01%	0.001%
19	4.806	1168	1171	1178	rVB6	945	930	0.04%	0.005%
20	4.863	1186	1189	1193	rBV2	741	451	0.02%	0.003%
21	4.889	1193	1197	1199	rBV3	513	290	0.01%	0.002%
22	4.947	1199	1215	1253	rBV2	943783	2388457	100.00%	13.983%
23	5.359	1341	1343	1344	rBV	659	170	0.01%	0.001%
24	5.529	1385	1396	1431	rBV	671870	1395851	58.44%	8.172%
25	5.982	1525	1537	1569	rBV	533692	1096355	45.90%	6.418%
26	6.256	1619	1622	1627	rBV6	897	774	0.03%	0.005%
27	6.281	1628	1630	1635	rVV5	816	582	0.02%	0.003%
28	6.375	1656	1659	1661	rBV2	916	441	0.02%	0.003%
29	6.490	1692	1695	1697	rBV4	505	323	0.01%	0.002%
30	6.532	1705	1708	1710	rBV3	868	526	0.02%	0.003%
31	6.564	1715	1718	1720	rBV3	539	385	0.02%	0.002%
32	6.632	1734	1739	1740	rBV2	520	334	0.01%	0.002%
33	6.658	1745	1747	1751	rBV3	444	363	0.02%	0.002%
34	6.677	1751	1753	1756	rBV2	761	456	0.02%	0.003%
35	6.719	1764	1766	1768	rBV	229	128	0.01%	0.001%
36	6.738	1768	1772	1774	rBV3	814	661	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037805.D
 Acq On : 10 Oct 2024 15:04
 Operator : SY/MD
 Sample : P4379-06
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.796	1788	1790	1793	rVB3	682	356	0.01%	0.002%
38	6.860	1808	1810	1813	rBV	603	356	0.01%	0.002%
39	6.908	1815	1825	1858	rBV	258512	501125	20.98%	2.934%
40	7.236	1916	1927	1952	rBV	1048439	1872415	78.39%	10.962%
41	7.548	2016	2024	2053	rBV	173235	331660	13.89%	1.942%
42	8.024	2164	2172	2212	rBV2	305328	694639	29.08%	4.067%
43	8.728	2390	2391	2392	rBV2	433	166	0.01%	0.001%
44	8.776	2395	2406	2435	rBV	1071362	1775458	74.33%	10.394%
45	9.281	2561	2563	2565	rVB2	649	214	0.01%	0.001%
46	9.349	2583	2584	2588	rBV3	876	455	0.02%	0.003%
47	9.510	2631	2634	2635	rBV2	536	265	0.01%	0.002%
48	9.542	2641	2644	2646	rBV2	475	281	0.01%	0.002%
49	9.555	2646	2648	2650	rBV	687	297	0.01%	0.002%
50	9.583	2656	2657	2660	rBV2	512	277	0.01%	0.002%
51	9.625	2668	2670	2675	rBV3	306	254	0.01%	0.001%
52	9.651	2675	2678	2679	rBV	423	239	0.01%	0.001%
53	9.693	2688	2691	2694	rBV4	767	672	0.03%	0.004%
54	9.725	2699	2701	2702	rVV	573	185	0.01%	0.001%
55	9.735	2702	2704	2707	rVV2	346	220	0.01%	0.001%
56	9.757	2707	2711	2716	rVV4	589	388	0.02%	0.002%
57	9.783	2717	2719	2721	rVB2	649	298	0.01%	0.002%
58	9.837	2733	2736	2740	rBV2	699	573	0.02%	0.003%
59	9.882	2745	2750	2752	rBV4	797	877	0.04%	0.005%
60	9.956	2769	2773	2776	rVB4	414	379	0.02%	0.002%
61	9.976	2776	2779	2781	rBV3	702	482	0.02%	0.003%
62	10.027	2791	2795	2796	rBV2	433	223	0.01%	0.001%
63	10.059	2801	2805	2809	rBV3	452	353	0.01%	0.002%
64	10.088	2809	2814	2819	rBV2	1051	885	0.04%	0.005%
65	10.146	2819	2832	2859	rBV	627611	998762	41.82%	5.847%
66	10.400	2908	2911	2914	rVB3	694	414	0.02%	0.002%
67	10.419	2914	2917	2920	rBV2	879	644	0.03%	0.004%
68	10.458	2926	2929	2933	rVB3	743	549	0.02%	0.003%
69	10.487	2933	2938	2942	rBV5	750	783	0.03%	0.005%
70	10.612	2974	2977	2978	rBV3	414	253	0.01%	0.001%
71	10.638	2982	2985	2988	rBV4	466	289	0.01%	0.002%
72	10.690	2997	3001	3003	rBV2	683	602	0.03%	0.004%
73	10.715	3007	3009	3010	rBV2	254	93	0.00%	0.001%
74	10.744	3016	3018	3021	rVB2	782	297	0.01%	0.002%
75	10.770	3023	3026	3027	rBV2	498	228	0.01%	0.001%
76	10.783	3027	3030	3032	rBV3	834	561	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
 Data File : VV037805.D
 Acq On : 10 Oct 2024 15:04
 Operator : SY/MD
 Sample : P4379-06
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLG9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	10.828	3041	3044	3045	rBV2	346	218	0.01%	0.001%
78	10.857	3050	3053	3055	rBV2	896	543	0.02%	0.003%
79	10.918	3069	3072	3073	rBV	452	255	0.01%	0.001%
80	11.079	3117	3122	3125	rBV3	822	792	0.03%	0.005%
81	11.178	3142	3153	3190	rBV	974884	1569954	65.73%	9.191%
82	11.551	3258	3269	3296	rBV	1054209	1705286	71.40%	9.983%
83	11.947	3388	3392	3393	rBV3	1460	936	0.04%	0.005%
84	12.159	3456	3458	3460	rBV	574	328	0.01%	0.002%
85	12.268	3490	3492	3495	rVB2	574	299	0.01%	0.002%
86	12.284	3495	3497	3502	rBV2	417	232	0.01%	0.001%
87	12.374	3522	3525	3529	rBV3	1056	672	0.03%	0.004%
88	12.435	3541	3544	3545	rBV4	594	392	0.02%	0.002%
89	12.892	3684	3686	3689	rBV2	647	338	0.01%	0.002%
90	13.159	3766	3769	3770	rBV	827	468	0.02%	0.003%
91	13.590	3901	3903	3908	rVB3	1060	869	0.04%	0.005%




Sum of corrected areas: 17081258

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037805.D
Acq On : 10 Oct 2024 15:04
Operator : SY/MD
Sample : P4379-06
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOLG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037805.D
Acq On : 10 Oct 2024 15:04
Operator : SY/MD
Sample : P4379-06
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOLG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101024\
Data File : VV037805.D
Acq On : 10 Oct 2024 15:04
Operator : SY/MD
Sample : P4379-06
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOLG9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------