

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037822.D
 Acq On : 11 Oct 2024 11:56
 Operator : SY/MD
 Sample : P4379-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY1G4

Quant Time: Oct 14 06:16:50 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 14 06:04:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	675565	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.777	117	663956	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	300076	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	180190	30.384	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	60.760%		
7) Chloroethane-d5	1.532	69	159149	34.573	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	69.140%#		
11) 1,1-Dichloroethene-d2	2.060	65	85881	34.662	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	69.320%		
21) 2-Butanone-d5	3.799	46	149664	70.854	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	70.850%		
24) Chloroform-d	4.243	84	394270	37.368	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	74.740%		
26) 1,2-Dichloroethane-d4	4.937	65	242528	39.271	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	78.540%		
32) Benzene-d6	4.950	84	770817	37.100	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	74.200%		
36) 1,2-Dichloropropane-d6	5.982	67	253705	38.348	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	76.700%		
41) Toluene-d8	7.236	98	671001	35.617	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	71.240%#		
43) trans-1,3-Dichloroprop...	7.548	79	105755	34.411	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	68.820%		
47) 2-Hexanone-d5	8.024	63	95525	68.379	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	68.380%		
56) 1,1,2,2-Tetrachloroeth...	10.146	84	282868	36.798	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	73.600%		
66) 1,2-Dichlorobenzene-d4	11.551	152	264146	41.774	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	83.540%		
Target Compounds					Qvalue	
13) Acetone	2.114	43	32758	15.820	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037822.D
Acq On : 11 Oct 2024 11:56
Operator : SY/MD
Sample : P4379-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY1G4

Quant Time: Oct 14 06:16:50 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 14 06:04:26 2024
Response via : Initial Calibration

