

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037832.D
 Acq On : 11 Oct 2024 15:32
 Operator : SY/MD
 Sample : P4349-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037732.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.217	52	55	61	rBV	3288	3432	0.14%	0.019%
2	1.278	67	74	85	rBV	287633	303129	12.65%	1.703%
3	1.532	145	153	167	rVB	252750	302680	12.64%	1.701%
4	2.060	307	317	329	rBV	526345	757937	31.64%	4.259%
5	3.346	714	717	725	rVB6	739	642	0.03%	0.004%
6	3.529	769	774	777	rBV2	834	913	0.04%	0.005%
7	3.722	831	834	836	rBV3	754	572	0.02%	0.003%
8	3.799	849	858	892	rBV	108717	321446	13.42%	1.806%
9	4.153	965	968	972	rBV4	704	543	0.02%	0.003%
10	4.243	979	996	1022	rBV	381264	976820	40.78%	5.489%
11	4.426	1049	1053	1055	rBV4	991	673	0.03%	0.004%
12	4.439	1055	1057	1063	rVV5	864	884	0.04%	0.005%
13	4.465	1063	1065	1070	rVB4	1341	1086	0.05%	0.006%
14	4.503	1070	1077	1080	rBV5	1156	1420	0.06%	0.008%
15	4.613	1107	1111	1115	rBV4	927	977	0.04%	0.005%
16	4.947	1200	1215	1253	rBV2	945443	2395554	100.00%	13.460%
17	5.426	1361	1364	1368	rVB5	968	739	0.03%	0.004%
18	5.529	1385	1396	1428	rBV	753717	1545467	64.51%	8.684%
19	5.828	1479	1489	1507	rVB3	18012	40732	1.70%	0.229%
20	5.982	1524	1537	1567	rBV	526408	1097659	45.82%	6.168%
21	6.252	1615	1621	1623	rBV5	989	986	0.04%	0.006%
22	6.342	1647	1649	1652	rVV4	950	570	0.02%	0.003%
23	6.378	1658	1660	1666	rVB6	1141	1104	0.05%	0.006%
24	6.407	1666	1669	1670	rBV2	981	579	0.02%	0.003%
25	6.513	1698	1702	1705	rVB4	747	562	0.02%	0.003%
26	6.574	1718	1721	1728	rVB3	545	592	0.02%	0.003%
27	6.629	1735	1738	1740	rVB2	885	478	0.02%	0.003%
28	6.667	1745	1750	1752	rBV4	886	816	0.03%	0.005%
29	6.748	1771	1775	1780	rBV6	900	1004	0.04%	0.006%
30	6.773	1780	1783	1789	rVB5	959	1232	0.05%	0.007%
31	6.802	1789	1792	1794	rBV3	796	487	0.02%	0.003%
32	6.908	1815	1825	1851	rBV	265610	516797	21.57%	2.904%
33	7.236	1916	1927	1949	rBV	1065466	1873903	78.22%	10.529%
34	7.551	2015	2025	2054	rBV	177480	339790	14.18%	1.909%
35	7.783	2092	2097	2099	rBV4	750	760	0.03%	0.004%
36	7.815	2105	2107	2111	rVB4	928	669	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037832.D
 Acq On : 11 Oct 2024 15:32
 Operator : SY/MD
 Sample : P4349-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.911	2132	2137	2139	rBV5	1959	1813	0.08%	0.010%
38	8.024	2164	2172	2215	rBV2	309949	701638	29.29%	3.942%
39	8.384	2282	2284	2288	rVB3	775	459	0.02%	0.003%
40	8.445	2300	2303	2305	rBV4	1306	858	0.04%	0.005%
41	8.776	2393	2406	2433	rBV	1161927	1934404	80.75%	10.869%
42	9.082	2494	2501	2513	rVB3	8211	16505	0.69%	0.093%
43	9.188	2529	2534	2537	rBV5	828	803	0.03%	0.005%
44	9.239	2547	2550	2553	rBV	854	709	0.03%	0.004%
45	9.265	2556	2558	2562	rBV2	965	833	0.03%	0.005%
46	9.294	2564	2567	2571	rVB4	776	694	0.03%	0.004%
47	9.317	2571	2574	2576	rVB3	882	487	0.02%	0.003%
48	9.487	2620	2627	2638	rBV7	4620	8533	0.36%	0.048%
49	9.526	2638	2639	2643	rVV4	1443	910	0.04%	0.005%
50	9.545	2643	2645	2649	rVV5	1279	1034	0.04%	0.006%
51	9.638	2671	2674	2679	rBV6	612	680	0.03%	0.004%
52	9.767	2712	2714	2720	rVB2	816	493	0.02%	0.003%
53	9.873	2739	2747	2751	rBV6	2070	2101	0.09%	0.012%
54	9.969	2771	2777	2784	rBV4	835	1164	0.05%	0.007%
55	10.056	2799	2804	2810	rBV4	1229	1217	0.05%	0.007%
56	10.088	2810	2814	2817	rBV2	656	601	0.03%	0.003%
57	10.146	2820	2832	2853	rBV	619780	973875	40.65%	5.472%
58	10.371	2897	2902	2904	rBV3	1001	736	0.03%	0.004%
59	10.448	2923	2926	2929	rVB4	681	483	0.02%	0.003%
60	10.471	2929	2933	2935	rBV3	1235	932	0.04%	0.005%
61	10.500	2940	2942	2946	rVV3	945	592	0.02%	0.003%
62	10.519	2946	2948	2952	rVB2	701	464	0.02%	0.003%
63	10.648	2981	2988	2990	rBV3	847	714	0.03%	0.004%
64	10.683	2996	2999	3001	rBV	881	532	0.02%	0.003%
65	10.696	3001	3003	3009	rVB4	876	606	0.03%	0.003%
66	10.767	3020	3025	3027	rBV3	767	672	0.03%	0.004%
67	10.857	3046	3053	3055	rBV5	3571	3868	0.16%	0.022%
68	11.037	3107	3109	3113	rVB3	583	489	0.02%	0.003%
69	11.062	3113	3117	3120	rBV2	577	505	0.02%	0.003%
70	11.133	3128	3139	3142	rBV6	3462	5325	0.22%	0.030%
71	11.178	3142	3153	3179	rBV	1135903	1801080	75.18%	10.120%
72	11.461	3238	3241	3243	rBV4	1125	774	0.03%	0.004%
73	11.551	3258	3269	3295	rBV	1091209	1766832	73.75%	9.927%
74	11.982	3401	3403	3408	rVB4	1265	760	0.03%	0.004%
75	12.014	3408	3413	3414	rBV3	998	702	0.03%	0.004%
76	12.079	3431	3433	3438	rVV5	813	582	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037832.D
 Acq On : 11 Oct 2024 15:32
 Operator : SY/MD
 Sample : P4349-23
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.185	3460	3466	3469	rBV6	1012	1147	0.05%	0.006%
78	12.368	3519	3523	3525	rBV3	1027	568	0.02%	0.003%
79	12.381	3525	3527	3531	rVB4	839	600	0.03%	0.003%
80	12.413	3535	3537	3543	rVB4	1301	1031	0.04%	0.006%
81	12.558	3575	3582	3585	rBV4	869	1080	0.05%	0.006%
82	12.590	3585	3592	3600	rVV8	3720	5348	0.22%	0.030%
83	12.660	3610	3614	3615	rBV2	1035	680	0.03%	0.004%
84	12.702	3621	3627	3630	rBV4	944	1016	0.04%	0.006%
85	12.914	3690	3693	3695	rBV2	938	582	0.02%	0.003%
86	13.091	3743	3748	3749	rBV2	549	483	0.02%	0.003%
87	13.210	3776	3785	3799	rVB7	6217	11813	0.49%	0.066%
88	13.448	3850	3859	3867	rBV	10262	19650	0.82%	0.110%
89	13.577	3896	3899	3902	rBV4	1361	1160	0.05%	0.007%
90	13.683	3924	3932	3945	rVV6	7505	14001	0.58%	0.079%
91	13.763	3952	3957	3960	rBV6	911	811	0.03%	0.005%
92	13.847	3979	3983	3989	rBV5	1413	1389	0.06%	0.008%
93	14.024	4035	4038	4040	rBV4	661	456	0.02%	0.003%
94	14.220	4097	4099	4104	rVB5	904	650	0.03%	0.004%
95	14.529	4192	4195	4200	rVB4	772	799	0.03%	0.004%
96	14.551	4200	4202	4206	rBV2	835	563	0.02%	0.003%
97	14.596	4211	4216	4217	rBV4	1221	933	0.04%	0.005%
98	14.821	4283	4286	4289	rBV3	1524	1075	0.04%	0.006%
99	15.046	4353	4356	4359	rBV3	1079	774	0.03%	0.004%
100	15.532	4505	4507	4509	rBV3	1253	731	0.03%	0.004%




Sum of corrected areas: 17797433

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037832.D
Acq On : 11 Oct 2024 15:32
Operator : SY/MD
Sample : P4349-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037832.D
Acq On : 11 Oct 2024 15:32
Operator : SY/MD
Sample : P4349-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037832.D
Acq On : 11 Oct 2024 15:32
Operator : SY/MD
Sample : P4349-23
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------