

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037834.D
 Acq On : 11 Oct 2024 16:15
 Operator : SY/MD
 Sample : P4349-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

Signal : TIC: VV037734.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	38	42	43	rBV2	3989	2837	0.12%	0.016%
2	1.220	51	56	60	rBV3	4100	4544	0.19%	0.026%
3	1.278	67	74	87	rBV	274175	291448	12.44%	1.690%
4	1.532	146	153	168	rVB	246412	287621	12.27%	1.668%
5	2.060	307	317	332	rBV	513835	743741	31.74%	4.313%
6	3.593	790	794	797	rBV5	607	589	0.03%	0.003%
7	3.722	833	834	839	rVB3	668	535	0.02%	0.003%
8	3.754	839	844	846	rBV4	660	668	0.03%	0.004%
9	3.799	850	858	887	rBV	102828	292084	12.46%	1.694%
10	4.169	971	973	976	rBV2	686	471	0.02%	0.003%
11	4.243	979	996	1019	rBV	384896	962615	41.08%	5.583%
12	4.596	1103	1106	1108	rBV4	736	465	0.02%	0.003%
13	4.612	1108	1111	1115	rVV4	721	640	0.03%	0.004%
14	4.654	1120	1124	1128	rVB2	835	743	0.03%	0.004%
15	4.686	1128	1134	1138	rBV4	540	655	0.03%	0.004%
16	4.841	1177	1182	1186	rBV3	989	921	0.04%	0.005%
17	4.950	1200	1216	1261	rBV2	923907	2343387	100.00%	13.591%
18	5.307	1323	1327	1329	rBV3	759	561	0.02%	0.003%
19	5.426	1362	1364	1367	rBV2	855	550	0.02%	0.003%
20	5.487	1378	1383	1385	rBV5	638	470	0.02%	0.003%
21	5.529	1385	1396	1440	rBV	720270	1502607	64.12%	8.715%
22	5.735	1457	1460	1462	rBV3	1504	870	0.04%	0.005%
23	5.828	1480	1489	1512	rVB3	15009	33965	1.45%	0.197%
24	5.982	1524	1537	1574	rVV	510296	1074021	45.83%	6.229%
25	6.461	1683	1686	1689	rVB4	939	526	0.02%	0.003%
26	6.564	1714	1718	1719	rBV2	731	436	0.02%	0.003%
27	6.645	1738	1743	1747	rVB4	496	545	0.02%	0.003%
28	6.677	1750	1753	1758	rVB5	615	452	0.02%	0.003%
29	6.715	1763	1765	1768	rBV3	803	533	0.02%	0.003%
30	6.751	1771	1776	1778	rBV4	598	667	0.03%	0.004%
31	6.850	1803	1807	1811	rBV3	684	675	0.03%	0.004%
32	6.908	1814	1825	1858	rBV	254859	504549	21.53%	2.926%
33	7.236	1916	1927	1959	rBV	1024512	1834078	78.27%	10.637%
34	7.551	2015	2025	2060	rBV	172994	334069	14.26%	1.937%
35	7.857	2116	2120	2123	rBV4	729	567	0.02%	0.003%
36	7.899	2128	2133	2135	rBV5	1831	1388	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037834.D
 Acq On : 11 Oct 2024 16:15
 Operator : SY/MD
 Sample : P4349-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.027	2164	2173	2212	rBV2	303166	684130	29.19%	3.968%
38	8.339	2267	2270	2273	rBV4	1562	961	0.04%	0.006%
39	8.387	2283	2285	2289	rVB3	841	529	0.02%	0.003%
40	8.413	2289	2293	2294	rBV4	796	569	0.02%	0.003%
41	8.558	2330	2338	2344	rBV9	1618	2928	0.12%	0.017%
42	8.776	2396	2406	2438	rBV	1125093	1880388	80.24%	10.906%
43	9.011	2476	2479	2480	rBV2	894	534	0.02%	0.003%
44	9.088	2498	2503	2505	rBV5	1462	1524	0.07%	0.009%
45	9.226	2542	2546	2547	rVV2	757	487	0.02%	0.003%
46	9.249	2551	2553	2560	rVB6	686	698	0.03%	0.004%
47	9.378	2587	2593	2595	rBV3	631	596	0.03%	0.003%
48	9.509	2631	2634	2637	rVB2	869	524	0.02%	0.003%
49	9.873	2744	2747	2751	rVB4	650	467	0.02%	0.003%
50	9.995	2780	2785	2789	rBV4	716	710	0.03%	0.004%
51	10.146	2820	2832	2853	rBV	601023	961839	41.04%	5.578%
52	10.358	2896	2898	2901	rVB4	1114	533	0.02%	0.003%
53	10.480	2932	2936	2937	rBV2	932	610	0.03%	0.004%
54	10.587	2966	2969	2971	rVV2	617	478	0.02%	0.003%
55	10.603	2971	2974	2976	rVV2	855	485	0.02%	0.003%
56	10.693	2997	3002	3006	rVB3	889	945	0.04%	0.005%
57	10.779	3025	3029	3030	rBV3	732	458	0.02%	0.003%
58	10.863	3052	3055	3058	rVB3	919	528	0.02%	0.003%
59	10.937	3075	3078	3083	rVB4	1009	664	0.03%	0.004%
60	10.976	3083	3090	3092	rBV4	1135	1219	0.05%	0.007%
61	11.117	3129	3134	3135	rBV4	731	438	0.02%	0.003%
62	11.130	3135	3138	3142	rBV4	1209	1029	0.04%	0.006%
63	11.178	3142	3153	3182	rBV	1089704	1716288	73.24%	9.954%
64	11.551	3258	3269	3301	rBV	1057596	1722542	73.51%	9.990%
65	11.857	3362	3364	3370	rVB6	1289	1183	0.05%	0.007%
66	11.979	3396	3402	3403	rBV4	732	598	0.03%	0.003%
67	12.043	3418	3422	3424	rBV3	603	483	0.02%	0.003%
68	12.091	3434	3437	3440	rVB4	682	478	0.02%	0.003%
69	12.127	3446	3448	3453	rVB4	888	547	0.02%	0.003%
70	12.197	3467	3470	3474	rVV5	702	492	0.02%	0.003%
71	12.265	3488	3491	3494	rBV3	701	459	0.02%	0.003%
72	12.339	3511	3514	3519	rVB4	1594	1206	0.05%	0.007%
73	12.374	3519	3525	3527	rBV4	518	488	0.02%	0.003%
74	12.400	3528	3533	3535	rBV3	742	612	0.03%	0.004%
75	12.484	3553	3559	3564	rBV5	1072	1311	0.06%	0.008%
76	12.564	3579	3584	3585	rBV3	968	652	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
 Data File : VV037834.D
 Acq On : 11 Oct 2024 16:15
 Operator : SY/MD
 Sample : P4349-17
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOAG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.631	3603	3605	3607	rBV2	812	494	0.02%	0.003%
78	12.673	3613	3618	3619	rBV5	707	590	0.03%	0.003%
79	12.747	3638	3641	3642	rBV2	938	571	0.02%	0.003%
80	12.857	3672	3675	3677	rVB2	1079	565	0.02%	0.003%
81	12.869	3677	3679	3682	rBV2	828	552	0.02%	0.003%
82	13.149	3762	3766	3768	rBV2	752	624	0.03%	0.004%
83	13.201	3777	3782	3783	rVV3	1756	1374	0.06%	0.008%
84	13.210	3783	3785	3791	rVV4	2263	1960	0.08%	0.011%
85	13.358	3826	3831	3833	rBV3	1008	741	0.03%	0.004%
86	13.410	3844	3847	3853	rVB3	1188	882	0.04%	0.005%
87	13.451	3853	3860	3866	rBV6	3452	5401	0.23%	0.031%
88	13.670	3926	3928	3929	rBV2	1108	482	0.02%	0.003%
89	13.683	3930	3932	3941	rVB4	2404	2417	0.10%	0.014%
90	13.766	3956	3958	3961	rBV3	926	459	0.02%	0.003%
91	14.030	4038	4040	4044	rVB4	1253	792	0.03%	0.005%
92	14.117	4066	4067	4074	rVB4	780	483	0.02%	0.003%
93	14.204	4088	4094	4095	rBV6	724	745	0.03%	0.004%
94	14.368	4142	4145	4148	rVB2	853	486	0.02%	0.003%
95	14.580	4209	4211	4215	rBV4	1267	798	0.03%	0.005%
96	14.696	4243	4247	4248	rBV3	1046	573	0.02%	0.003%
97	14.789	4274	4276	4280	rVB3	1198	804	0.03%	0.005%
98	14.927	4316	4319	4322	rBV5	1393	1191	0.05%	0.007%
99	15.046	4352	4356	4358	rBV3	1248	1229	0.05%	0.007%
100	15.194	4399	4402	4406	rVB4	1629	1155	0.05%	0.007%




Sum of corrected areas: 17242471

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037834.D
Acq On : 11 Oct 2024 16:15
Operator : SY/MD
Sample : P4349-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037834.D
Acq On : 11 Oct 2024 16:15
Operator : SY/MD
Sample : P4349-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101124\
Data File : VV037834.D
Acq On : 11 Oct 2024 16:15
Operator : SY/MD
Sample : P4349-17
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOAG1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------