

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
 Data File : VV037862.D
 Acq On : 15 Oct 2024 09:59
 Operator : SY/MD
 Sample : VV1015MBL01
 Misc : 5.00g/5mL/100ul/5mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK244

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

Signal : TIC: VV037862.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	69	75	93	rVB	348002	374834	15.08%	2.112%
2	1.535	147	154	166	rVB	293877	344432	13.86%	1.941%
3	2.060	308	317	333	rBV	614981	894150	35.97%	5.039%
4	3.484	757	760	761	rBV2	710	370	0.01%	0.002%
5	3.590	791	793	795	rBV2	647	332	0.01%	0.002%
6	3.664	812	816	817	rBV3	391	320	0.01%	0.002%
7	3.674	817	819	823	rVB2	711	443	0.02%	0.002%
8	3.693	823	825	827	rBV2	371	212	0.01%	0.001%
9	3.738	836	839	842	rBV2	579	448	0.02%	0.003%
10	3.767	845	848	849	rBV3	568	343	0.01%	0.002%
11	3.793	849	856	893	rBV	82628	253900	10.21%	1.431%
12	4.240	980	995	1028	rBV	396377	1025131	41.24%	5.777%
13	4.629	1112	1116	1120	rVB5	594	461	0.02%	0.003%
14	4.709	1138	1141	1145	rBV3	637	444	0.02%	0.003%
15	4.780	1161	1163	1166	rVB	442	226	0.01%	0.001%
16	4.802	1166	1170	1173	rBV2	630	581	0.02%	0.003%
17	4.854	1181	1186	1188	rBV3	541	417	0.02%	0.002%
18	4.947	1199	1215	1248	rBV2	976813	2485817	100.00%	14.008%
19	5.477	1377	1380	1382	rBV4	368	278	0.01%	0.002%
20	5.526	1384	1395	1421	rBV	701426	1459085	58.70%	8.222%
21	5.982	1524	1537	1573	rBV	540420	1137238	45.75%	6.408%
22	6.352	1649	1652	1653	rBV2	369	202	0.01%	0.001%
23	6.423	1672	1674	1677	rBV2	475	278	0.01%	0.002%
24	6.436	1677	1678	1680	rBV	484	211	0.01%	0.001%
25	6.493	1693	1696	1700	rBV2	698	562	0.02%	0.003%
26	6.522	1703	1705	1709	rBV2	479	364	0.01%	0.002%
27	6.577	1719	1722	1724	rBV	960	677	0.03%	0.004%
28	6.641	1739	1742	1744	rBV	439	207	0.01%	0.001%
29	6.654	1744	1746	1751	rVV4	414	304	0.01%	0.002%
30	6.683	1753	1755	1760	rVV4	584	485	0.02%	0.003%
31	6.725	1766	1768	1769	rBV2	403	217	0.01%	0.001%
32	6.764	1777	1780	1783	rVB3	626	362	0.01%	0.002%
33	6.831	1799	1801	1803	rBV	482	311	0.01%	0.002%
34	6.863	1808	1811	1813	rBV2	373	167	0.01%	0.001%
35	6.905	1813	1824	1858	rBV	266686	522936	21.04%	2.947%
36	7.233	1916	1926	1956	rBV	1106068	1978633	79.60%	11.150%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
 Data File : VV037862.D
 Acq On : 15 Oct 2024 09:59
 Operator : SY/MD
 Sample : VV1015MBL01
 Misc : 5.00g/5mL/100ul/5ml/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK244

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.548	2015	2024	2045	rBV	176541	330389	13.29%	1.862%
38	7.911	2127	2137	2145	rBV7	2415	3898	0.16%	0.022%
39	7.960	2150	2152	2153	rBV2	535	200	0.01%	0.001%
40	8.024	2163	2172	2211	rBV2	235827	551344	22.18%	3.107%
41	8.542	2328	2333	2336	rBV2	1666	1955	0.08%	0.011%
42	8.667	2371	2372	2375	rBV2	427	237	0.01%	0.001%
43	8.715	2381	2387	2391	rBV4	985	1152	0.05%	0.006%
44	8.776	2394	2406	2440	rBV	1108536	1869643	75.21%	10.535%
45	9.236	2547	2549	2554	rBV5	769	632	0.03%	0.004%
46	9.326	2575	2577	2579	rBV2	583	277	0.01%	0.002%
47	9.397	2597	2599	2601	rBV2	660	361	0.01%	0.002%
48	9.435	2608	2611	2614	rBV3	767	399	0.02%	0.002%
49	9.628	2668	2671	2674	rBV4	580	357	0.01%	0.002%
50	9.644	2674	2676	2677	rBV	235	72	0.00%	0.000%
51	9.657	2677	2680	2683	rBV2	645	494	0.02%	0.003%
52	9.821	2726	2731	2734	rBV2	542	534	0.02%	0.003%
53	9.937	2763	2767	2771	rVB3	566	422	0.02%	0.002%
54	9.960	2771	2774	2775	rBV2	540	205	0.01%	0.001%
55	9.969	2775	2777	2780	rVV3	628	236	0.01%	0.001%
56	10.008	2786	2789	2792	rVB2	874	555	0.02%	0.003%
57	10.030	2792	2796	2798	rBV2	860	637	0.03%	0.004%
58	10.088	2812	2814	2815	rBV2	516	167	0.01%	0.001%
59	10.143	2820	2831	2858	rBV	556659	898447	36.14%	5.063%
60	10.471	2928	2933	2935	rBV3	2345	1792	0.07%	0.010%
61	10.535	2951	2953	2956	rBV2	409	187	0.01%	0.001%
62	10.860	3046	3054	3063	rBV6	2848	4454	0.18%	0.025%
63	10.915	3069	3071	3075	rBV2	440	307	0.01%	0.002%
64	10.976	3088	3090	3091	rBV	570	232	0.01%	0.001%
65	11.024	3103	3105	3108	rBV3	261	171	0.01%	0.001%
66	11.075	3115	3121	3123	rVB4	492	427	0.02%	0.002%
67	11.095	3124	3127	3128	rBV2	511	269	0.01%	0.002%
68	11.127	3129	3137	3142	rBV4	5827	8153	0.33%	0.046%
69	11.178	3142	3153	3184	rVV	1036552	1701132	68.43%	9.586%
70	11.551	3257	3269	3302	rBV	1100327	1755183	70.61%	9.890%
71	12.024	3414	3416	3418	rBV2	684	416	0.02%	0.002%
72	12.050	3422	3424	3425	rBV	541	221	0.01%	0.001%
73	12.133	3449	3450	3451	rBV	433	126	0.01%	0.001%
74	12.188	3464	3467	3468	rBV2	1345	761	0.03%	0.004%
75	12.294	3498	3500	3502	rBV2	490	133	0.01%	0.001%
76	12.342	3513	3515	3520	rBV3	414	314	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
 Data File : VV037862.D
 Acq On : 15 Oct 2024 09:59
 Operator : SY/MD
 Sample : VV1015MBL01
 Misc : 5.00g/5mL/100ul/5ml/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK244

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M

Title : VOC Analysis

77	12.423	3534	3540	3543	rBV5	935	1028	0.04%	0.006%
78	12.583	3583	3590	3608	rBV6	7052	13998	0.56%	0.079%
79	12.898	3685	3688	3693	rBV	1011	619	0.02%	0.003%
80	12.963	3703	3708	3711	rBV4	816	543	0.02%	0.003%
81	13.117	3755	3756	3760	rBV2	709	342	0.01%	0.002%
82	13.204	3773	3783	3800	rBV5	12875	24434	0.98%	0.138%
83	13.381	3835	3838	3840	rVB2	992	618	0.02%	0.003%
84	13.397	3840	3843	3844	rBV3	972	468	0.02%	0.003%
85	13.442	3848	3857	3875	rVV2	26525	52827	2.13%	0.298%
86	13.680	3923	3931	3945	rVB4	16037	28388	1.14%	0.160%
87	13.783	3960	3963	3966	rBV4	1285	728	0.03%	0.004%




Sum of corrected areas: 17746262

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
Data File : VV037862.D
Acq On : 15 Oct 2024 09:59
Operator : SY/MD
Sample : VV1015MBL01
Misc : 5.00g/5mL/100ul/5mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK244

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
Data File : VV037862.D
Acq On : 15 Oct 2024 09:59
Operator : SY/MD
Sample : VV1015MBL01
Misc : 5.00g/5mL/100ul/5mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK244

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV101524\
Data File : VV037862.D
Acq On : 15 Oct 2024 09:59
Operator : SY/MD
Sample : VV1015MBL01
Misc : 5.00g/5mL/100ul/5ml/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK244

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc