

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102523\
 Data File : VW032635.D
 Acq On : 25 Oct 2023 16:00
 Operator : SY/MD
 Sample : 04992-12
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Oct 26 05:03:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 26 04:59:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	94735	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	105455	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	48241	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	34668	4.500	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.000%
7) Chloroethane-d5	1.532	69	33403	5.341	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.800%
11) 1,1-Dichloroethene-d2	2.060	65	14097	4.338	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.800%
20) 2-Butanone-d5	3.805	46	84386	43.296	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.600%
24) Chloroform-d	4.256	84	59578	4.383	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.600%
26) 1,2-Dichloroethane-d4	4.947	65	32231	5.006	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.200%
32) Benzene-d6	4.966	84	120888	3.896	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.000%
36) 1,2-Dichloropropane-d6	6.056	67	3624	0.352	ug/L	0.06
Spiked Amount	5.000	Range	60 - 140	Recovery	=	7.000%#
41) Toluene-d8	7.246	98	113166	3.988	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.800%
43) trans-1,3-Dichloroprop...	7.558	79	14908	4.092	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.800%
46) 2-Hexanone-d5	8.030	63	69486	40.538	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.080%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	32385	4.504	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.000%
66) 1,2-Dichlorobenzene-d4	11.564	152	42634	4.763	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.200%
Target Compounds						Qvalue
61) 1,2,3-Trichloropropane	11.188	75	5717	1.113	ug/L	# 64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102523\
Data File : VV032635.D
Acq On : 25 Oct 2023 16:00
Operator : SY/MD
Sample : 04992-12
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Oct 26 05:03:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 26 04:59:52 2023
Response via : Initial Calibration





#61
 1,2,3-Trichloropropane
 Concen: 1.113 ug/L
 RT: 11.188 min Scan# 31
 Delta R.T. 0.974 min
 Lab File: VV032635.D
 Acq: 25 Oct 2023 16:00

Instrument :
 MSVOA_V
 ClientSampleId :



Tgt Ion: 75 Resp: 5717
 Ion Ratio Lower Upper
 75 100
 77 37.6 26.2 39.2
 110 2.6 30.6 46.0#

