

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW102523\
 Data File : VW032629.D
 Acq On : 25 Oct 2023 13:39
 Operator : SY/MD
 Sample : 04992-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AH4

Quant Time: Oct 26 05:02:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 26 04:59:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.538	114	85973	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	98925	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	43553	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	36598	5.234	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	104.600%	
7) Chloroethane-d5	1.532	69	33770	5.950	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	119.000%	
11) 1,1-Dichloroethene-d2	2.059	65	14967	5.076	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	101.600%	
20) 2-Butanone-d5	3.812	46	57544	32.533	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	65.060%	
24) Chloroform-d	4.252	84	58968	4.781	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.600%	
26) 1,2-Dichloroethane-d4	4.947	65	31860	5.453	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.000%	
32) Benzene-d6	4.963	84	122128	4.196	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.000%	
36) 1,2-Dichloropropane-d6	5.992	67	38270	3.968	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	79.400%	
41) Toluene-d8	7.246	98	113175	4.252	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.000%	
43) trans-1,3-Dichloroprop...	7.561	79	14773	4.323	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	86.400%	
46) 2-Hexanone-d5	8.030	63	62304	38.747	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	77.500%	
56) 1,1,2,2-Tetrachloroeth...	10.159	84	33232	4.926	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	98.600%	
66) 1,2-Dichlorobenzene-d4	11.564	152	41903	5.185	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	103.600%	
Target Compounds						Qvalue
47) Tetrachloroethene	7.911	164	7217	1.001	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV102523\
Data File : VV032629.D
Acq On : 25 Oct 2023 13:39
Operator : SY/MD
Sample : 04992-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AH4

Quant Time: Oct 26 05:02:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092923WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 26 04:59:52 2023
Response via : Initial Calibration

