

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV112224\
 Data File : VV038259.D
 Acq On : 22 Nov 2024 09:58
 Operator : SY/MD
 Sample : P4882-20
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Nov 22 23:58:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 22 23:57:44 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	243619	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	259990	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	108523	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	58100	3.111	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.200%
7) Chloroethane-d5	1.529	69	58695	3.886	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.800%
11) 1,1-Dichloroethene-d2	2.053	65	25684	3.196	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.000%
20) 2-Butanone-d5	3.789	46	147477	39.480	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	78.960%
24) Chloroform-d	4.240	84	146474	4.042	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.800%
26) 1,2-Dichloroethane-d4	4.937	65	69211	4.256	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.200%
32) Benzene-d6	4.953	84	225336	3.353	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.000%#
36) 1,2-Dichloropropane-d6	5.982	67	78913	3.816	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.400%
41) Toluene-d8	7.239	98	167355	2.692	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	53.800%#
43) trans-1,3-Dichloroprop...	7.558	79	26090	3.394	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	67.800%
46) 2-Hexanone-d5	8.021	63	103921	34.776	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	69.560%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	72155	4.111	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.200%
66) 1,2-Dichlorobenzene-d4	11.554	152	80916	4.376	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.600%
Target Compounds						Qvalue
35) Methylcyclohexane	5.982	83	19831	0.704	ug/L	# 19


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV112224\
Data File : VV038259.D
Acq On : 22 Nov 2024 09:58
Operator : SY/MD
Sample : P4882-20
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Nov 22 23:58:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 22 23:57:44 2024
Response via : Initial Calibration





#35
Methylcyclohexane
Concen: 0.704 ug/L
RT: 5.982 min Scan# 11
Delta R.T. -0.058 min
Lab File: VV038259.D
Acq: 22 Nov 2024 09:58

Instrument :
MSVOA_V
ClientSampleId :

Tgt Ion: 83 Resp: 19831
Ion Ratio Lower Upper
83 100
55 0.0 59.7 89.5#
98 0.5 39.0 58.4#

