

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV112224\
 Data File : VV038280.D
 Acq On : 22 Nov 2024 19:30
 Operator : SY/MD
 Sample : P4884-07 50X
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3N1

Quant Time: Nov 23 00:06:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 22 23:57:44 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	251443	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	276205	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	113521	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	68086	3.533	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.600%
7) Chloroethane-d5	1.529	69	68354	4.385	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.600%
11) 1,1-Dichloroethene-d2	2.053	65	31865	3.842	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.800%
20) 2-Butanone-d5	3.789	46	184290	47.800	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.600%
24) Chloroform-d	4.243	84	165021	4.412	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.200%
26) 1,2-Dichloroethane-d4	4.937	65	81180	4.837	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.800%
32) Benzene-d6	4.953	84	281648	3.945	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.000%
36) 1,2-Dichloropropane-d6	5.982	67	98002	4.461	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.200%
41) Toluene-d8	7.236	98	221283	3.350	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.000%#
43) trans-1,3-Dichloroprop...	7.561	79	25303	3.098	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	62.000%
46) 2-Hexanone-d5	8.017	63	152638	48.080	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.160%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	84458	4.529	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.600%
66) 1,2-Dichlorobenzene-d4	11.554	152	93298	4.824	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.400%
Target Compounds					Qvalue	
47) Tetrachloroethene	7.902	164	14663	0.863	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV112224\
Data File : VV038280.D
Acq On : 22 Nov 2024 19:30
Operator : SY/MD
Sample : P4884-07 50X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3N1

Quant Time: Nov 23 00:06:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR111924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 22 23:57:44 2024
Response via : Initial Calibration

