

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019764.D
 Acq On : 20 Dec 2020 03:12
 Operator : SY/MD
 Sample : VIBLK71
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK71

Quant Time: Dec 21 07:17:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 21 06:23:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	670259	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	623743	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	276752	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	223117	46.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.84%
7) Chloroethane-d5	1.57	69	183478	48.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.80%
11) 1,1-Dichloroethene-d2	2.11	63	324598	36.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.78%
21) 2-Butanone-d5	3.89	46	329198	126.01	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	126.01%
24) Chloroform-d	4.35	84	422226	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.48%
26) 1,2-Dichloroethane-d4	5.04	65	298554	52.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.48%
32) Benzene-d6	5.05	84	842253	50.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.26%
36) 1,2-Dichloropropane-d6	6.07	67	273132	52.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.82%
41) Toluene-d8	7.32	98	721543	48.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.34%
43) trans-1,3-Dichloropropene-	7.62	79	123584	41.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.38%
47) 2-Hexanone-d5	8.09	63	204082	99.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.78%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	330627	46.91	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.82%
64) 1,2-Dichlorobenzene-d4	11.63	152	262545	50.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.50%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121920\
Data File : VV019764.D
Acq On : 20 Dec 2020 03:12
Operator : SY/MD
Sample : VIBLK71
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK71

Quant Time: Dec 21 07:17:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 21 06:23:42 2020
Response via : Initial Calibration

