

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019726.D
 Acq On : 19 Dec 2020 09:59
 Operator : SY/MD
 Sample : VV1219WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK74

Quant Time: Dec 21 03:48:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 21 03:36:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	760543	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	714988	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	349884	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	216230	39.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.30%
7) Chloroethane-d5	1.57	69	185535	43.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.26%
11) 1,1-Dichloroethene-d2	2.11	63	318570	31.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.94%
21) 2-Butanone-d5	3.89	46	343026	115.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	115.72%
24) Chloroform-d	4.35	84	418784	42.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.22%
26) 1,2-Dichloroethane-d4	5.03	65	290022	45.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.30%
32) Benzene-d6	5.05	84	819808	42.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.98%
36) 1,2-Dichloropropane-d6	6.07	67	267790	44.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.66%
41) Toluene-d8	7.32	98	710819	41.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.80%
43) trans-1,3-Dichloropropene-	7.62	79	126225	37.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.30%
47) 2-Hexanone-d5	8.09	63	233927	99.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.78%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	347140	42.96	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.92%
64) 1,2-Dichlorobenzene-d4	11.63	152	271748	41.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.10%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121920\
Data File : VV019726.D
Acq On : 19 Dec 2020 09:59
Operator : SY/MD
Sample : VV1219WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK74

Quant Time: Dec 21 03:48:54 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 21 03:36:59 2020
Response via : Initial Calibration

