

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019744.D
 Acq On : 19 Dec 2020 17:49
 Operator : SY/MD
 Sample : L5151-08
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Dec 21 06:05:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 21 03:36:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	676914	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	633136	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	287994	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	233096	48.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.04%
7) Chloroethane-d5	1.57	69	188779	49.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.62%
11) 1,1-Dichloroethene-d2	2.11	63	342838	38.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.12%
21) 2-Butanone-d5	3.89	46	333704	126.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	126.48%
24) Chloroform-d	4.35	84	422623	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
26) 1,2-Dichloroethane-d4	5.04	65	295888	51.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.52%
32) Benzene-d6	5.05	84	859351	50.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.78%
36) 1,2-Dichloropropane-d6	6.07	67	276050	52.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.38%
41) Toluene-d8	7.32	98	758960	49.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.84%
43) trans-1,3-Dichloropropene-	7.62	79	128509	42.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.42%
47) 2-Hexanone-d5	8.09	63	204587	98.55	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.55%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	337225	47.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.26%
64) 1,2-Dichlorobenzene-d4	11.63	152	277549	51.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.12%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121920\
Data File : VV019744.D
Acq On : 19 Dec 2020 17:49
Operator : SY/MD
Sample : L5151-08
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Dec 21 06:05:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 21 03:36:59 2020
Response via : Initial Calibration

