

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019751.D
 Acq On : 19 Dec 2020 22:00
 Operator : SY/MD
 Sample : L5131-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4H03

Quant Time: Dec 21 06:33:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 21 06:23:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	731042	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	690518	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	309339	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	237493	45.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.60%
7) Chloroethane-d5	1.57	69	193434	46.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.58%
11) 1,1-Dichloroethene-d2	2.11	63	347678	35.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.46%
21) 2-Butanone-d5	3.89	46	339639	119.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	119.20%
24) Chloroform-d	4.35	84	441303	46.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.42%
26) 1,2-Dichloroethane-d4	5.04	65	310859	50.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.70%
32) Benzene-d6	5.05	84	887450	48.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.38%
36) 1,2-Dichloropropane-d6	6.07	67	283286	49.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.20%
41) Toluene-d8	7.32	98	773665	46.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.32%
43) trans-1,3-Dichloropropene-	7.62	79	132435	40.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.72%
47) 2-Hexanone-d5	8.09	63	208176	91.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.94%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	337531	43.26	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.52%
64) 1,2-Dichlorobenzene-d4	11.63	152	283958	49.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.22%


Target Compounds					Ovalue
13) Acetone	2.18	43	12155	5.008 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
Data File : VV019751.D
Acq On : 19 Dec 2020 22:00
Operator : SY/MD
Sample : L5131-04
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4H03

Quant Time: Dec 21 06:33:11 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 21 06:23:42 2020
Response via : Initial Calibration





#13

Acetone

Concen: 5.008 ug/L

RT: 2.18 min Scan# 339

Delta R.T. -0.01 min

Lab File: VV019751.D

Acq: 19 Dec 2020 22:00

Instrument :
MSVOA_V
ClientSampleId :
F4H03

Tot Ion: 43 Resp: 12155

Ion Ratio Lower Upper

43 100

58 33.3 0.0 61.6

