

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019756.D
 Acq On : 20 Dec 2020 00:00
 Operator : SY/MD
 Sample : L5131-09
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4H08

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	62	68	84	rVB	394965	387563	8.97%	1.386%
2	1.569	142	149	163	rVB	312476	348984	8.07%	1.248%
3	2.113	308	318	330	rBV	624024	946379	21.90%	3.384%
4	2.884	555	558	560	rBV3	697	414	0.01%	0.001%
5	2.971	583	585	589	rBV3	827	532	0.01%	0.002%
6	3.090	620	622	626	rBV3	825	622	0.01%	0.002%
7	3.354	703	704	706	rBV2	362	195	0.00%	0.001%
8	3.376	710	711	713	rBV2	393	182	0.00%	0.001%
9	3.441	728	731	737	rBV4	948	974	0.02%	0.003%
10	3.473	738	741	744	rVB3	924	642	0.01%	0.002%
11	3.528	755	758	761	rVB4	980	655	0.02%	0.002%
12	3.544	761	763	764	rBV2	289	102	0.00%	0.000%
13	3.560	765	768	769	rBV2	800	407	0.01%	0.001%
14	3.601	774	781	784	rBV7	573	536	0.01%	0.002%
15	3.634	788	791	793	rBV3	620	420	0.01%	0.002%
16	3.685	804	807	809	rBV2	1098	575	0.01%	0.002%
17	3.737	821	823	826	rVB2	461	247	0.01%	0.001%
18	3.749	826	827	831	rBV3	766	630	0.01%	0.002%
19	3.820	846	849	853	rBV4	602	614	0.01%	0.002%
20	3.913	858	878	912	rBV2	1611177	4322205	100.00%	15.457%
21	4.354	1000	1015	1044	rVB	426014	1046572	24.21%	3.743%
22	4.778	1145	1147	1148	rBV	486	146	0.00%	0.001%
23	4.823	1159	1161	1163	rBV2	887	396	0.01%	0.001%
24	4.881	1176	1179	1182	rVB3	1021	722	0.02%	0.003%
25	4.897	1182	1184	1185	rBV3	857	410	0.01%	0.001%
26	4.926	1190	1193	1197	rBV5	751	759	0.02%	0.003%
27	5.052	1214	1232	1260	rBV2	1053413	2715929	62.84%	9.713%
28	5.537	1382	1383	1386	rBV2	734	414	0.01%	0.001%
29	5.621	1396	1409	1438	rBV	863483	1726189	39.94%	6.173%
30	5.859	1479	1483	1484	rBV3	738	649	0.02%	0.002%
31	5.917	1487	1501	1529	rVV	1932323	3751621	86.80%	13.416%
32	6.074	1538	1550	1576	rVB	609494	1221209	28.25%	4.367%
33	6.534	1690	1693	1694	rBV2	521	336	0.01%	0.001%
34	6.772	1762	1767	1771	rBV4	585	484	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019756.D
 Acq On : 20 Dec 2020 00:00
 Operator : SY/MD
 Sample : L5131-09
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4H08

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

35	6.839	1785	1788	1789	rBV2	525	269	0.01%	0.001%
36	6.849	1789	1791	1795	rVB3	615	390	0.01%	0.001%
37	6.868	1795	1797	1799	rVB	499	185	0.00%	0.001%
38	6.881	1799	1801	1802	rVB	506	156	0.00%	0.001%
39	6.904	1802	1808	1809	rBV4	1006	967	0.02%	0.003%
40	6.990	1824	1835	1862	rBV	341033	615051	14.23%	2.200%
41	7.264	1918	1920	1921	rBV	703	171	0.00%	0.001%
42	7.318	1925	1937	1957	rBV	1220532	2130205	49.29%	7.618%
43	7.624	2022	2032	2058	rBV	237444	415749	9.62%	1.487%
44	7.971	2138	2140	2141	rBV2	1514	653	0.02%	0.002%
45	8.026	2154	2157	2159	rBV3	781	405	0.01%	0.001%
46	8.090	2167	2177	2214	rBV	631005	1178064	27.26%	4.213%
47	8.752	2382	2383	2384	rBV	777	203	0.00%	0.001%
48	8.855	2403	2415	2441	rBV	1297628	2114702	48.93%	7.563%
49	9.138	2500	2503	2505	rBV3	1126	632	0.01%	0.002%
50	9.312	2550	2557	2561	rBV6	913	1393	0.03%	0.005%
51	9.421	2587	2591	2594	rVB4	1015	840	0.02%	0.003%
52	9.447	2594	2599	2603	rBV6	1102	1145	0.03%	0.004%
53	9.527	2622	2624	2626	rBV2	424	241	0.01%	0.001%
54	9.540	2626	2628	2629	rVV2	1000	402	0.01%	0.001%
55	9.550	2629	2631	2633	rVV3	964	487	0.01%	0.002%
56	9.579	2637	2640	2642	rVB2	864	463	0.01%	0.002%
57	9.592	2642	2644	2645	rBV2	642	267	0.01%	0.001%
58	9.666	2665	2667	2671	rBV3	516	309	0.01%	0.001%
59	9.733	2685	2688	2690	rBV2	849	465	0.01%	0.002%
60	9.778	2699	2702	2704	rBV3	714	518	0.01%	0.002%
61	9.920	2743	2746	2747	rBV3	628	352	0.01%	0.001%
62	10.048	2782	2786	2787	rBV	741	441	0.01%	0.002%
63	10.058	2787	2789	2791	rVV2	1137	438	0.01%	0.002%
64	10.071	2791	2793	2798	rVV3	426	286	0.01%	0.001%
65	10.222	2827	2840	2861	rBV	725580	1131164	26.17%	4.045%
66	10.440	2905	2908	2910	rBV3	598	392	0.01%	0.001%
67	10.534	2935	2937	2938	rBV	483	145	0.00%	0.001%
68	10.547	2938	2941	2943	rVV3	659	369	0.01%	0.001%
69	10.691	2983	2986	2987	rBV3	671	362	0.01%	0.001%
70	10.836	3029	3031	3035	rVB2	564	301	0.01%	0.001%
71	10.862	3035	3039	3041	rBV2	1075	755	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121920\
 Data File : VV019756.D
 Acq On : 20 Dec 2020 00:00
 Operator : SY/MD
 Sample : L5131-09
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4H08

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

72	10.923	3054	3058	3063	rBV5	998	1028	0.02%	0.004%
73	10.945	3063	3065	3066	rVB	541	179	0.00%	0.001%
74	10.997	3079	3081	3088	rVB6	681	587	0.01%	0.002%
75	11.029	3088	3091	3094	rVB3	634	356	0.01%	0.001%
76	11.045	3094	3096	3100	rBV4	488	449	0.01%	0.002%
77	11.254	3146	3161	3181	rBV	1284584	1982082	45.86%	7.088%
78	11.524	3241	3245	3246	rBV3	1103	733	0.02%	0.003%
79	11.630	3266	3278	3297	rBV	1202465	1891257	43.76%	6.763%
80	11.871	3351	3353	3361	rBV6	787	652	0.02%	0.002%
81	11.903	3361	3363	3367	rBV4	691	511	0.01%	0.002%
82	12.177	3447	3448	3450	rBV2	505	194	0.00%	0.001%
83	12.241	3466	3468	3471	rVB2	751	328	0.01%	0.001%
84	12.267	3472	3476	3480	rBV3	777	677	0.02%	0.002%
85	12.366	3504	3507	3511	rBV3	1197	1236	0.03%	0.004%
86	12.431	3525	3527	3529	rBV3	644	408	0.01%	0.001%
87	12.707	3610	3613	3615	rBV3	949	517	0.01%	0.002%
88	12.836	3651	3653	3655	rBV3	425	176	0.00%	0.001%
89	12.855	3655	3659	3660	rBV3	527	336	0.01%	0.001%
90	12.903	3670	3674	3678	rBV5	1251	1370	0.03%	0.005%
91	13.009	3704	3707	3710	rBV3	841	660	0.02%	0.002%
92	13.135	3744	3746	3750	rVB3	1032	577	0.01%	0.002%
93	13.373	3817	3820	3822	rBV3	957	405	0.01%	0.001%


Sum of corrected areas: 27962769

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121920\
Data File : VV019756.D
Acq On : 20 Dec 2020 00:00
Operator : SY/MD
Sample : L5131-09
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4H08

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV121920\
Data File : VV019756.D
Acq On : 20 Dec 2020 00:00
Operator : SY/MD
Sample : L5131-09
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
F4H08

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV121920\
Data File : VV019756.D
Acq On : 20 Dec 2020 00:00
Operator : SY/MD
Sample : L5131-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4H08

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc