

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
 Data File : VV019770.D
 Acq On : 21 Dec 2020 11:54
 Operator : SY/MD
 Sample : L5024-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Dec 22 00:37:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 22 00:24:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	720578	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	674237	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	306832	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	219144	42.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.82%
7) Chloroethane-d5	1.57	69	187591	46.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.06%
11) 1,1-Dichloroethene-d2	2.11	63	333631	34.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.58%
21) 2-Butanone-d5	3.89	46	344627	122.71	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	122.71%
24) Chloroform-d	4.35	84	430443	46.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.44%
26) 1,2-Dichloroethane-d4	5.03	65	300707	49.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.82%
32) Benzene-d6	5.05	84	870293	48.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.80%
36) 1,2-Dichloropropane-d6	6.07	67	281511	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.94%
41) Toluene-d8	7.32	98	766081	47.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.64%
43) trans-1,3-Dichloropropene-	7.62	79	136492	42.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.20%
47) 2-Hexanone-d5	8.09	63	207885	94.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.03%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	340599	44.70	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.40%
64) 1,2-Dichlorobenzene-d4	11.63	152	281332	49.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.10%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
Data File : VV019770.D
Acq On : 21 Dec 2020 11:54
Operator : SY/MD
Sample : L5024-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Dec 22 00:37:20 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 22 00:24:34 2020
Response via : Initial Calibration

