

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
 Data File : VV019778.D
 Acq On : 21 Dec 2020 16:16
 Operator : SY/MD
 Sample : L5087-07 200X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	61	68	82	rVB	448278	445436	15.67%	2.077%
2	1.569	142	149	164	rVB	340828	380959	13.41%	1.776%
3	2.110	308	317	346	rVB	684564	1046886	36.84%	4.882%
4	2.724	507	508	509	rBV	470	180	0.01%	0.001%
5	2.984	587	589	590	rBV2	447	133	0.00%	0.001%
6	3.010	594	597	598	rBV	397	205	0.01%	0.001%
7	3.019	598	600	602	rBV3	609	327	0.01%	0.002%
8	3.045	607	608	610	rVV2	711	199	0.01%	0.001%
9	3.126	631	633	635	rBV2	382	228	0.01%	0.001%
10	3.196	653	655	659	rBV2	648	633	0.02%	0.003%
11	3.235	665	667	671	rVB2	829	286	0.01%	0.001%
12	3.254	671	673	678	rVB4	917	591	0.02%	0.003%
13	3.277	678	680	681	rBV	375	129	0.00%	0.001%
14	3.373	708	710	712	rVV3	505	187	0.01%	0.001%
15	3.399	715	718	721	rBV2	762	454	0.02%	0.002%
16	3.428	726	727	729	rVB2	290	94	0.00%	0.000%
17	3.460	736	737	738	rBV2	264	86	0.00%	0.000%
18	3.473	738	741	748	rVB7	1206	1060	0.04%	0.005%
19	3.505	749	751	752	rBV	275	86	0.00%	0.000%
20	3.524	753	757	759	rVV3	654	467	0.02%	0.002%
21	3.550	763	765	766	rVV	335	143	0.01%	0.001%
22	3.563	766	769	775	rVB4	984	788	0.03%	0.004%
23	3.621	782	787	788	rBV3	429	318	0.01%	0.001%
24	3.634	788	791	793	rBV3	589	375	0.01%	0.002%
25	3.662	799	800	802	rBV	277	102	0.00%	0.000%
26	3.675	802	804	805	rVB	377	116	0.00%	0.001%
27	3.743	824	825	827	rVB	426	133	0.00%	0.001%
28	3.753	827	828	829	rBV	539	116	0.00%	0.001%
29	3.794	839	841	842	rBV	774	310	0.01%	0.001%
30	3.804	842	844	846	rBV	318	179	0.01%	0.001%
31	3.826	849	851	853	rVB2	248	72	0.00%	0.000%
32	3.849	853	858	860	rBV4	974	772	0.03%	0.004%
33	3.894	860	872	910	rBV	200546	650595	22.89%	3.034%
34	4.354	1000	1015	1040	rBV	440778	1081769	38.07%	5.045%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
 Data File : VV019778.D
 Acq On : 21 Dec 2020 16:16
 Operator : SY/MD
 Sample : L5087-07 200X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

35	4.540	1071	1073	1076	rBV3	944	484	0.02%	0.002%
36	4.711	1123	1126	1127	rBV4	828	378	0.01%	0.002%
37	4.859	1169	1172	1173	rBV3	567	252	0.01%	0.001%
38	4.900	1183	1185	1186	rBV2	631	279	0.01%	0.001%
39	4.920	1189	1191	1196	rVB5	734	583	0.02%	0.003%
40	4.958	1201	1203	1207	rBV5	660	412	0.01%	0.002%
41	4.981	1207	1210	1211	rVB3	839	398	0.01%	0.002%
42	5.051	1211	1232	1262	rBV2	1106170	2841895	100.00%	13.252%
43	5.621	1396	1409	1443	rBV	833568	1668756	58.72%	7.782%
44	5.913	1491	1500	1517	rVB5	38890	87978	3.10%	0.410%
45	6.074	1536	1550	1571	rBV	634770	1271145	44.73%	5.928%
46	6.376	1643	1644	1645	rBV	707	246	0.01%	0.001%
47	6.415	1655	1656	1663	rVB4	1212	949	0.03%	0.004%
48	6.450	1663	1667	1672	rBV6	1122	1249	0.04%	0.006%
49	6.505	1681	1684	1686	rBV3	779	466	0.02%	0.002%
50	6.617	1716	1719	1721	rBV4	850	518	0.02%	0.002%
51	6.633	1722	1724	1726	rBV3	785	403	0.01%	0.002%
52	6.723	1750	1752	1754	rBV3	493	310	0.01%	0.001%
53	6.765	1762	1765	1768	rBV4	565	305	0.01%	0.001%
54	6.852	1790	1792	1795	rBV3	736	528	0.02%	0.002%
55	6.900	1805	1807	1808	rBV2	526	149	0.01%	0.001%
56	6.916	1808	1812	1813	rVV4	579	416	0.01%	0.002%
57	6.990	1823	1835	1866	rBV	365506	655030	23.05%	3.055%
58	7.322	1925	1938	1966	rBV	1264183	2203849	77.55%	10.277%
59	7.624	2022	2032	2053	rBV	245435	428113	15.06%	1.996%
60	7.884	2110	2113	2117	rBV6	1316	930	0.03%	0.004%
61	7.926	2124	2126	2129	rVB4	743	436	0.02%	0.002%
62	7.981	2129	2143	2161	rBV	110677	189549	6.67%	0.884%
63	8.093	2167	2178	2213	rBV	707200	1306922	45.99%	6.094%
64	8.547	2316	2319	2322	rBV3	1228	939	0.03%	0.004%
65	8.688	2360	2363	2364	rBV3	968	571	0.02%	0.003%
66	8.762	2383	2386	2388	rBV4	787	499	0.02%	0.002%
67	8.807	2398	2400	2403	rVB3	801	359	0.01%	0.002%
68	8.855	2403	2415	2445	rBV	1235074	2029799	71.42%	9.465%
69	9.357	2568	2571	2572	rBV2	757	339	0.01%	0.002%
70	9.498	2613	2615	2617	rBV3	589	378	0.01%	0.002%
71	9.592	2638	2644	2645	rBV4	1067	1155	0.04%	0.005%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
 Data File : VV019778.D
 Acq On : 21 Dec 2020 16:16
 Operator : SY/MD
 Sample : L5087-07 200X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

72	9.820	2712	2715	2719	rVB3	783	511	0.02%	0.002%
73	10.003	2770	2772	2776	rVB3	1111	615	0.02%	0.003%
74	10.064	2789	2791	2794	rVB2	434	147	0.01%	0.001%
75	10.087	2796	2798	2800	rBV	564	318	0.01%	0.001%
76	10.222	2828	2840	2857	rBV	764854	1196953	42.12%	5.582%
77	10.347	2875	2879	2883	rBV5	980	1060	0.04%	0.005%
78	10.427	2901	2904	2906	rBV2	831	456	0.02%	0.002%
79	10.450	2909	2911	2913	rBV2	697	406	0.01%	0.002%
80	10.620	2960	2964	2967	rBV4	1067	908	0.03%	0.004%
81	10.733	2996	2999	3000	rBV2	589	382	0.01%	0.002%
82	10.952	3065	3067	3069	rVB3	573	197	0.01%	0.001%
83	10.968	3069	3072	3073	rBV2	433	253	0.01%	0.001%
84	10.977	3073	3075	3079	rVB2	1030	538	0.02%	0.003%
85	11.038	3091	3094	3096	rBV3	731	534	0.02%	0.002%
86	11.074	3102	3105	3109	rVB3	899	627	0.02%	0.003%
87	11.254	3150	3161	3183	rBV	1295657	1987322	69.93%	9.267%
88	11.630	3266	3278	3300	rBV	1245561	1938068	68.20%	9.038%
89	11.990	3388	3390	3393	rBV3	703	367	0.01%	0.002%
90	12.083	3417	3419	3422	rBV2	829	457	0.02%	0.002%
91	12.151	3438	3440	3443	rVB2	962	398	0.01%	0.002%
92	12.501	3546	3549	3552	rBV3	1122	649	0.02%	0.003%
93	13.038	3714	3716	3719	rVB	593	303	0.01%	0.001%
94	13.058	3719	3722	3724	rBV2	947	537	0.02%	0.003%
95	13.273	3787	3789	3791	rBV3	1281	609	0.02%	0.003%
96	13.447	3841	3843	3846	rVB3	1082	452	0.02%	0.002%


Sum of corrected areas: 21444448

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
Data File : VV019778.D
Acq On : 21 Dec 2020 16:16
Operator : SY/MD
Sample : L5087-07 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
Data File : VV019778.D
Acq On : 21 Dec 2020 16:16
Operator : SY/MD
Sample : L5087-07 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV122120\
Data File : VV019778.D
Acq On : 21 Dec 2020 16:16
Operator : SY/MD
Sample : L5087-07 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc