

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW010622\
 Data File : VW021765.D
 Acq On : 06 Jan 2022 18:20
 Operator : SY/VA
 Sample : N1025-04
 Misc : 6.63g/10mL/MSVOA_W/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGLG8

Quant Time: Jan 07 00:23:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM122821SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jan 04 00:22:49 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	209975	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.628	117	195847	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	103081	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	52276	12.627	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	50.520%		
7) Chloroethane-d5	2.885	69	40615	14.566	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	58.280%		
11) 1,1-Dichloroethene-d2	4.013	63	61506	10.152	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	40.600%#		
21) 2-Butanone-d5	7.092	46	21265	35.109	ug/L	0.02
Spiked Amount 50.000	Range 20 - 135		Recovery =	70.220%		
24) Chloroform-d	7.653	84	98330	14.991	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	59.960%		
26) 1,2-Dichloroethane-d4	8.305	65	51663	14.917	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	59.680%#		
32) Benzene-d6	8.275	84	203367	17.488	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	69.960%		
36) 1,2-Dichloropropane-d6	9.275	67	55872	17.711	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	70.840%		
41) Toluene-d8	10.323	98	197836	17.075	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	68.280%		
43) trans-1,3-Dichloroprop...	10.579	79	22402	14.594	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	58.360%		
47) 2-Hexanone-d5	10.927	63	20078	41.966	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	83.940%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	44682	17.180	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	68.720%		
66) 1,2-Dichlorobenzene-d4	13.853	152	65160	16.530	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	66.120%#		
Target Compounds						Qvalue
13) Acetone	4.160	43	22795	44.325	ug/L	86
20) cis-1,2-Dichloroethene	7.171	96	22294	6.540	ug/L	67
33) Benzene	8.323	78	61349	5.134	ug/L	100
35) Methylcyclohexane	9.336	83	9715	1.736	ug/L #	71
40) 4-Methyl-2-pentanone	10.213	43	4649	3.187	ug/L #	91
42) Toluene	10.390	91	533552	38.679	ug/L	98
51) Chlorobenzene	11.658	112	18208	2.046	ug/L	92
52) Ethylbenzene	11.731	91	530074	34.233	ug/L	95
53) m,p-Xylene	11.835	106	591049	95.263	ug/L	81
54) o-Xylene	12.164	106	219028	37.247	ug/L	83
60) Isopropylbenzene	12.463	105	224666	15.635	ug/L	93
62) 1,3,5-Trimethylbenzene	12.939	105	345762	28.462	ug/L	91
63) 1,2,4-Trimethylbenzene	13.249	105	1932724	160.164	ug/L	92
67) 1,2-Dichlorobenzene	13.871	146	38741	6.540	ug/L	98
70) 1,2,4-trichlorobenzene	15.133	180	31783	7.989	ug/L #	85
72) 1,2,3-Trichlorobenzene	15.554	180	10019	2.992	ug/L #	54

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
MSVOA_W
ClientSampleId :
BGLG8

Quant Time: Jan 07 00:23:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM122821SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jan 04 00:22:49 2022
Response via : Initial Calibration









#13
Acetone
Concen: 44.325 ug/L
RT: 4.160 min Scan# 31
Delta R.T. 0.031 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20




Instrument :
MSVOA_W
ClientSampleId :
BGLG8


Tgt Ion: 43 Resp: 22795
Ion Ratio Lower Upper
43 100
58 33.6 0.0 52.8



#20
cis-1,2-Dichloroethene
Concen: 6.540 ug/L
RT: 7.171 min Scan# 864
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20

Tgt Ion: 96 Resp: 22294
Ion Ratio Lower Upper
96 100
61 107.0 103.7 192.7
68 0.0 0.0 0.0









#33
Benzene
Concen: 5.134 ug/L
RT: 8.323 min Scan# 1053
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20




Instrument :
MSVOA_W
ClientSampleId :
BGLG8


Tgt Ion: 78 Resp: 61349



#35
Methylcyclohexane
Concen: 1.736 ug/L
RT: 9.336 min Scan# 1219
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20

Tgt Ion: 83 Resp: 9715
Ion Ratio Lower Upper
83 100
55 122.1 70.8 106.2#
98 56.8 37.7 56.5#





#40

4-Methyl-2-pentanone

Concen: 3.187 ug/L

RT: 10.213 min Scan# 1363

Delta R.T. 0.006 min

Lab File: VW021765.D

Acq: 06 Jan 2022 18:20

Instrument :

MSVOA_W

ClientSampleId :

BGLG8





Tgt Ion: 43 Resp: 4649

Ion Ratio Lower Upper

43 100

58 40.5 28.8 43.2

100 17.4 10.0 15.0#



#42

Toluene

Concen: 38.679 ug/L

RT: 10.390 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VW021765.D




Acq: 06 Jan 2022 18:20


Tgt Ion: 91 Resp: 533552

Ion Ratio Lower Upper

91 100

92 58.0 41.7 77.5









#51
Chlorobenzene
Concen: 2.046 ug/L
RT: 11.658 min Scan# 1600
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20




Instrument :
MSVOA_W
ClientSampleId :
BGLG8


Tgt Ion:112 Resp: 18208
Ion Ratio Lower Upper
112 100
114 31.9 22.4 41.6
77 53.4 50.2 75.4



#52
Ethylbenzene
Concen: 34.233 ug/L
RT: 11.731 min Scan# 1612
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20

Tgt Ion: 91 Resp: 530074
Ion Ratio Lower Upper
91 100
106 33.3 21.5 39.9









#53
m,p-Xylene
Concen: 95.263 ug/L
RT: 11.835 min Scan# 1629
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20




Instrument :
MSVOA_W
ClientSampleId :
BGLG8


Tgt Ion:106 Resp: 591049
Ion Ratio Lower Upper
106 100
91 183.4 149.9 278.3



#54
o-Xylene
Concen: 37.247 ug/L
RT: 12.164 min Scan# 1683
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20

Tgt Ion:106 Resp: 219028
Ion Ratio Lower Upper
106 100
91 191.5 153.6 285.3









#60
Isopropylbenzene
Concen: 15.635 ug/L
RT: 12.463 min Scan# 11
Delta R.T. 0.000 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20




Instrument :
MSVOA_W
ClientSampleId :
BGLG8


Tgt Ion:105 Resp: 224666
Ion Ratio Lower Upper
105 100
120 29.2 20.1 30.1
77 14.5 13.8 20.8



#62
1,3,5-Trimethylbenzene
Concen: 28.462 ug/L
RT: 12.939 min Scan# 1810
Delta R.T. -0.006 min
Lab File: VW021765.D
Acq: 06 Jan 2022 18:20

Tgt Ion:105 Resp: 345762
Ion Ratio Lower Upper
105 100
120 52.7 37.4 56.2





#63

1,2,4-Trimethylbenzene

Concen: 160.164 ug/L

RT: 13.249 min Scan# 1

Delta R.T. 0.000 min

Lab File: VW021765.D

Acq: 06 Jan 2022 18:20

Instrument :

MSVOA_W

ClientSampleId :





BGLG8

Tgt Ion:105 Resp: 1932724

Ion Ratio Lower Upper

105 100

120 48.8 35.0 52.6



#67

1,2-Dichlorobenzene

Concen: 6.540 ug/L

RT: 13.871 min Scan# 1963

Delta R.T. 0.006 min

Lab File: VW021765.D

Acq: 06 Jan 2022 18:20




Tgt Ion:146 Resp: 38741

Ion Ratio Lower Upper


146 100

111 43.7 33.1 49.7


148 59.5 47.4 71.2




Abundance Scan 2170 (15.133 min): VW021750.D\data.ms (



m/z--> Abundance Scan 2170 (15.133 min): VW021765.D\data.ms



m/z--> Abundance Scan 2170 (15.133 min): VW021765.D\data.ms (



m/z-->

#70

1,2,4-trichlorobenzene

Concen: 7.989 ug/L

RT: 15.133 min Scan# 2170

Delta R.T. 0.006 min

Lab File: VW021765.D

Acq: 06 Jan 2022 18:20

Instrument :

MSVOA_W

ClientSampleId :

BGLG8

Tgt Ion:180 Resp: 31783


Ion Ratio Lower Upper

180 100


182 96.4 79.0 118.6

145 61.4 26.0 39.0#


Abundance




Abundance Scan 2238 (15.548 min): VW021750.D\data.ms (



m/z--> Abundance Scan 2239 (15.554 min): VW021765.D\data.ms



m/z--> Abundance Scan 2239 (15.554 min): VW021765.D\data.ms (



m/z-->

#72

1,2,3-Trichlorobenzene

Concen: 2.992 ug/L

RT: 15.554 min Scan# 2239

Delta R.T. 0.006 min

Lab File: VW021765.D

Acq: 06 Jan 2022 18:20

Tgt Ion:180 Resp: 10019

Ion Ratio Lower Upper

180 100

182 95.5 76.6 114.8

145 133.4 27.4 41.0#

Abundance

