

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW010821\
 Data File : VW017804.D
 Acq On : 08 Jan 2021 14:34
 Operator : SY/VA
 Sample : VW0108SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK19

Quant Time: Jan 08 22:02:11 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 08 21:58:14 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	318339	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	291405	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	136285	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	112843	22.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.64%
7) Chloroethane-d5	2.89	69	99433	24.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.84%
10) 1,1-Dichloroethene-d2	4.01	63	151658	17.67	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.68%
20) 2-Butanone-d5	7.08	46	39177	49.07	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.14%
24) Chloroform-d	7.65	84	200051	24.05	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.20%
26) 1,2-Dichloroethane-d4	8.30	65	110842	25.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.96%
29) Benzene-d6	8.27	84	406697	24.78	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.12%
33) 1,2-Dichloropropane-d6	9.27	67	113109	25.00	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.00%
37) Toluene-d8	10.32	98	382115	24.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.96%
38) trans-1,3-Dichloropropene-	10.58	79	45672	22.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.60%
39) 2-Hexanone-d5	10.93	63	29190	51.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	82731	24.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.52%
61) 1,2-Dichlorobenzene-d4	13.85	152	118040	24.87	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.48%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	9466	2.079 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW010821\
Data File : VW017804.D
Acq On : 08 Jan 2021 14:34
Operator : SY/VA
Sample : VW0108SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK19

Quant Time: Jan 08 22:02:11 2021
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 08 21:58:14 2021
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.079 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. -0.00 min
 Lab File: VW017804.D
 Acq: 08 Jan 2021 14:34

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK19

Tot Ion: 84 Resp: 9466
 Ion Ratio Lower Upper
 84 100
 49 115.2 90.5 168.1
 86 60.8 44.8 83.2

