

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW010919\
 Data File : VW008105.D
 Acq On : 09 Jan 2019 16:10
 Operator : SY/AP
 Sample : K1075-02RE
 Misc : 3.98G/5ML/MSVOA W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BASIN-1RE

Quant Time: Jan 10 06:36:01 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W010819S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 09 04:40:48 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	27953	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	43879	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	39123	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	17233	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	13480	42.91	ug/l	0.00
Spiked Amount	50.000		Recovery	=	85.82%	
35) Dibromofluoromethane	7.88	113	12896	50.39	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.78%	
50) Toluene-d8	10.32	98	54674	50.91	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.82%	
62) 4-Bromofluorobenzene	12.62	95	18715	48.61	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.22%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW010919\
Data File : VW008105.D
Acq On : 09 Jan 2019 16:10
Operator : SY/AP
Sample : K1075-02RE
Misc : 3.98G/5ML/MSVOA W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BASIN-1RE

Quant Time: Jan 10 06:36:01 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W010819S.M
Quant Title : SW846 8260
QLast Update : Wed Jan 09 04:40:48 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW008105.D

Acq: 09 Jan 2019 16:10

Instrument :

MSVOA_W

ClientSampleId :


BASIN-1RE

Tot Ion:168 Resp: 27953

Ion Ratio Lower Upper




168 100

99 55.1 52.6 78.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 42.907 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW008105.D


Acq: 09 Jan 2019 16:10

Tgt Ion: 65 Resp: 13480

Ion Ratio Lower Upper



65 100


67 59.2 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW008105.D

Acq: 09 Jan 2019 16:10

Instrument :

MSVOA_W

ClientSampleId :

BASIN-1RE


Tot Ion:114 Resp: 43879

Ion Ratio Lower Upper

114 100

63 20.5 0.0 43.4




88 17.0 0.0 33.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 50.391 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW008105.D

Acq: 09 Jan 2019 16:10


Tgt Ion:113 Resp: 12896

Ion Ratio Lower Upper

113 100

111 101.4 81.8 122.8



192 20.2 12.8 19.2#




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 50.910 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW008105.D
Acq: 09 Jan 2019 16:10




Instrument :
MSVOA_W
ClientSampleId :
BASIN-1RE


Tot Ion: 98 Resp: 54674
Ion Ratio Lower Upper
98 100
100 64.0 51.7 77.5



#62
4-Bromofluorobenzene
Concen: 48.610 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. -0.00 min
Lab File: VW008105.D
Acq: 09 Jan 2019 16:10

Tgt Ion: 95 Resp: 18715
Ion Ratio Lower Upper
95 100
174 73.6 0.0 143.0
176 76.3 0.0 140.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW008105.D
Acq: 09 Jan 2019 16:10

Instrument :
MSVOA_W
ClientSampleId :
BASIN-1RE

Tot Ion:117 Resp: 39123
Ion Ratio Lower Upper
117 100
82 54.0 46.4 69.6
119 31.5 24.7 37.1




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.57 min Scan# 1913
Delta R.T. 0.01 min
Lab File: VW008105.D
Acq: 09 Jan 2019 16:10

Tgt Ion:152 Resp: 17233
Ion Ratio Lower Upper
152 100
115 59.8 30.8 92.4
150 152.9 0.0 350.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

