

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011121\
 Data File : VW017821.D
 Acq On : 11 Jan 2021 16:02
 Operator : SY/VA
 Sample : M1074-09
 Misc : 6.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFT48

Manual Integrations
 APPROVED

SAM
 1/12/2021 9:30:23 PM

Quant Time: Jan 12 06:25:25 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 12 05:24:59 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	307293	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	276182	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	129342	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	109519	23.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.12%
7) Chloroethane-d5	2.89	69	87600	22.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.28%
10) 1,1-Dichloroethene-d2	4.02	63	145297	17.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.16%
20) 2-Butanone-d5	7.08	46	36584	47.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.94%
24) Chloroform-d	7.65	84	182626	22.74	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.96%
26) 1,2-Dichloroethane-d4	8.31	65	102776m	24.73	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.92%
29) Benzene-d6	8.27	84	362886	23.33	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.32%
33) 1,2-Dichloropropane-d6	9.27	67	105038	24.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.96%
37) Toluene-d8	10.32	98	336704	22.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.12%
38) trans-1,3-Dichloropropene-	10.58	79	41602	21.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.04%
39) 2-Hexanone-d5	10.93	63	25581	47.50	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.00%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	69614	21.87	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	98890	21.96	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.84%

Target Compounds				Ovalue
13) Acetone	4.13	43	2426m	3.646 ug/L
16) Methylene chloride	4.92	84	10418m	2.371 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011121\
Data File : VW017821.D
Acq On : 11 Jan 2021 16:02
Operator : SY/VA
Sample : M1074-09
Misc : 6.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BFT48

Manual Integrations
APPROVED

SAM
1/12/2021 9:30:23 PM

Quant Time: Jan 12 06:25:25 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 12 05:24:59 2021
Response via : Initial Calibration





#13

Acetone

Concen: 3.646 ug/L m

RT: 4.13 min Scan# 365

Delta R.T. -0.00 min

Lab File: VW017821.D

Acq: 11 Jan 2021 16:02

Tot Ion: 43 Resp: 2426

Ion Ratio Lower Upper

43 100

58 13.4 0.0 60.8

Instrument :

MSVOA_W

ClientSampled :





BFT48

Manual Integrations

APPROVED

SAM

1/12/2021 9:30:23 PM



#16

Methylene chloride

Concen: 2.371 ug/L m

RT: 4.92 min Scan# 495

Delta R.T. 0.01 min

Lab File: VW017821.D

Acq: 11 Jan 2021 16:02

Tgt Ion: 84 Resp: 10418

Ion Ratio Lower Upper

84 100

49 129.2 90.5 168.1

86 63.1 44.8 83.2

