

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011121\
 Data File : VW017824.D
 Acq On : 11 Jan 2021 17:12
 Operator : SY/VA
 Sample : VIBLK12
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK12

Quant Time: Jan 12 06:40:14 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 12 05:24:59 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	290761	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	263281	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	121659	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	96075	21.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.44%
7) Chloroethane-d5	2.89	69	78997	21.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.12%
10) 1,1-Dichloroethene-d2	4.03	63	129224	16.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.96%
20) 2-Butanone-d5	7.08	46	35229	48.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.62%
24) Chloroform-d	7.65	84	162991	21.45	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.80%
26) 1,2-Dichloroethane-d4	8.30	65	92709	23.57	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.28%
29) Benzene-d6	8.27	84	327004	22.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.20%
33) 1,2-Dichloropropane-d6	9.27	67	93627	22.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.60%
37) Toluene-d8	10.32	98	302257	21.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.88%
38) trans-1,3-Dichloropropene-	10.58	79	36781	20.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.72%
39) 2-Hexanone-d5	10.93	63	23938	46.63	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	64808	21.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	92873	21.92	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.68%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11595	2.789 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011121\
Data File : VW017824.D
Acq On : 11 Jan 2021 17:12
Operator : SY/VA
Sample : VIBLK12
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK12

Quant Time: Jan 12 06:40:14 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 12 05:24:59 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.789 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW017824.D
Acq: 11 Jan 2021 17:12

Instrument :
MSVOA_W
ClientSampleId :
VIBLK12

Tot Ion: 84 Resp: 11595

Ion	Ratio	Lower	Upper
84	100		
49	111.6	90.5	168.1
86	58.9	44.8	83.2

