

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW011321\
 Data File : VW017849.D
 Acq On : 13 Jan 2021 15:55
 Operator : SY/VA
 Sample : M1127-01
 Misc : 3.12G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampled :
 C0AC8

Manual Integrations
APPROVED

MMDadoda
 1/15/2021 4:06:53 PM

Quant Time: Jan 14 11:42:29 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 14 11:39:57 2021
 Response via : Initial Calibration



(21) 2-Butanone

7.171min (+0.006) 0.34ug/L

response 1413

Ion	Exp%	Act%
43.00	100	100
72.00	30.80	67.87#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW011321\
 Data File : VW017849.D
 Acq On : 13 Jan 2021 15:55
 Operator : SY/VA
 Sample : M1127-01
 Misc : 3.12G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC8

Manual Integrations
 APPROVED

MMDadoda
 1/15/2021 4:06:53 PM

Quant Time: Jan 14 11:42:29 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 14 11:39:57 2021
 Response via : Initial Calibration



TIC: VW017849.D

(21) 2-Butanone

7.183min (+0.018) 1.67ug/L m

response 7006

Ion	Exp%	Act%
43.00	100	100
72.00	30.80	13.69#
0.00	0.00	0.00
0.00	0.00	0.00

201/5/21 sy

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW011321\
 Data File : VW017849.D
 Acq On : 13 Jan 2021 15:55
 Operator : SY/VA
 Sample : M1127-01
 Misc : 3.12G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC8

Manual Integrations
 APPROVED

MMDadoda
 1/15/2021 4:06:53 PM

Quant Time: Jan 14 14:18:46 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 14 11:39:57 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1442217	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1282101	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	471753	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	130278	5.84	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	23.36%	#	
7) Chloroethane-d5	2.89	69	106030	5.76	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	23.04%	#	
10) 1,1-Dichloroethene-d2	4.02	63	159257	4.10	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	16.40%	#	
20) 2-Butanone-d5	7.08	46	50876	14.07	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	28.14%		
24) Chloroform-d	7.65	84	200292	5.31	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	21.24%	#	
26) 1,2-Dichloroethane-d4	8.31	65	118597	6.08	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	24.32%	#	
29) Benzene-d6	8.27	84	397840	5.51	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	22.04%		
33) 1,2-Dichloropropane-d6	9.27	67	116819	5.87	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	23.48%	#	
37) Toluene-d8	10.32	98	350027	5.05	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	20.20%	#	
38) trans-1,3-Dichloropropene-	10.58	79	46157	5.20	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	20.80%	#	
39) 2-Hexanone-d5	10.93	63	35055	14.02	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	28.04%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	84410	5.71	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	22.84%	#	
61) 1,2-Dichlorobenzene-d4	13.85	152	80092	4.88	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	19.52%	#	

Target Compounds

					Qvalue
13) Acetone	4.13	43	14274	4.570	ug/L 76
21) 2-Butanone	7.18	43	7006m	1.668	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

2/15/21 Sy

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW011321\
Data File : VW017849.D
Acq On : 13 Jan 2021 15:55
Operator : SY/VA
Sample : M1127-01
Misc : 3.12G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AC8

Manual Integrations
APPROVED

MMDadoda
1/15/2021 4:06:53 PM

Quant Time: Jan 14 14:18:46 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 14 11:39:57 2021
Response via : Initial Calibration

