

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW011422\
 Data File : VW021901.D
 Acq On : 14 Jan 2022 09:29
 Operator : SY/VA
 Sample : VW0114SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK443

Quant Time: Jan 17 00:44:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011122SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Jan 17 00:44:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	134088	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.627	117	131980	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	72201	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	60404	24.237	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.960%
7) Chloroethane-d5	2.885	69	43016	19.114	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.440%
11) 1,1-Dichloroethene-d2	4.086	63	188	0.048	ug/L	0.07
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.200%#
21) 2-Butanone-d5	7.073	46	19729	56.085	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.180%
24) Chloroform-d	7.646	84	105812	24.427	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.720%
26) 1,2-Dichloroethane-d4	8.299	65	53305	25.482	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.920%
32) Benzene-d6	8.274	84	213953	24.983	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.920%
36) 1,2-Dichloropropane-d6	9.274	67	56514	25.037	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.160%
41) Toluene-d8	10.323	98	212067	24.565	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.240%
43) trans-1,3-Dichloroprop...	10.573	79	22909	23.904	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.600%
47) 2-Hexanone-d5	10.920	63	17768	58.012	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	116.020%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	44111	24.991	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.960%
66) 1,2-Dichlorobenzene-d4	13.853	152	74812	25.199	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.800%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW011422\
Data File : VW021901.D
Acq On : 14 Jan 2022 09:29
Operator : SY/VA
Sample : VW0114SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK443

Quant Time: Jan 17 00:44:40 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM011122SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Jan 17 00:44:09 2022
Response via : Initial Calibration

