

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW011921\
 Data File : VW017955.D
 Acq On : 19 Jan 2021 14:12
 Operator : SY/VA
 Sample : M1170-03
 Misc : 3.84G/10ML/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFT85

Manual Integrations
 APPROVED

MMDadoda
 1/21/2021 7:00:25 AM

Quant Time: Jan 20 04:56:57 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM011821S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 20 04:48:23 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	420236	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	376420	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	178846	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	143034	21.68	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.72%		
7) Chloroethane-d5	2.891	69	114206	20.97	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.88%		
10) 1,1-Dichloroethene-d2	4.019	63	191562m	16.08	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.32%		
20) 2-Butanone-d5	7.080	46	44149	27.68	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	55.36%		
24) Chloroform-d	7.647	84	240891	21.01	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.04%		
26) 1,2-Dichloroethane-d4	8.305	65	131886	20.33	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	81.32%		
29) Benzene-d6	8.274	84	486558	22.59	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	90.36%		
33) 1,2-Dichloropropane-d6	9.274	67	136325	22.24	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.96%		
37) Toluene-d8	10.323	98	451676	22.33	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.32%		
38) trans-1,3-Dichloroprop...	10.579	79	51399	18.36	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	73.44%		
39) 2-Hexanone-d5	10.926	63	29159	26.53	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	53.06%		
48) 1,1,2,2-Tetrachloroeth...	12.694	84	91871	16.85	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	67.40%		
61) 1,2-Dichlorobenzene-d4	13.853	152	141524	22.74	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	90.96%		
Target Compounds						Qvalue
16) Methylene chloride	4.921	84	6483m	1.06	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW011921\
Data File : VW017955.D
Acq On : 19 Jan 2021 14:12
Operator : SY/VA
Sample : M1170-03
Misc : 3.84G/10ML/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BFT85

Manual Integrations
APPROVED

MMDadoda
1/21/2021 7:00:25 AM

Quant Time: Jan 20 04:56:57 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM011821S.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 20 04:48:23 2021
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.06 ug/L m

RT: 4.921 min Scan# 495

Delta R.T. 0.006 min

Lab File: VW017955.D

Acq: 19 Jan 2021 14:12




Tgt Ion: 84 Resp: 6483

Ion Ratio Lower Upper

84 100

49 135.1 81.2 150.8

86 58.7 44.5 82.7



Instrument :

MSVOA_W

ClientSampled :

BFT85

Manual Integrations

APPROVED

MMDadoda

1/21/2021 7:00:25 AM