

Data File : VW014699.D
Acq On : 20 Jan 2020 16:57
Operator : SY/VA
Sample : L1193-11
Misc : 5.10G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GASP2

Quant Time: Jan 21 03:43:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 21 03:38:42 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1111793	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	1018953	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	431719	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	329776	21.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.16%
7) Chloroethane-d5	2.89	69	269523	23.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.36%
10) 1,1-Dichloroethene-d2	4.01	63	482839	16.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.36%
20) 2-Butanone-d5	7.07	46	186214	49.93	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.86%
24) Chloroform-d	7.64	84	636718	24.89	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.56%
26) 1,2-Dichloroethane-d4	8.30	65	348845	26.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.12%
29) Benzene-d6	8.27	84	1332446	24.59	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.36%
33) 1,2-Dichloropropane-d6	9.27	67	420992	25.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.36%
37) Toluene-d8	10.32	98	1188340	24.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.76%
38) trans-1,3-Dichloropropene-	10.57	79	158606	23.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.28%
39) 2-Hexanone-d5	10.92	63	141269	50.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	318389	26.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.12%
61) 1,2-Dichlorobenzene-d4	13.85	152	400355	28.14	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	112.56%


Target Compounds					Qvalue
13) Acetone	4.12	43	16731	3.240 ug/L	98
16) Methylene chloride	4.90	84	29743	1.641 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW014699.D
Acq On : 20 Jan 2020 16:57
Operator : SY/VA
Sample : L1193-11
Misc : 5.10G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GASP2

Quant Time: Jan 21 03:43:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122719S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 21 03:38:42 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.240 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW014699.D

Acq: 20 Jan 2020 16:57

Instrument :

MSVOA_W

ClientSampleId :


GASP2

Tgt Ion: 43 Resp: 16731

Ion Ratio Lower Upper




43 100

58 33.0 0.0 64.0



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW



#16

Methylene chloride

Concen: 1.641 ug/L

RT: 4.90 min Scan# 492

Delta R.T. -0.01 min

Lab File: VW014699.D

Acq: 20 Jan 2020 16:57


Tgt Ion: 84 Resp: 29743

Ion Ratio Lower Upper

84 100

49 112.9 85.8 159.4

86 62.3 44.5 82.7



Abundance Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

